

NESARC Section Table of Contents

Page 1:	SECTION 1 :	BACKGROUND INFORMATION
Page 30:	SECTION 2A:	ALCOHOL CONSUMPTION
Page 46:	SECTION 2B:	ALCOHOL ABUSE/DEPENDENCE (ALCOHOL EXPERIENCES)
Page 67:	SECTION 2C:	ALCOHOL TREATMENT UTILIZATION
Page 77:	SECTION 2D:	FAMILY HISTORY (I) OF ALCOHOLISM
Page 82:	SECTION 3A:	TOBACCO USE AND DEPENDENCE
Page 105:	SECTION 3B:	MEDICINE USE
Page 125:	SECTION 3C:	DRUG ABUSE/DEPENDENCE (MEDICINE EXPERIENCES)
Page 289:	SECTION 3D:	DRUG TREATMENT UTILIZATION
Page 299:	SECTION 3E:	FAMILY HISTORY (II) OF DRUG ABUSE
Page 302:	SECTION 4A:	MAJOR DEPRESSION (LOW MOOD I)
Page 316:	SECTION 4B:	FAMILY HISTORY (III) OF MAJOR DEPRESSION
Page 319:	SECTION 4C:	DYSTHYMIA (LOW MOOD II)
Page 329:	SECTION 5 :	MANIA OR HYPOMANIA (HIGH MOOD)
Page 341:	SECTION 6 :	PANIC DISORDERS AND AGORAPHOBIA (ANXIETY)
Page 355:	SECTION 7 :	SOCIAL PHOBIA (SOCIAL SITUATIONS)
Page 371:	SECTION 8 :	SPECIFIC PHOBIA (SPECIFIC SITUATIONS)
Page 386:	SECTION 9 :	GENERALIZED ANXIETY (GENERAL ANXIETY)
Page 403:	SECTION 10 :	PERSONALITY DISORDERS (USUAL FEELINGS AND ACTIONS)
Page 419:	SECTION 11A:	ANTISOCIAL PERSONALITY DISORDER (BEHAVIOR)
Page 436:	SECTION 11B:	FAMILY HISTORY (IV) OF ANTISOCIAL PERSONALITY DISORDER
Page 439:	SECTION 12 :	PATHOLOGICAL GAMBLING (BETTING)
Page 458:	SECTION 13 :	MEDICAL CONDITIONS/VICTIMIZATION
Page 463:	SECTION 14 :	DSM-IV DIAGNOSES

Tape Location	Source Code	Frequency	Item value and description
SECTION 1: BACKGROUND INFORMATION			
1-5	IDNUM		UNIQUE ID NUMBER WITH NO ALPHABETICS
		43093	1-43093. Unique Identification number
6-10	PSU		PSU
		43093	1001-56017. Psu
11-14	STRATUM		STRATUM
		43093	101-5605. Stratum
15-32	WEIGHT		FINAL WEIGHT [Format: XXXXX.XXXXXXXXXXXXXX]
		43093	398.03738221-57902.204788. Weighting factor
33-34	CDAY		DATE OF INTERVIEW: DAY
		43093	1-31. Day
35-36	CMON		DATE OF INTERVIEW: MONTH
		43093	1-12. Month
37-40	CYEAR		DATE OF INTERVIEW: YEAR
		36992	2001. 2001
		6101	2002. 2002
41-41	REGION		CENSUS REGION
		8209	1. Northeast
		8991	2. Midwest
		16156	3. South
		9737	4. West

Tape Location	Source Code	Frequency	Item value and description
42-42	CENDIV		CENSUS DIVISION
		2018	1. New England
		6191	2. Middle Atlantic
		6430	3. East North Central
		2561	4. West North Central
		8665	5. South Atlantic
		2658	6. East South Central
		4832	7. West South Central
		3046	8. Mountain
		6692	9. Pacific
43-43	CCS		MSA TYPE
		15002	1. In MSA - in central city
		20295	2. In MSA - not in central city
		7796	3. Not in MSA
44-45	FIPSTATE		STATE FIPS (FEDERAL INFORMATION PROCESSING STANDARD) CODE
		43093	01-56. FIPS state code (see Appendix table ...)
46-47	BUILDTYP		TYPE OF BUILDING FOR HOUSEHOLD
		2615	1. Mobile home
		25506	2. Detached one-family house
		2484	3. Attached one-family house
		1915	4. Building with 2 apartments
		2131	5. Building with 3 to 4 apartments
		2133	6. Building with 5 to 9 apartments
		1775	7. Building with 10 to 19 apartments
		1418	8. Building with 20 to 49 apartments
		1977	9. Building with 50+ apartments
		15	10. "Other (boat, RV, etc.)"
		6	11. One-family house (unspecified 2 or 3)
		153	12. Apartment (unspecified 4-9)
		965	99. Unknown building type
48-49	NUMPERS		NUMBER OF PERSONS IN HOUSEHOLD
		43093	1-17. Persons
50-51	NUMPER18		NUMBER OF PERSONS 18 YEARS AND OLDER IN HOUSEHOLD
		43093	1-10. Persons

Tape Location	Source Code	Frequency	Item value and description
52-53	NUMREL		NUMBER OF RELATED PERSONS IN HOUSEHOLD, INCLUDING SAMPLE PERSON
		43093	1-17. Persons
54-54	NUMREL18		NUMBER OF RELATED PERSONS 18 YEARS AND OLDER IN HOUSEHOLD, INCLUDING SAMPLE PERSON
		43093	1-9. Persons
55-55	CHLD0		NUMBER OF CHILDREN UNDER AGE 1 IN HOUSEHOLD
		42380	0. None
		713	1-6. Number of children
56-56	CHLD1_4		NUMBER OF CHILDREN AGES 1 THROUGH 4 IN HOUSEHOLD
		37127	0. None
		5966	1-5. Number of children
57-57	CHLD5_12		NUMBER OF CHILDREN AGES 5 THROUGH 12 IN HOUSEHOLD
		33424	0. None
		9669	1-8. Number of children
58-58	CHLD13_15		NUMBER OF CHILDREN AGES 13 THROUGH 15 IN HOUSEHOLD
		38535	0. None
		4558	1-4. Number of children
59-59	CHLD16_17		NUMBER OF CHILDREN AGES 16 OR 17 IN HOUSEHOLD
		39949	0. None
		3144	1-3. Number of children
60-61	CHLD0_17		NUMBER OF CHILDREN UNDER AGE 18 IN HOUSEHOLD
		26940	0. None
		16153	1-15. Number of children
62-62	SPOUSE		SPOUSE OF RESPONDENT (HUSBAND/WIFE, DOMESTIC PARTNER, BOYFRIEND/GIRLFRIEND) IN HOUSEHOLD
		19810	1. Yes
		23283	2. No

Tape Location	Source Code	Frequency	Item value and description
63-63	FATHERIH		FATHER OF RESPONDENT IN HOUSEHOLD
		2018	1. Yes
		41075	2. No
64-64	MOTHERIH		MOTHER OF RESPONDENT IN HOUSEHOLD
		3270	1. Yes
		39823	2. No
65-65	ADULTCH		ADULT (18+ YEARS) CHILD (NATURAL OR BLOOD CHILD, ADOPTED CHILD, STEPCHILD/ FOSTER CHILD) OF RESPONDENT IN HOUSEHOLD
		2756	1. Yes
		40337	2. No
66-66	OTHREL		OTHER ADULT (18+ YEARS) RELATIVE (SON-IN-LAW/DAUGHTER-IN-LAW, GRANDPARENT, GRANDCHILD) OF RESPONDENT IN HOUSEHOLD
		529	1. Yes
		42564	2. No
67-67	NONREL		NUMBER OF UNRELATED PERSONS IN HOUSEHOLD
		43093	0-9. Persons
68-69	AGE		AGE
		43079	18-97. Age in years
		14	98. 98 years or older
70-70	FAGE		IMPUTATION FLAG FOR AGE/YEAR OF BIRTH
		42499	0. No
		481	1. Assigned based on other reported ages
		113	2. Imputed
71-72	DOBD		DATE OF BIRTH: DAY
		42009	1-31. Day
		1084	99. Unknown
73-74	DOBM		DATE OF BIRTH: MONTH
		42039	1-12. Month
		1054	99. Unknown

Tape Location	Source Code	Frequency	Item value and description
75-78	DOBY		DATE OF BIRTH: YEAR
		43093	1895-1984. Year
79-79	SEX		SEX
		18518	1. Male
		24575	2. Female
80-80	FSEX		IMPUTATION FLAG FOR SEX
		43031	0. No
		62	1. Yes
81-81	S1Q1C		HISPANIC OR LATINO ORIGIN
		8308	1. Yes
		34785	2. No
82-82	S1F1C		IMPUTATION FLAG FOR HISPANIC ORIGIN
		42949	0. No
		144	1. Yes
83-83	S1Q1D1		"AMERICAN INDIAN OR ALASKA NATIVE" CHECKED IN MULTIRACE CODE
		1304	1. Yes
		41789	2. No
84-84	S1Q1D2		"ASIAN" CHECKED IN MULTIRACE CODE
		1334	1. Yes
		41759	2. No
85-85	S1Q1D3		"BLACK OR AFRICAN AMERICAN" CHECKED IN MULTIRACE CODE
		8600	1. Yes
		34493	2. No
86-86	S1Q1D4		"NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER" CHECKED IN MULTIRACE CODE
		363	1. Yes
		42730	2. No

Tape Location	Source Code	Frequency	Item value and description
87-87	S1Q1D5		"WHITE" CHECKED IN MULTIRACE CODE
		32789	1. Yes
		10304	2. No
88-88	S1F1D		IMPUTATION FLAG FOR RACE
		42476	0. No
		617	1. Yes
89-90	S1Q1E		ORIGIN OR DESCENT
		7684	1. African American (Black, Negro, or Afro-American)
		272	2. African (e.g., Egyptian, Nigerian, Algerian)
		975	3. American Indian (Native American)
		38	4. Australian, New Zealander
		128	5. Austrian
		56	6. Belgian
		256	7. Canadian
		543	8. Central American (e.g., Nicaraguan, Guatemalan)
		222	9. Chicano
		306	10. Chinese
		450	11. Cuban
		299	12. Czechoslovakian
		178	13. Danish
		603	14. Dutch
		4455	15. English
		223	16. Filipino
		110	17. Finnish
		1048	18. French
		5345	19. German
		136	20. Greek
		19	21. Guamanian
		186	22. Hungarian
		251	23. Indian, Afghanistani, Pakistani
		29	24. Indonesian
		47	25. Iranian
		20	26. Iraqi
		3066	27. Irish
		47	28. Israeli
		1555	29. Italian
		175	30. Japanese
		11	31. Jordanian

Tape Location	Source Code	Frequency	Item value and description
89-90	S1Q1E		ORIGIN OR DESCENT (continued)
		131	32. Korean
		38	33. Lebanese
		11	34. Malaysian
		2578	35. Mexican
		1758	36. Mexican-American
		456	37. Norwegian
		792	38. Polish
		997	39. Puerto Rican
		418	40. Russian
		758	41. Scottish
		10	42. Samoan
		495	43. South American (e.g., Brazilian, Chilean, Columbian)
		508	44. Spanish (Spain) , Portugese
		431	45. Swedish
		83	46. Swiss
		36	47. Taiwanese
		19	48. Turkish
		101	49. Vietnamese
		145	50. Welsh
		92	51. Yugoslavian
		82	52. Other Asian (Thai, Laotian, Cambodian, Burmese)
		168	53. Other Caribbean or West Indian (Spanish Speaking)
		202	54. Other Caribbean or West Indian (Non-Spanish Speaking)
		114	55. Other Eastern European (Romanian, Bulgarian, Albanian)
		28	56. Other Middle Eastern (Saudi Arabian, Kuwaiti, Qatari, Syrian, Omani)
		39	57. Other Pacific Islander (e.g., Okinawan)
		276	58. Other Spanish
		1739	98. Other
		1855	99. Unknown

Tape Location	Source Code	Frequency	Item value and description
91-91	S1Q1F		BORN IN UNITED STATES
		35622	1. Yes
		7320	2. No
		151	9. Unknown
92-93	S1Q1G		NUMBER OF YEARS LIVED IN UNITED STATES
		7255	1-91. Years
		216	99. Unknown
		35622	BL. NA, born in United States
94-94	S1Q2A		LIVED WITH AT LEAST 1 BIOLOGICAL PARENT BEFORE AGE 18
		41679	1. Yes
		1198	2. No
		216	9. Unknown
95-95	S1Q2B		BIOLOGICAL FATHER EVER LIVE IN HOUSEHOLD BEFORE RESPONDENT WAS 18
		36862	1. Yes
		4750	2. No
		67	9. Unknown
		1414	BL. NA, did not live or unknown if lived with biological parent(s) before age 18
96-96	S1Q2C1		RAISED BY ADOPTIVE PARENTS BEFORE AGE 18
		378	1. Yes
		824	2. No
		212	9. Unknown
		41679	BL. NA, lived with biological parent(s) before age 18
97-97	S1Q2C2		RAISED BY RELATIVES BEFORE AGE 18
		649	1. Yes
		553	2. No
		212	9. Unknown
		41679	BL. NA, lived with biological parent(s) before age 18
98-98	S1Q2C3		RAISED BY FOSTER PARENTS BEFORE AGE 18
		71	1. Yes
		1131	2. No
		212	9. Unknown
		41679	BL. NA, lived with biological parent(s) before age 18

Tape	Location	Source Code	Frequency	Item value and description
99-99		S1Q2C4		RAISED IN AN INSTITUTION BEFORE AGE 18
			33	1. Yes
			1169	2. No
			212	9. Unknown
			41679	BL. NA, lived with biological parent(s) before age 18
100-100		S1Q2C5		RAISED IN SOME OTHER SITUATION BEFORE AGE 18
			136	1. Yes
			1066	2. No
			212	9. Unknown
			41679	BL. NA, lived with biological parent(s) before age 18
101-101		S1Q2D		DID BIOLOGICAL OR ADOPTIVE PARENTS GET DIVORCED OR PERMANENTLY STOP LIVING TOGETHER BEFORE RESPONDENT WAS 18
			6914	1. Yes
			30261	2. No
			65	9. Unknown
			5853	BL. NA, did not live or unknown if lived with biological or adoptive mother and father before age 18
102-103		S1Q2E		AGE WHEN BIOLOGICAL/ADOPTIVE PARENTS STOPPED LIVING TOGETHER
			6709	0-17. Age
			205	99. Unknown
			36179	BL. NA, did not experience or unknown if experienced divorce of biological/ adoptive parents before age 18
104-104		S1Q2F		PARENT LIVED WITH AFTER BIOLOGICAL OR ADOPTIVE PARENTS STOPPED LIVING TOGETHER
			5219	1. Mother
			1232	2. Father
			231	3. Both equally
			226	4. Neither parent
			6	9. Unknown
			36179	BL. NA, did not experience or unknown if experienced divorce of biological/ adoptive parents before age 18
105-105		S1Q2G		EVER LIVED WITH STEPPARENT BEFORE AGE 18
			5306	1. Yes
			36671	2. No
			80	9. Unknown
			1036	BL. NA, did not live or unknown if lived with biological or adoptive parent(s) before age 18

Tape Location	Source Code	Frequency	Item value and description
106-107	S1Q2H		AGE WHEN STARTED LIVING WITH STEPPARENT
		5181	0-17. Age
		125	99. Unknown
		37787	BL. NA, did not live or unknown if lived with stepparent before age 18
108-108	S1Q2I		DID STEPPARENT DIE BEFORE RESPONDENT WAS 18
		216	1. Yes
		5061	2. No
		29	9. Unknown
		37787	BL. NA, did not live or unknown if lived with stepparent before age 18
109-110	S1Q2J		AGE AT DEATH OF STEPPARENT
		203	0-17. Age
		13	99. Unknown
		42877	BL. NA, did not experience or unknown if experienced death of stepparent before age 18
111-111	S1Q2K		DID BIOLOGICAL OR ADOPTIVE PARENT DIE BEFORE RESPONDENT WAS 18
		4515	1. Yes
		37358	2. No
		184	9. Unknown
		1036	BL. NA, did not live or unknown if lived with biological or adoptive parent(s) before age 18
112-113	S1Q2L		AGE AT DEATH OF BIOLOGICAL OR ADOPTIVE PARENT
		4434	0-17. Age
		81	99. Unknown
		38578	BL. NA, did not experience or unknown if experienced death of biological/ adoptive parent before age 18
114-114	MARITAL		CURRENT MARITAL STATUS
		20769	1. Married
		1312	2. Living with someone as if married (not currently married or separated from another person)
		4271	3. Widowed
		5401	4. Divorced
		1445	5. Separated
		9895	6. Never Married

Tape Location	Source Code	Frequency	Item value and description
115-115	FMARITAL		IMPUTATION FLAG FOR MARITAL STATUS
		43038	0. No
		55	1. Yes
116-117	S1Q3B		NUMBER OF MARRIAGES (NOT COUNTING LIVING TOGETHER AS IF MARRIED)
		42941	0-14. Number of Marriages
		152	99. Unknown
118-119	S1Q4A		AGE AT FIRST MARRIAGE
		31794	14-94. Age
		543	99. Unknown
		10756	BL. NA, never married
120-120	S1Q4B		HOW FIRST MARRIAGE ENDED
		4025	1. Widowed
		10803	2. Divorced
		201	3. Other
		98	9. Unknown
		27966	BL. NA, never married; still married to 1st spouse (including legally separated)
121-122	S1Q4C		AGE WHEN STOPPED LIVING WITH FIRST SPOUSE/FIRST SPOUSE DIED
		15498	14-96. Age
		733	99. Unknown
		26862	BL. NA, never married; still married to and living with 1st spouse
123-124	S1Q4D		AGE WHEN MARRIED CURRENT SPOUSE
		20493	14-85. Age
		276	99. Unknown
		22324	BL. NA, not currently married
125-126	S1Q5A		NUMBER OF CHILDREN EVER HAD, INCLUDING ADOPTIVE, STEP AND FOSTER CHILDREN
		42632	0-14. Number of Children
		53	15. 15 or more
		408	99. Unknown

Tape Location	Source Code	Frequency	Item value and description
127-128	S1Q5B		AGE WHEN FIRST CHILD BORN/STARTED LIVING WITH RESPONDENT
		30695	14-90. Age
		827	99. Unknown
		11571	BL. NA, did not have or unknown if ever had any children
129-130	S1Q5C		AGE WHEN LAST CHILD BORN/STARTED LIVING WITH RESPONDENT
		30558	14-90. Age
		964	99. Unknown
		11571	BL. NA, did not have or unknown if ever had any children
131-132	S1Q6A		HIGHEST GRADE OR YEAR OF SCHOOL COMPLETED
		218	1. No formal schooling
		137	2. Completed grade K, 1 or 2
		421	3. Completed grade 3 or 4
		931	4. Completed grade 5 or 6
		414	5. Completed grade 7
		1210	6. Completed grade 8
		4518	7. Some high school (grades 9-11)
		10935	8. Completed high school
		1612	9. Graduate equivalency degree (GED)
		8891	10. Some college (no degree)
		3772	11. Completed associate or other technical 2-year degree
		5251	12. Completed college (bachelor's degree)
		1526	13. Some graduate or professional studies (completed bachelor's degree but not graduate degree)
		3257	14. Completed graduate or professional degree (master's degree or higher)
133-133	S1F6A		IMPUTATION FLAG FOR HIGHEST GRADE OR YEAR OF SCHOOL COMPLETED
		42624	0. No
		469	1. Yes
134-135	S1Q6B		AGE WHEN COMPLETED HIGHEST GRADE OR YEAR OF SCHOOL
		41523	5-89. Age
		1352	99. Unknown
		218	BL. NA, no formal schooling
136-136	S1Q7A1		PRESENT SITUATION INCLUDES WORKING FULL TIME (35+ HOURS A WEEK)
		22267	1. Yes
		20826	2. No

Tape Location	Source Code	Frequency	Item value and description
137-137	S1Q7A2		PRESENT SITUATION INCLUDES WORKING PART TIME (<35 HOURS A WEEK)
		4431	1. Yes
		38662	2. No
138-138	S1Q7A3		PRESENT SITUATION INCLUDES EMPLOYED BUT NOT AT WORK BECAUSE OF TEMPORARY ILLNESS OR INJURY
		323	1. Yes
		42770	2. No
139-139	S1Q7A4		PRESENT SITUATION INCLUDES EMPLOYED BUT ON PAID VACATION
		67	1. Yes
		43026	2. No
140-140	S1Q7A5		PRESENT SITUATION INCLUDES EMPLOYED BUT ABSENT FROM WORK WITHOUT PAY
		149	1. Yes
		42944	2. No
141-141	S1Q7A6		PRESENT SITUATION INCLUDES UNEMPLOYED OR LAID OFF AND LOOKING FOR WORK
		1542	1. Yes
		41551	2. No
142-142	S1Q7A7		PRESENT SITUATION INCLUDES UNEMPLOYED OR LAID OFF AND NOT LOOKING FOR WORK
		503	1. Yes
		42590	2. No
143-143	S1Q7A8		PRESENT SITUATION INCLUDES UNEMPLOYED AND PERMANENTLY DISABLED
		1668	1. Yes
		41425	2. No
144-144	S1Q7A9		PRESENT SITUATION INCLUDES RETIRED
		8399	1. Yes
		34694	2. No
145-145	S1Q7A10		PRESENT SITUATION INCLUDES IN SCHOOL FULL TIME
		1814	1. Yes
		41279	2. No

Tape Location	Source Code	Frequency	Item value and description
146-146	S1Q7A11		PRESENT SITUATION INCLUDES IN SCHOOL PART TIME
		954	1. Yes
		42139	2. No
147-147	S1Q7A12		PRESENT SITUATION INCLUDES ON SUMMER BREAK/HOLIDAY FROM SCHOOL
		83	1. Yes
		43010	2. No
148-148	S1Q7A13		PRESENT SITUATION INCLUDES FULL TIME HOMEMAKER
		4083	1. Yes
		39010	2. No
149-149	S1Q7A14		PRESENT SITUATION INCLUDES SOME OTHER ACTIVITY
		1018	1. Yes
		42075	2. No
150-150	S1F7A		IMPUTATION FLAG FOR PRESENT SITUATION
		42890	0. No
		203	1. Yes
151-151	S1Q7B		FULL TIME OR PART TIME STUDENT IN LAST 12 MONTHS
		3291	1. Yes, full-time
		2945	2. Yes, part-time
		36857	3. No
152-152	S1F7B		IMPUTATION FLAG FOR FULL TIME OR PART TIME STUDENT IN LAST 12 MONTHS
		42876	0. No
		217	1. Yes
153-153	S1Q7C1		LIVED IN PARENT'S OR RELATIVE'S HOME WHEN GOING TO SCHOOL IN LAST 12 MONTHS
		1900	1. Yes
		4336	2. No
		36857	BL. NA, not a student in last 12 months
154-154	S1Q7C2		LIVED IN DORMITORY OR RESIDENCE HALL WHEN GOING TO SCHOOL IN LAST 12 MONTHS
		384	1. Yes
		5852	2. No
		36857	BL. NA, not a student in last 12 months

Tape Location	Source Code	Frequency	Item value and description
155-155	S1Q7C3		LIVED IN HOUSE OR APARTMENT ON CAMPUS WHEN GOING TO SCHOOL IN LAST 12 MONTHS
		378	1. Yes
		5858	2. No
		36857	BL. NA, not a student in last 12 months
156-156	S1Q7C4		LIVED IN FRATERNITY OR SORORITY HOUSE WHEN GOING TO SCHOOL IN LAST 12 MONTHS
		16	1. Yes
		6220	2. No
		36857	BL. NA, not a student in last 12 months
157-157	S1Q7C5		LIVED IN HOUSE, APARTMENT OR ROOM OFF CAMPUS WHEN GOING TO SCHOOL IN LAST 12 MONTHS
		3288	1. Yes
		2948	2. No
		36857	BL. NA, not a student in last 12 months
158-158	S1Q7C6		LIVED IN OTHER PLACE OF RESIDENCE WHEN GOING TO SCHOOL IN LAST 12 MONTHS
		463	1. Yes
		5773	2. No
		36857	BL. NA, not a student in last 12 months
159-159	S1F7C		IMPUTATION FLAG FOR WHERE LIVED WHEN GOING TO SCHOOL IN LAST 12 MONTHS
		5971	0. No
		265	1. Yes
		36857	BL. NA, not a student in last 12 months
160-161	S1Q7D		GRADE LEVEL DURING 2000-2001 SCHOOL YEAR
		1000	1. High school - any grade level
		155	2. Enrolled in graduate equivalency degree (GED) program
		691	3. 1st year undergraduate - never attended college before
		501	4. 1st year undergraduate - attended college before
		805	5. 2nd year undergraduate/sophomore
		581	6. 3rd year undergraduate/junior
		416	7. 4th year undergraduate/senior
		103	8. 5th year/ other undergraduate
		347	9. 1st year graduate/professional
		240	10. 2nd year graduate/professional
		245	11. 3rd year graduate/professional
		1152	12. Other
		36857	BL. NA, not a student in last 12 months

Tape Location	Source Code	Frequency	Item value and description
162-162	S1F7D		IMPUTATION FLAG FOR GRADE LEVEL DURING 2000-2001 SCHOOL YEAR
		5949	0. No
		287	1. Yes
		36857	BL. NA, not a student in last 12 months
163-163	S1Q8A		WORK AT JOB OR BUSINESS IN LAST 12 MONTHS
		30702	1. Yes
		12391	2. No
164-164	S1F8A		IMPUTATION FLAG FOR WORK AT JOB OR BUSINESS IN LAST 12 MONTHS
		43031	0. No
		62	1. Yes
165-165	S1Q8B		EVER WORKED FOR PAY OR AS UNPAID WORKER IN FAMILY BUSINESS OR FARM
		34060	1. Yes
		9033	2. No
166-166	S1F8B		IMPUTATION FLAG FOR EVER WORKED FOR PAY OR AS UNPAID WORKER IN FAMILY BUSINESS OR FARM
		43051	0. No
		42	1. Yes
167-168	S1Q8C		AGE WHEN LAST WORKED FOR PAY OR AS UNPAID WORKER IN FAMILY BUSINESS OR FARM
		3100	5-91. Age
		258	99. Unknown
		39735	BL. NA, never worked in family business or farm; worked at job or business in last 12 months
169-170	S1Q8D		AGE WHEN FIRST WORKED FULL TIME (30+ HOURS A WEEK)
		790	0. Never worked 30 hours per week
		32489	5-71. Age
		781	99. Unknown
		9033	BL. NA, never worked for pay or in family business or farm

Tape Location	Source Code	Frequency	Item value and description
171-172	S1Q9A		BUSINESS OR INDUSTRY: CURRENT OR MOST RECENT JOB
		1143	1. Agriculture
		147	2. Mining
		2124	3. Construction
		3909	4. Manufacturing
		2404	5. Transportation, Communications and Other Public Utilities
		724	6. Wholesale Trade
		4701	7. Retail Trade
		1945	8. Finance, Insurance and Real Estate
		1248	9. Business and Repair Service
		4186	10. Personal Services
		992	11. Entertainment and Recreation Services
		8181	12. Professional and Related Services
		1925	13. Public Administration
		431	14. Armed Services
		9033	BL. NA, never worked for pay or in family business or farm
173-173	S1F9A		IMPUTATION FLAG FOR BUSINESS OR INDUSTRY: CURRENT OR MOST RECENT JOB
		33503	0. No
		557	1. Yes
		9033	BL. NA, never worked for pay or in family business or farm
174-175	S1Q9B		OCCUPATION: CURRENT OR MOST RECENT JOB
		4800	1. Executive, Administrative, and Managerial
		6037	2. Professional Speciality
		2970	3. Technical and Related Support
		3384	4. Sales
		3299	5. Administrative Support, including Clerical
		446	6. Private Household
		561	7. Protective Services
		5222	8. Other Services
		698	9. Farming, Forestry and Fishing
		1272	10. Precision Production, Craft and Repair
		2841	11. Operators, Fabricators and Laborers
		999	12. Transportation and Material Moving
		1211	13. Handlers, Equipment Cleaners and Laborers
		320	14. Military
		9033	BL. NA, never worked for pay or in family business or farm
176-176	S1F9B		IMPUTATION FLAG FOR OCCUPATION: CURRENT OR MOST RECENT JOB
		33542	0. No
		518	1. Yes
		9033	BL. NA, never worked for pay or in family business or farm

Tape Location	Source Code	Frequency	Item value and description
177-177	S1Q9C		TYPE OF EMPLOYER: CURRENT OR MOST RECENT JOB
		23160	1. A private for-profit company, business, or individual
		2662	2. A private not-for-profit, tax exempt, or charitable organization
		1018	3. Federal government (excluding Armed Forces)
		1983	4. State government
		2385	5. Local government
		318	6. Armed Forces
		179	7. Unpaid in family business or farm
		2355	8. Self employed in own business, professional practice, or farm
		9033	BL. NA, never worked for pay or in family business or farm
178-178	S1F9C		IMPUTATION FLAG FOR TYPE OF EMPLOYER: CURRENT OR MOST RECENT JOB
		33602	0. No
		458	1. Yes
		9033	BL. NA, never worked for pay or in family business or farm
179-185	S1Q10A		TOTAL PERSONAL INCOME IN LAST 12 MONTHS
		43093	0-3000000. Income in dollars
186-187	S1Q10B		TOTAL PERSONAL INCOME IN LAST 12 MONTHS: CATEGORY
		2462	0. \$0 (No personal income)
		3571	1. \$1 to \$4,999
		3823	2. \$5,000 to \$7,999
		2002	3. \$8,000 to \$9,999
		3669	4. \$10,000 to \$12,999
		1634	5. \$13,000 to \$14,999
		3940	6. \$15,000 to \$19,999
		3887	7. \$20,000 to \$24,999
		3085	8. \$25,000 to \$29,999
		3003	9. \$30,000 to \$34,999
		2351	10. \$35,000 to \$39,999
		3291	11. \$40,000 to \$49,999
		2059	12. \$50,000 to \$59,999
		1328	13. \$60,000 to \$69,999
		857	14. \$70,000 to \$79,999
		521	15. \$80,000 to \$89,999
		290	16. \$90,000 to \$99,999
		1320	17. \$100,000 or more
188-188	S1F10A		IMPUTATION FLAG FOR TOTAL PERSONAL INCOME IN LAST 12 MONTHS
		38306	0. No
		4787	1. Yes

Tape Location	Source Code	Frequency	Item value and description
189-195	S1Q11A		TOTAL FAMILY INCOME IN LAST 12 MONTHS
		43093	24-3000000. Family income in dollars
196-197	S1Q11B		TOTAL FAMILY INCOME IN LAST 12 MONTHS: CATEGORY
		1718	1. Less than \$5,000
		2338	2. \$5,000 to \$7,999
		1373	3. \$8,000 to \$9,999
		2559	4. \$10,000 to \$12,999
		1343	5. \$13,000 to \$14,999
		3317	6. \$15,000 to \$19,999
		3368	7. \$20,000 to \$24,999
		2941	8. \$25,000 to \$29,999
		3052	9. \$30,000 to \$34,999
		2565	10. \$35,000 to \$39,999
		4301	11. \$40,000 to \$49,999
		3428	12. \$50,000 to \$59,999
		2644	13. \$60,000 to \$69,999
		2008	14. \$70,000 to \$79,999
		1363	15. \$80,000 to \$89,999
		977	16. \$90,000 to \$99,999
		1130	17. \$100,000 to \$109,999
		428	18. \$110,000 to \$119,999
		914	19. \$120,000 to \$149,999
		725	20. \$150,000 to 199,999
		601	21. \$200,000 or more
198-198	S1F11A		IMPUTATION FLAG FOR TOTAL FAMILY INCOME IN LAST 12 MONTHS
		36879	0. No
		6214	1. Yes
199-205	S1Q12A		TOTAL HOUSEHOLD INCOME IN LAST 12 MONTHS
		43093	24-3000000. Household income in dollars

Tape Location	Source Code	Frequency	Item value and description
206-207	S1Q12B		TOTAL HOUSEHOLD INCOME IN LAST 12 MONTHS: CATEGORY
		1531	1. Less than \$5,000
		2212	2. \$5,000 to \$7,999
		1304	3. \$8,000 to \$9,999
		2437	4. \$10,000 to \$12,999
		1288	5. \$13,000 to \$14,999
		3232	6. \$15,000 to \$19,999
		3326	7. \$20,000 to \$24,999
		2961	8. \$25,000 to \$29,999
		3050	9. \$30,000 to \$34,999
		2605	10. \$35,000 to \$39,999
		4407	11. \$40,000 to \$49,999
		3552	12. \$50,000 to \$59,999
		2729	13. \$60,000 to \$69,999
		2084	14. \$70,000 to \$79,999
		1430	15. \$80,000 to \$89,999
		1011	16. \$90,000 to \$99,999
		1171	17. \$100,000 to \$109,999
		451	18. \$110,000 to \$119,999
		939	19. \$120,000 to \$149,999
		745	20. \$150,000 to 199,999
		628	21. \$200,000 or more
208-208	S1F12A		IMPUTATION FLAG FOR TOTAL HOUSEHOLD INCOME IN LAST 12 MONTHS
		37527	0. No
		5566	1. Yes
209-209	S1Q131		PERSONALLY RECEIVED INCOME FROM SOCIAL SECURITY IN LAST 12 MONTHS
		9868	1. Yes
		33225	2. No
210-210	S1F131		IMPUTATION FLAG FOR RECEIPT OF SOCIAL SECURITY INCOME IN LAST 12 MONTHS
		42714	0. No
		379	1. Yes
211-211	S1Q132		PERSONALLY RECEIVED SUPPLEMENTAL SECURITY INCOME (SSI) IN LAST 12 MONTHS
		1823	1. Yes
		41270	2. No

Tape Location	Source Code	Frequency	Item value and description
212-212	S1F132		IMPUTATION FLAG FOR RECEIPT OF SSI IN LAST 12 MONTHS
		42719	0. No
		374	1. Yes
213-213	S1Q133		PERSONALLY RECEIVED INCOME FROM TRADITIONAL AID TO FAMILIES WITH DEPENDENT CHILDREN (TAFDC), EMPLOYMENT SERVICES PROGRAM (ESP) OR EMERGENCY ASSISTANCE PROGRAM (EAP) IN LAST 12 MONTHS
		716	1. Yes
		42377	2. No
214-214	S1F133		IMPUTATION FLAG FOR RECEIPT OF TAFDC/ESP/EAP INCOME IN LAST 12 MONTHS
		42754	0. No
		339	1. Yes
215-215	S1Q134		PERSONALLY RECEIVED WOMEN, INFANTS & CHILDREN (WIC) PROGRAM BENEFITS IN LAST 12 MONTHS
		1584	1. Yes
		41509	2. No
216-216	S1F134		IMPUTATION FLAG FOR RECEIPT OF WIC BENEFITS IN LAST 12 MONTHS
		42792	0. No
		301	1. Yes
217-217	S1Q14A		PERSONALLY RECEIVED FOOD STAMPS IN LAST 12 MONTHS
		2684	1. Yes
		40409	2. No
218-222	S1Q14B		INCOME FROM FOOD STAMPS IN LAST 12 MONTHS
		2684	1-12000. Dollars
		40409	BL. NA, did not receive food stamps in last 12 months
223-223	S1F14AB		IMPUTATION FLAG FOR PERSONALLY RECEIVE FOOD STAMPS IN LAST 12 MONTHS
		42593	0. No
		500	1. Yes

Tape Location	Source Code	Frequency	Item value and description
224-224	S1Q14C1		CURRENTLY COVERED BY MEDICARE
		9255	1. Yes
		33838	2. No
225-225	S1F14C1		IMPUTATION FLAG FOR CURRENTLY COVERED BY MEDICARE
		42765	0. No
		328	1. Yes
226-226	S1Q14C2		CURRENTLY COVERED BY MEDICAID
		3421	1. Yes
		39672	2. No
227-227	S1F14C2		IMPUTATION FLAG FOR CURRENTLY COVERED BY MEDICAID
		42719	0. No
		374	1. Yes
228-228	S1Q14C3		CURRENTLY COVERED BY CHAMPUS, CHAMPVA, VA OR OTHER MILITARY HEALTH CARE
		1540	1. Yes
		41553	2. No
229-229	S1F14C3		IMPUTATION FLAG FOR CURRENTLY COVERED BY MILITARY HEALTH CARE
		42776	0. No
		317	1. Yes
230-230	S1Q14C4		CURRENTLY COVERED BY PRIVATE HEALTH INSURANCE
		27670	1. Yes
		15423	2. No
231-231	S1F14C4		IMPUTATION FLAG FOR CURRENTLY COVERED BY PRIVATE HEALTH INSURANCE
		42725	0. No
		368	1. Yes

Tape Location	Source Code	Frequency	Item value and description
232-232	S1Q16		SELF-PERCEIVED CURRENT HEALTH
		12316	1. Excellent
		12424	2. Very good
		10649	3. Good
		5219	4. Fair
		2219	5. Poor
		266	9. Unknown
233-233	S1Q171		EXTENT TO WHICH HEALTH LIMITS MODERATE ACTIVITY (MOVING TABLE, PUSHING VACUUM CLEANER, BOWLING, PLAYING GOLF)
		4022	1. Yes, limited a lot
		5521	2. Yes, limited a little
		33276	3. No, not limited at all
		274	9. Unknown
234-234	S1Q172		EXTENT TO WHICH HEALTH LIMITS ABILITY TO CLIMB SEVERAL FLIGHTS OF STAIRS
		4650	1. Yes, limited a lot
		5667	2. Yes, limited a little
		32469	3. No, not limited at all
		307	9. Unknown
235-235	S1Q181		DURING PAST 4 WEEKS, HOW OFTEN ACCOMPLISHED LESS THAN WOULD LIKE AS RESULT OF PHYSICAL HEALTH
		2497	1. All of the time
		2763	2. Most of the time
		5216	3. Some of the time
		4183	4. A little of the time
		28090	5. None of the time
		344	9. Unknown
236-236	S1Q182		DURING PAST 4 WEEKS, HOW OFTEN LIMITED IN KIND OF WORK OR OTHER ACTIVITIES AS RESULT OF PHYSICAL HEALTH
		2443	1. All of the time
		2249	2. Most of the time
		4391	3. Some of the time
		3552	4. A little of the time
		30127	5. None of the time
		331	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
237-237	S1Q191		DURING PAST 4 WEEKS, HOW OFTEN ACCOMPLISHED LESS THAN WOULD LIKE AS RESULT OF EMOTIONAL PROBLEMS
		1395	1. All of the time
		1676	2. Most of the time
		4122	3. Some of the time
		4356	4. A little of the time
		31179	5. None of the time
		365	9. Unknown
238-238	S1Q192		DURING PAST 4 WEEKS, HOW OFTEN DID WORK OR OTHER ACTIVITIES LESS CAREFULLY THAN USUAL AS RESULT OF EMOTIONAL PROBLEMS
		1344	1. All of the time
		1492	2. Most of the time
		3441	3. Some of the time
		3779	4. A little of the time
		32654	5. None of the time
		383	9. Unknown
239-239	S1Q20		DURING PAST 4 WEEKS, EXTENT TO WHICH PAIN INTERFERED WITH NORMAL WORK
		27403	1. Not at all
		6461	2. A little bit
		3273	3. Moderately
		3009	4. Quite a bit
		2604	5. Extremely
		343	9. Unknown
240-240	S1Q211		DURING PAST 4 WEEKS, HOW OFTEN FELT CALM AND PEACEFUL
		10232	1. All of the time
		18272	2. Most of the time
		8356	3. Some of the time
		3206	4. A little of the time
		2584	5. None of the time
		443	9. Unknown
241-241	S1Q212		DURING PAST 4 WEEKS, HOW OFTEN HAD A LOT OF ENERGY
		8663	1. All of the time
		17173	2. Most of the time
		10287	3. Some of the time
		3796	4. A little of the time
		2756	5. None of the time
		418	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
242-242	S1Q213		DURING PAST 4 WEEKS, HOW OFTEN FELT DOWNHEARTED AND DEPRESSED
		907	1. All of the time
		2051	2. Most of the time
		6286	3. Some of the time
		11305	4. A little of the time
		22127	5. None of the time
		417	9. Unknown
243-243	S1Q22		DURING PAST 4 WEEKS, HOW OFTEN PHYSICAL HEALTH OR EMOTIONAL PROBLEMS INTERFERED WITH SOCIAL ACTIVITIES
		1312	1. All of the time
		1893	2. Most of the time
		3729	3. Some of the time
		4143	4. A little of the time
		31608	5. None of the time
		408	9. Unknown
244-247	NBPCS		NORM-BASED PHYSICAL DISABILITY SCALE (SF12-V2R) [Format: XX.X]
		42743	4.6-75.5. Value
		350	99. Unknown
248-248	FNBPCS		IMPUTATION FLAG FOR NBPCS
		42692	0. No
		401	1. Yes
249-252	NBMCS		NORM-BASED MENTAL DISABILITY SCALE (SF12-V2R) [Format: XX.X]
		42743	0-77.7. Value
		350	99. Unknown
253-253	FNBMCS		IMPUTATION FLAG FOR NBMCS
		42692	0. No
		401	1. Yes
254-257	NBS1		NORM-BASED PHYSICAN FUNCTIONING SCALE (SF12-V2R) [Format: XX.X]
		42818	22.1-56.5. Value
		275	99. Unknown

Tape Location	Source Code	Frequency	Item value and description
258-258	FNBS1		IMPUTATION FLAG FOR NBS1
		43054	0. No
		39	1. Yes
259-262	NBS2		NORM-BASED ROLE PHYSICAL SCALE (SF12-V2R) [Format: XX.X]
		42779	20.3-57.2. Value
		314	99. Unknown
263-263	FNBS2		IMPUTATION FLAG FOR NBS2
		43039	0. No
		54	1. Yes
264-267	NBS3		NORM-BASED BODILY PAIN SCALE (SF12-V2R) [Format: XX.X]
		42774	16.7-57.4. Value
		319	99. Unknown
268-268	FNBS3		IMPUTATION FLAG FOR NBS3
		43069	0. No
		24	1. Yes
269-272	NBS4		NORM-BASED GENERAL HEALTH SCALE (SF12-V2R) [Format: XX.X]
		42845	18.9-62.0. Value
		248	99. Unknown
273-273	FNBS4		IMPUTATION FLAG FOR NBS4
		43075	0. No
		18	1. Yes
274-277	NBS5		NORM-BASED VITALITY SCALE (SF12-V2R) [Format: XX.X]
		42763	27.6-67.9. Value
		330	99. Unknown

Tape Location	Source Code	Frequency	Item value and description
278-278	FNBS5		IMPUTATION FLAG FOR NBS5
		43005	0. No
		88	1. Yes
279-282	NBS6		NORM-BASED SOCIAL FUNCTIONING SCALE (SF12-V2R) [Format: XX.X]
		42766	16.2-56.6. Value
		327	99. Unknown
283-283	FNBS6		IMPUTATION FLAG FOR NBS6
		43012	0. No
		81	1. Yes
284-287	NBS7		NORM-BASED ROLE EMOTIONAL SCALE (SF12-V2R) [Format: XX.X]
		42770	11.3-56.1. Value
		323	99. Unknown
288-288	FNBS7		IMPUTATION FLAG FOR NBS7
		43001	0. No
		92	1. Yes
289-292	NBS8		NORM-BASED MENTAL HEALTH SCALE (SR-V2R)
		42754	15.8-64.5. Value
		339	99. Unknown
293-293	FNBS8		IMPUTATION FLAG FOR NBS8
		42937	0. No
		156	1. Yes
294-294	S1Q231		ANY FAMILY MEMBERS OR CLOSE FRIENDS DIED IN LAST 12 MONTHS
		13779	1. Yes
		28875	2. No
		439	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
295-295	S1Q232		ANY FAMILY MEMBERS OR CLOSE FRIENDS HAD SERIOUS ILLNESS OR INJURY IN LAST 12 MONTHS
		14981	1. Yes
		27640	2. No
		472	9. Unknown
296-296	S1Q233		MOVED/ANYONE NEW CAME TO LIVE WITH YOU IN LAST 12 MONTHS
		6287	1. Yes
		36464	2. No
		342	9. Unknown
297-297	S1Q234		FIRED OR LAID OFF FROM JOB IN LAST 12 MONTHS
		2691	1. Yes
		40066	2. No
		336	9. Unknown
298-298	S1Q235		UNEMPLOYED AND LOOKING FOR WORK FOR >1 MONTH IN LAST 12 MONTHS
		3865	1. Yes
		38894	2. No
		334	9. Unknown
299-299	S1Q236		HAD TROUBLE WITH BOSS OR COWORKER IN LAST 12 MONTHS
		3414	1. Yes
		39327	2. No
		352	9. Unknown
300-300	S1Q237		CHANGED JOBS, JOB RESPONSIBILITIES OR WORK HOURS IN LAST 12 MONTHS
		8979	1. Yes
		33769	2. No
		345	9. Unknown
301-301	S1Q238		GOT SEPARATED OR DIVORCED OR BROKE OFF STEADY RELATIONSHIP IN LAST 12 MONTHS
		2790	1. Yes
		39956	2. No
		347	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
302-302	S1Q239		HAD PROBLEMS WITH NEIGHBOR, FRIEND OR RELATIVE IN LAST 12 MONTHS
		2420	1. Yes
		40307	2. No
		366	9. Unknown
303-303	S1Q2310		EXPERIENCED MAJOR FINANCIAL CRISIS, BANKRUPTCY OR BEEN UNABLE TO PAY BILLS ON TIME IN LAST 12 MONTHS
		5037	1. Yes
		37679	2. No
		377	9. Unknown
304-304	S1Q2311		YOU OR FAMILY MEMBER HAD TROUBLE WITH POLICE, GOT ARRESTED OR SENT TO JAIL IN LAST 12 MONTHS
		2381	1. Yes
		40335	2. No
		377	9. Unknown
305-305	S1Q2312		YOU OR FAMILY MEMBER BEEN VICTIM OF CRIME IN LAST 12 MONTHS
		2765	1. Yes
		39955	2. No
		373	9. Unknown
306-307	S1Q24FT		HEIGHT: FEET
		42363	4-7. Feet
		730	99. Unknown
308-309	S1Q24IN		HEIGHT: INCHES
		3572	0. None
		38760	1-11. Inches
		761	99. Unknown
310-312	S1Q24LB		WEIGHT: POUNDS
		41717	62-500. Pounds
		1376	999. Unknown

Tape Location	Source Code	Frequency	Item value and description
SECTION 2A: ALCOHOL CONSUMPTION			
313-313	S2AQ1		DRANK AT LEAST 1 ALCOHOLIC DRINK IN LIFE
		34827	1. Yes
		8266	2. No
314-314	S2AQ2		DRANK AT LEAST 12 ALCOHOLIC DRINKS IN LAST 12 MONTHS
		20836	1. Yes
		22225	2. No
		32	9. Unknown
315-315	S2AQ3		DRANK AT LEAST 1 ALCOHOLIC DRINK IN LAST 12 MONTHS
		26946	1. Yes
		16116	2. No
		31	9. Unknown
316-316	CONSUMER		DRINKING STATUS
		26946	1. Current drinker
		7881	2. Ex-drinker
		8266	3. Lifetime Abstainer
317-317	S2AQ4A		DRANK ANY COOLERS IN LAST 12 MONTHS
		7915	1. Yes
		18990	2. No
		41	9. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
318-319	S2AQ4B		HOW OFTEN DRANK COOLERS IN LAST 12 MONTHS
		60	1. Every day
		48	2. Nearly every day
		116	3. 3 to 4 times a week
		239	4. 2 times a week
		449	5. Once a week
		724	6. 2 to 3 times a month
		1032	7. Once a month
		673	8. 7 to 11 times in the last year
		1928	9. 3 to 6 times in the last year
		2632	10. 1 to 2 times in the last year
		14	99. Unknown
		35178	BL. NA, did not drink or unknown if drank coolers in last 12 months

Tape Location	Source Code	Frequency	Item value and description
320-321	S2AQ4CR		SIZE OF TYPICAL BOTTLE, CAN OR GLASS OF COOLER (CONTAINS VALUE REPORTED IN S2AQ4CSP IF 'OTHER' IN S2AQ4C)
		7873	1-47. Refer to Appendix A
		42	99. Unknown
		35178	BL. NA, did not drink or unknown if drank coolers in last 12 months
322-323	S2AQ4D		NUMBER OF COOLERS USUALLY CONSUMED ON DAYS WHEN DRANK COOLERS IN LAST 12 MONTHS
		7891	1-98. Number of coolers
		24	99. Unknown
		35178	BL. NA, did not drink or unknown if drank coolers in last 12 months
324-325	S2AQ4E		LARGEST NUMBER OF COOLERS CONSUMED ON DAYS WHEN DRANK COOLERS IN LAST 12 MONTHS
		7878	1-98. Number of coolers
		37	99. Unknown
		35178	BL. NA, did not drink or unknown if drank coolers in last 12 months
326-327	S2AQ4F		HOW OFTEN DRANK LARGEST NUMBER OF COOLERS IN LAST 12 MONTHS
		35	1. Every day
		22	2. Nearly every day
		54	3. 3 to 4 times a week
		93	4. 2 times a week
		235	5. Once a week
		365	6. 2 to 3 times a month
		734	7. Once a month
		558	8. 7 to 11 times in the last year
		1798	9. 3 to 6 times in the last year
		3973	10. 1 or 2 times in the last year
		48	99. Unknown
		35178	BL. NA, did not drink or unknown if drank coolers in last 12 months

Tape Location	Source Code	Frequency	Item value and description
328-329	S2AQ4G		HOW OFTEN DRANK 5+ COOLERS IN LAST 12 MONTHS
		5	1. Every day
		15	2. Nearly every day
		30	3. 3 to 4 times a week
		46	4. 2 times a week
		70	5. Once a week
		74	6. 2 to 3 times a month
		91	7. Once a month
		72	8. 7 to 11 times in the last year
		162	9. 3 to 6 times in the last year
		253	10. 1 or 2 times in the last year
		7082	11. Never in the last year
		15	99. Unknown
		35178	BL. NA, did not drink or unknown if drank coolers in last 12 months
330-330	S2AQ4H		TYPE OF COOLERS USUALLY CONSUMED IN LAST 12 MONTHS
		3163	1. Wine coolers
		3364	2. Malt-based coolers
		714	3. Liquor-based coolers
		615	4. Prepackaged cocktails/mixed drinks
		59	9. Unknown
		35178	BL. NA, did not drink or unknown if drank coolers in last 12 months
331-331	S2AQ4I		WHERE USUALLY DRANK COOLERS IN LAST 12 MONTHS
		3794	1. In own home
		2496	2. In homes of friends or relatives
		1602	3. In public places
		23	9. Unknown
		35178	BL. NA, did not drink or unknown if drank coolers in last 12 months
332-336	COOLECF		ETHANOL CONTENT BY VOLUME OF COOLER BRAND USUALLY CONSUMED IN LAST 12 MONTHS [Format: X.XXX]
		7915	0.032-0.200. Value
		35178	BL. NA, did not drink or unknown if drank coolers in last 12 months
337-337	S2AQ5A		DRANK ANY BEER IN LAST 12 MONTHS
		18346	1. Yes
		8562	2. No
		38	9. Unknown
		16147	BL. NA, former drinker or lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
338-339	S2AQ5B		HOW OFTEN DRANK BEER IN LAST 12 MONTHS
		836	1. Every day
		645	2. Nearly every day
		1535	3. 3 to 4 times a week
		2190	4. 2 times a week
		2451	5. Once a week
		2603	6. 2 to 3 times a month
		2127	7. Once a month
		1194	8. 7 to 11 times in the last year
		2268	9. 3 to 6 times in the last year
		2442	10. 1 or 2 times in the last year
		55	99. Unknown
		24747	BL. NA, did not drink or unknown if drank beer in last 12 months
340-341	S2AQ5CR		SIZE OF TYPICAL BOTTLE, CAN OR GLASS OF BEER (CONTAINS VALUE REPORTED IN S2AQ5CSP IF 'OTHER' IN S2AQ5C)
		18295	1-47. Refer to Appendix A
		51	99. Unknown
		24747	BL. NA, did not drink or unknown if drank beer in last 12 months
342-343	S2AQ5D		NUMBER OF BEERS USUALLY CONSUMED ON DAYS WHEN DRANK BEER IN LAST 12 MONTHS
		18268	1-42. Number of beers
		78	99. Unknown
		24747	BL. NA, did not drink or unknown if drank beer in last 12 months
344-345	S2AQ5E		LARGEST NUMBER OF BEERS CONSUMED ON DAYS WHEN DRANK BEER IN LAST 12 MONTHS
		18165	1-98. Number of beers
		181	99. Unknown
		24747	BL. NA, did not drink or unknown if drank beer in last 12 months

Tape Location	Source Code	Frequency	Item value and description
346-347	S2AQ5F		HOW OFTEN DRANK LARGEST NUMBER OF BEERS IN LAST 12 MONTHS
		193	1. Every day
		172	2. Nearly every day
		383	3. 3 to 4 times a week
		771	4. 2 times a week
		1277	5. Once a week
		1589	6. 2 to 3 times a month
		2325	7. Once a month
		1423	8. 7 to 11 times in the last year
		3757	9. 3 to 6 times in the last year
		6225	10. 1 or 2 times in the last year
		231	99. Unknown
		24747	BL. NA, did not drink or unknown if drank beer in last 12 months
348-349	S2AQ5G		HOW OFTEN DRANK 5+ BEERS IN LAST 12 MONTHS
		257	1. Every day
		197	2. Nearly every day
		431	3. 3 to 4 times a week
		624	4. 2 times a week
		730	5. Once a week
		713	6. 2 to 3 times a month
		655	7. Once a month
		458	8. 7 to 11 times in the last year
		908	9. 3 to 6 times in the last year
		1113	10. 1 or 2 times in the last year
		12177	11. Never in the last year
		83	99. Unknown
		24747	BL. NA, did not drink or unknown if drank beer in last 12 months
350-350	S2AQ5H		TYPE OF BEER USUALLY CONSUMED IN LAST 12 MONTHS
		10395	1. Regular beer
		295	2. Malt liquor
		7296	3. Lite or reduced calorie beer
		288	4. Low-alcohol beer
		72	9. Unknown
		24747	BL. NA, did not drink or unknown if drank beer in last 12 months
351-351	S2AQ5I		WHERE USUALLY DRANK BEER IN LAST 12 MONTHS
		9418	1. In own home
		3755	2. In homes of friends or relatives
		5082	3. In public places
		91	9. Unknown
		24747	BL. NA, did not drink or unknown if drank beer in last 12 months

Tape Location	Source Code	Frequency	Item value and description
352-356	BEERECF		ETHANOL CONTENT BY VOLUME OF BEER BRAND USUALLY CONSUMED IN LAST 12 MONTHS [Format: X.XXX]
		18346	0.024-0.125. Value
		24747	BL. NA, did not drink or unknown if drank beer in last 12 months
357-357	S2AQ6A		DRANK ANY WINE IN LAST 12 MONTHS
		14561	1. Yes
		12324	2. No
		61	9. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
358-359	S2AQ6B		HOW OFTEN DRANK WINE IN LAST 12 MONTHS
		465	1. Every day
		314	2. Nearly every day
		643	3. 3 to 4 times a week
		828	4. 2 times a week
		1193	5. Once a week
		1553	6. 2 to 3 times a month
		1819	7. Once a month
		1053	8. 7 to 11 times in the last year
		2780	9. 3 to 6 times in the last year
		3891	10. 1 or 2 times in the last year
		22	99. Unknown
		28532	BL. NA, did not drink or unknown if drank wine in last 12 months
360-361	S2AQ6CR		SIZE OF TYPICAL BOTTLE, CAN OR GLASS OF WINE (CONTAINS VALUE REPORTED IN S2AQ6CSP IF 'OTHER' IN S2AQ6C)
		14469	1-47. Refer to Appendix A
		92	99. Unknown
		28532	BL. NA, did not drink or unknown if drank wine in last 12 months
362-363	S2AQ6D		NUMBER OF GLASSES/CONTAINERS OF WINE USUALLY CONSUMED ON DAYS WHEN DRANK WINE IN LAST 12 MONTHS
		14530	1-12. Number of drinks of wine
		31	99. Unknown
		28532	BL. NA, did not drink or unknown if drank wine in last 12 months
364-365	S2AQ6E		LARGEST NUMBER OF GLASSES/CONTAINERS OF WINE CONSUMED ON DAYS WHEN DRANK WINE IN LAST 12 MONTHS
		14496	1-36. Number of drinks of wine
		65	99. Unknown
		28532	BL. NA, did not drink or unknown if drank wine in last 12 months

Tape Location	Source Code	Frequency	Item value and description
366-367	S2AQ6F		HOW OFTEN DRANK LARGEST NUMBER OF GLASSES/CONTAINERS OF WINE IN LAST 12 MONTHS
		215	1. Every day
		125	2. Nearly every day
		210	3. 3 to 4 times a week
		406	4. 2 times a week
		692	5. Once a week
		982	6. 2 to 3 times a month
		1575	7. Once a month
		1049	8. 7 to 11 times in the last year
		3217	9. 3 to 6 times in the last year
		6002	10. 1 or 2 times in the last year
		88	99. Unknown
		28532	BL. NA, did not drink or unknown if drank wine in last 12 months
368-369	S2AQ6G		HOW OFTEN DRANK 5+ GLASSES/CONTAINERS OF WINE IN LAST 12 MONTHS
		5	1. Every day
		4	2. Nearly every day
		11	3. 3 to 4 times a week
		23	4. 2 times a week
		36	5. Once a week
		72	6. 2 to 3 times a month
		94	7. Once a month
		91	8. 7 to 11 times in the last year
		200	9. 3 to 6 times in the last year
		310	10. 1 or 2 times in the last year
		13692	11. Never in the last year
		23	99. Unknown
		28532	BL. NA, did not drink or unknown if drank wine in last 12 months
370-370	S2AQ6H		WHERE USUALLY DRANK WINE IN LAST 12 MONTHS
		7251	1. In own home
		3442	2. In homes of friends or relatives
		3811	3. In public places
		57	9. Unknown
		28532	BL. NA, did not drink or unknown if drank wine in last 12 months
371-371	S2AQ6I		TYPE OF WINE USUALLY CONSUMED IN LAST 12 MONTHS
		12057	1. Regular wine
		1710	2. Champagne or sparkling wine
		275	3. Fortified wine (including sheery, port, sake)
		468	4. Low alcohol fruit-flavored wine
		51	9. Unknown
		28532	BL. NA, did not drink or unknown if drank wine in last 12 months

Tape Location	Source Code	Frequency	Item value and description
372-376	WINEECF		ETHANOL CONTENT BY VOLUME OF WINE BRAND USUALLY CONSUMED IN LAST 12 MONTHS [Format: X.XXX]
		14561	0.050-0.210. Value
		28532	BL. NA, did not drink or unknown if drank wine in last 12 months
377-377	S2AQ7A		DRANK ANY LIQUOR IN LAST 12 MONTHS
		13354	1. Yes
		13537	2. No
		55	9. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
378-379	S2AQ7B		HOW OFTEN DRANK LIQUOR IN LAST 12 MONTHS
		388	1. Every day
		233	2. Nearly every day
		494	3. 3 to 4 times a week
		667	4. 2 times a week
		1085	5. Once a week
		1536	6. 2 to 3 times a month
		1813	7. Once a month
		1154	8. 7 to 11 times in the last year
		2845	9. 3 to 6 times in the last year
		3110	10. 1 or 2 times in the last year
		29	99. Unknown
		29739	BL. NA, did not drink or unknown if drank liquor in last 12 months
380-381	S2AQ7CR		SIZE OF TYPICAL DRINK OF LIQUOR (CONTAINS VALUE REPORTED IN S2AQ7CSP IF 'OTHER' IN S2AQ7C)
		13250	1-47. Refer to Appendix A
		104	99. Unknown
		29739	BL. NA, did not drink or unknown if drank liquor in last 12 months
382-383	S2AQ7D		NUMBER OF DRINKS OF LIQUOR USUALLY CONSUMED ON DAYS WHEN DRANK LIQUOR IN LAST 12 MONTHS
		13307	1-30. Number of drinks of liquor
		47	99. Unknown
		29739	BL. NA, did not drink or unknown if drank liquor in last 12 months

Tape Location	Source Code	Frequency	Item value and description
384-385	S2AQ7E		LARGEST NUMBER OF DRINKS OF LIQUOR CONSUMED ON DAYS WHEN DRANK LIQUOR IN LAST 12 MONTHS
		13245	1-64. Number of drinks of liquor
		109	99. Unknown
		29739	BL. NA, did not drink or unknown if drank liquor in last 12 months
386-387	S2AQ7F		HOW OFTEN DRANK LARGEST NUMBER OF DRINKS OF LIQUOR IN LAST 12 MONTHS
		181	1. Every day
		117	2. Nearly every day
		180	3. 3 to 4 times a week
		322	4. 2 times a week
		558	5. Once a week
		807	6. 2 to 3 times a month
		1493	7. Once a month
		1082	8. 7 to 11 times in the last year
		3220	9. 3 to 6 times in the last year
		5265	10. 1 or 2 times in the last year
		129	99. Unknown
		29739	BL. NA, did not drink or unknown if drank liquor in last 12 months
388-389	S2AQ7G		HOW OFTEN DRANK 5+ DRINKS OF LIQUOR IN LAST 12 MONTHS
		26	1. Every day
		19	2. Nearly every day
		70	3. 3 to 4 times a week
		96	4. 2 times a week
		150	5. Once a week
		214	6. 2 to 3 times a month
		259	7. Once a month
		234	8. 7 to 11 times in the last year
		489	9. 3 to 6 times in the last year
		675	10. 1 or 2 times in the last year
		11086	11. Never in the last year
		36	99. Unknown
		29739	BL. NA, did not drink or unknown if drank liquor in last 12 months
390-390	S2AQ7H		TYPE OF LIQUOR USUALLY CONSUMED IN LAST 12 MONTHS
		11037	1. 80 proof liquor including brandy and cognac
		658	2. 100 proof liquor
		1362	3. Liqueurs or cordials
		297	9. Unknown
		29739	BL. NA, did not drink or unknown if drank liquor in last 12 months

Tape Location	Source Code	Frequency	Item value and description
391-391	S2AQ7I		WHERE USUALLY DRANK LIQUOR IN LAST 12 MONTHS
		4844	1. In own home
		2685	2. In homes of friends or relatives
		5766	3. In public places
		59	9. Unknown
		29739	BL. NA, did not drink or unknown if drank liquor in last 12 months
392-396	LIQRECF		ETHANOL CONTENT BY VOLUME OF LIQUOR BRAND USUALLY CONSUMED IN LAST 12 MONTHS [Format: X.XXX]
		13354	0.150-0.950. Value
		29739	BL. NA, did not drink or unknown if drank liquor in last 12 months
397-398	S2AQ8A		HOW OFTEN DRANK ANY ALCOHOL IN LAST 12 MONTHS
		1865	1. Every day
		1210	2. Nearly every day
		2619	3. 3 to 4 times a week
		2914	4. 2 times a week
		3261	5. Once a week
		3557	6. 2 to 3 times a month
		2663	7. Once a month
		1805	8. 7 to 11 times in the last year
		3210	9. 3 to 6 times in the last year
		3637	10. 1 or 2 times in the last year
		205	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
399-400	S2AQ8B		NUMBER OF DRINKS OF ANY ALCOHOL USUALLY CONSUMED ON DAYS WHEN DRANK ALCOHOL IN LAST 12 MONTHS
		26708	1-98. Number of drinks
		238	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
401-402	S2AQ8C		LARGEST NUMBER OF DRINKS OF ANY ALCOHOL CONSUMED ON DAYS WHEN DRANK ALCOHOL IN LAST 12 MONTHS
		26601	1-98. Number of drinks
		345	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
403-404	S2AQ8D		HOW OFTEN DRANK LARGEST NUMBER OF DRINKS OF ANY ALCOHOL IN LAST 12 MONTHS
		557	1. Every day
		421	2. Nearly every day
		685	3. 3 to 4 times a week
		1173	4. 2 times a week
		1862	5. Once a week
		2367	6. 2 to 3 times a month
		3222	7. Once a month
		2163	8. 7 to 11 times in the last year
		5420	9. 3 to 6 times in the last year
		8626	10. 1 or 2 times in the last year
		450	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
405-406	S2AQ8E		HOW OFTEN DRANK 5+ DRINKS OF ANY ALCOHOL IN LAST 12 MONTHS
		356	1. Every day
		288	2. Nearly every day
		605	3. 3 to 4 times a week
		787	4. 2 times a week
		950	5. Once a week
		929	6. 2 to 3 times a month
		854	7. Once a month
		619	8. 7 to 11 times in the last year
		1169	9. 3 to 6 times in the last year
		1333	10. 1 or 2 times in the last year
		18892	11. Never in the last year
		164	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
407-408	S2AQ9		HOW OFTEN DRANK 4+ DRINKS OF ANY ALCOHOL IN LAST 12 MONTHS (WOMEN ONLY)
		95	1. Every day
		81	2. Nearly every day
		224	3. 3 to 4 times a week
		311	4. 2 times a week
		361	5. Once a week
		470	6. 2 to 3 times a month
		420	7. Once a month
		313	8. 7 to 11 times in the last year
		669	9. 3 to 6 times in the last year
		842	10. 1 or 2 times in the last year
		10029	11. Never in the last year
		64	99. Unknown
		29214	BL. NA, former drinker or lifetime abstainer; male

Tape Location	Source Code	Frequency	Item value and description
409-410	S2AQ10		HOW OFTEN DRANK ENOUGH TO FEEL INTOXICATED IN LAST 12 MONTHS
		167	1. Every day
		109	2. Nearly every day
		184	3. 3 to 4 times a week
		272	4. 2 times a week
		510	5. Once a week
		539	6. 2 to 3 times a month
		902	7. Once a month
		601	8. 7 to 11 times in the last year
		1690	9. 3 to 6 times in the last year
		4336	10. 1 or 2 times in the last year
		17436	11. Never in the last year
		200	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
411-412	S2AQ11		HOW MANY DRINKS CAN HOLD WITHOUT FEELING INTOXICATED
		19826	0-98. Number of drinks
		7120	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
413-414	S2AQ12A		HOW OFTEN DRANK BEFORE 3 PM IN LAST 12 MONTHS
		220	1. Every day
		150	2. Nearly every day
		151	3. 3 to 4 times a week
		255	4. 2 times a week
		470	5. Once a week
		388	6. 2 to 3 times a month
		569	7. Once a month
		388	8. 7 to 11 times in the last year
		1236	9. 3 to 6 times in the last year
		2931	10. 1 or 2 times in the last year
		19941	11. Never in the last year
		247	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
415-416	S2AQ12B		HOW OFTEN DRANK AFTER MIDNIGHT IN LAST 12 MONTHS
		180	1. Every day
		112	2. Nearly every day
		231	3. 3 to 4 times a week
		412	4. 2 times a week
		557	5. Once a week
		652	6. 2 to 3 times a month
		708	7. Once a month
		583	8. 7 to 11 times in the last year
		1356	9. 3 to 6 times in the last year
		3586	10. 1 or 2 times in the last year
		18342	11. Never in the last year
		227	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
417-418	S2AQ12C		HOW OFTEN DRANK AT HOME ALONE IN LAST 12 MONTHS
		519	1. Every day
		391	2. Nearly every day
		514	3. 3 to 4 times a week
		591	4. 2 times a week
		774	5. Once a week
		692	6. 2 to 3 times a month
		972	7. Once a month
		457	8. 7 to 11 times in the last year
		1341	9. 3 to 6 times in the last year
		3072	10. 1 or 2 times in the last year
		17403	11. Never in the last year
		220	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
419-420	S2AQ12D		HOW OFTEN DRANK IN PUBLIC PLACES IN LAST 12 MONTHS
		113	1. Every day
		112	2. Nearly every day
		415	3. 3 to 4 times a week
		772	4. 2 times a week
		1540	5. Once a week
		2203	6. 2 to 3 times a month
		2432	7. Once a month
		1855	8. 7 to 11 times in the last year
		3845	9. 3 to 6 times in the last year
		5121	10. 1 or 2 times in the last year
		8311	11. Never in the last year
		227	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
421-422	S2AQ12E		HOW OFTEN DRANK ON 2+ OCCASIONS IN SAME DAY IN LAST 12 MONTHS
		135	1. Every day
		87	2. Nearly every day
		94	3. 3 to 4 times a week
		134	4. 2 times a week
		207	5. Once a week
		268	6. 2 to 3 times a month
		347	7. Once a month
		250	8. 7 to 11 times in the last year
		719	9. 3 to 6 times in the last year
		1931	10. 1 or 2 times in the last year
		22532	11. Never in the last year
		242	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
423-424	S2AQ12F		HOW OFTEN DROVE MOTOR VEHICLE AFTER 3+ DRINKS IN LAST 12 MONTHS
		128	1. Every day
		76	2. Nearly every day
		99	3. 3 to 4 times a week
		145	4. 2 times a week
		210	5. Once a week
		244	6. 2 to 3 times a month
		302	7. Once a month
		267	8. 7 to 11 times in the last year
		744	9. 3 to 6 times in the last year
		1804	10. 1 or 2 times in the last year
		22741	11. Never in the last year
		186	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
425-426	S2AQ14		NUMBER OF YEARS DRANK SAME AS IN LAST 12 MONTHS
		26146	1-80. Number of years
		800	99. Unknown
		16147	BL. NA, former drinker or lifetime abstainer
427-429	S2AQ15R1		NUMBER OF MONTHS SINCE LAST DRINK (ROUNDED TO NEAREST MONTH)
		17118	0. Less than one month
		17146	1-972. Number of months
		563	999. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
430-432	S2AQ15R2		NUMBER OF DAYS SINCE LAST DRINK (RESPONDENTS WHO DRANK IN LAST MONTH)
		1816	0. Less than one day
		16917	1-28. Number of days
		24360	BL. NA, did not drink or unknow if drank within last month
433-434	S2AQ16A		AGE WHEN STARTED DRINKING, NOT COUNTING SMALL TASTES OR SIPS
		33891	5-83. Age
		936	99. Unknown
		8266	BL. NA, lifetime abstainer
435-436	S2AQ16B		AGE WHEN STARTED DRINKING AT LEAST ONCE A WEEK
		11649	0. Never drank at least once a week
		19442	5-90. Age
		3736	99. Unknown
		8266	BL. NA, lifetime abstainer
437-437	S2AQ17		EVER A PERIOD OF AT LEAST 1 YEAR WHEN DRANK MORE HEAVILY THAN IN LAST 12 MONTHS
		16801	1. Yes
		17836	2. No
		190	9. Unknown
		8266	BL. NA, lifetime abstainer
438-438	S2AQ18		EVER A 1-YEAR PERIOD WHEN DRANK AT LEAST 12 DRINKS
		27324	1. Yes
		7427	2. No
		76	9. Unknown
		8266	BL. NA, lifetime abstainer
439-440	S2AQ19		AGE AT START OF PERIOD OF HEAVIEST DRINKING
		33418	5-91. Age
		1409	99. Unknown
		8266	BL. NA, lifetime abstainer
441-442	S2AQ20		DURATION (YEARS) OF PERIOD OF HEAVIEST DRINKING
		33377	1-80. Number of years
		1450	99. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
443-444	S2AQ21A		HOW OFTEN DRANK ANY ALCOHOL DURING PERIOD OF HEAVIEST DRINKING
		4167	1. Every day
		2095	2. Nearly every day
		4040	3. 3 to 4 times a week
		4277	4. 2 times a week
		4600	5. Once a week
		3309	6. 2 to 3 times a month
		2502	7. Once a month
		1367	8. 7 to 11 times a year
		2759	9. 3 to 6 times a year
		5215	10. 1 or 2 times a year
		496	99. Unknown
		8266	BL. NA, lifetime abstainer
445-446	S2AQ21B		NUMBER OF DRINKS OF ANY ALCOHOL USUALLY CONSUMED ON DAYS WHEN DRANK ALCOHOL DURING PERIOD OF HEAVIEST DRINKING
		33683	1-98. Number of drinks
		1144	99. Unknown
		8266	BL. NA, lifetime abstainer
447-448	S2AQ21C		LARGEST NUMBER OF DRINKS OF ANY ALCOHOL CONSUMED ON DAYS WHEN DRANK ALCOHOL DURING PERIOD OF HEAVIEST DRINKING
		33162	1-98. Number of drinks
		1665	99. Unknown
		8266	BL. NA, lifetime abstainer
449-450	S2AQ21D		HOW OFTEN DRANK LARGEST NUMBER OF DRINKS OF ANY ALCOHOL DURING PERIOD OF HEAVIEST DRINKING
		1090	1. Every day
		931	2. Nearly every day
		1353	3. 3 to 4 times a week
		2289	4. 2 times a week
		3556	5. Once a week
		3210	6. 2 to 3 times a month
		3884	7. Once a month
		2045	8. 7 to 11 times a year
		4729	9. 3 to 6 times a year
		9835	10. 1 or 2 times a year
		1905	99. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
451-452	S2AQ22		HOW OFTEN DRANK 5+ DRINKS OF ANY ALCOHOL DURING PERIOD OF HEAVIEST DRINKING
		2090	1. Every day
		957	2. Nearly every day
		1764	3. 3 to 4 times a week
		1856	4. 2 times a week
		1908	5. Once a week
		1208	6. 2 to 3 times a month
		1018	7. Once a month
		532	8. 7 to 11 times a year
		968	9. 3 to 6 times a year
		1330	10. 1 or 2 times a year
		20698	11. Never
		498	99. Unknown
		8266	BL. NA, lifetime abstainer
453-453	S2AQ23		MAIN TYPE OF ALCOHOL CONSUMED DURING PERIOD OF HEAVIEST DRINKING
		1802	1. Coolers
		12351	2. Beer
		3681	3. Wine
		6248	4. Liquor
		10745	9. Unknown
		8266	BL. NA, lifetime abstainer
SECTION 2B: ALCOHOL ABUSE/DEPENDENCE (ALCOHOL EXPERIENCES)			
454-454	S2BQ1A1		EVER FIND USUAL NUMBER OF DRINKS HAD LESS EFFECT THAN BEFORE
		7175	1. Yes
		27147	2. No
		505	9. Unknown
		8266	BL. NA, lifetime abstainer
455-455	S2BQ1B1		HAPPEN IN THE LAST 12 MONTHS
		1326	1. Yes
		25309	2. No
		311	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
456-456	S2BQ1C1		HAPPEN PRIOR TO LAST 12 MONTHS
		6596	1. Yes
		27714	2. No
		517	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
457-457	S2BQ1A2		EVER HAD TO DRINK MORE TO GET THE EFFECT WANTED
		4499	1. Yes
		29949	2. No
		379	9. Unknown
		8266	BL. NA, lifetime abstainer
458-458	S2BQ1B2		HAPPEN IN THE LAST 12 MONTHS
		807	1. Yes
		25919	2. No
		220	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
459-459	S2BQ1C2		HAPPEN PRIOR TO LAST 12 MONTHS
		4137	1. Yes
		30308	2. No
		382	9. Unknown
		8266	BL. NA, lifetime abstainer
460-460	S2BQ1A3		EVER DRINK EQUIVALENT OF A FIFTH OF LIQUOR IN ONE DAY
		3385	1. Yes
		31176	2. No
		266	9. Unknown
		8266	BL. NA, lifetime abstainer
461-461	S2BQ1B3		HAPPEN IN THE LAST 12 MONTHS
		665	1. Yes
		26134	2. No
		147	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
462-462	S2BQ1C3		HAPPEN PRIOR TO LAST 12 MONTHS
		3209	1. Yes
		31349	2. No
		269	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape	Location	Source Code	Frequency	Item value and description
463-463		S2BQ1A4		EVER INCREASE DRINKING BECAUSE AMOUNT FORMERLY CONSUMED NO LONGER GAVE DESIRED EFFECT
			3048	1. Yes
			31467	2. No
			312	9. Unknown
			8266	BL. NA, lifetime abstainer
464-464		S2BQ1B4		HAPPEN IN THE LAST 12 MONTHS
			518	1. Yes
			26252	2. No
			176	9. Unknown
			16147	BL. NA, lifetime abstainer or former drinker
465-465		S2BQ1C4		HAPPEN PRIOR TO LAST 12 MONTHS
			2827	1. Yes
			31684	2. No
			316	9. Unknown
			8266	BL. NA, lifetime abstainer
466-466		S2BQ1A5		MORE THAN ONCE WANT TO STOP OR CUT DOWN ON DRINKING
			9012	1. Yes
			25558	2. No
			257	9. Unknown
			8266	BL. NA, lifetime abstainer
467-467		S2BQ1B5		HAPPEN IN THE LAST 12 MONTHS
			2531	1. Yes
			24267	2. No
			148	9. Unknown
			16147	BL. NA, lifetime abstainer or former drinker
468-468		S2BQ1C5		HAPPEN PRIOR TO LAST 12 MONTHS
			8177	1. Yes
			26384	2. No
			266	9. Unknown
			8266	BL. NA, lifetime abstainer

Tape	Location	Source Code	Frequency	Item value and description
469-469		S2BQ1A6		MORE THAN ONCE TRY UNSUCCESSFULLY TO STOP OR CUT DOWN ON DRINKING
			1905	1. Yes
			32671	2. No
			251	9. Unknown
			8266	BL. NA, lifetime abstainer
470-470		S2BQ1B6		HAPPEN IN THE LAST 12 MONTHS
			521	1. Yes
			26278	2. No
			147	9. Unknown
			16147	BL. NA, lifetime abstainer or former drinker
471-471		S2BQ1C6		HAPPEN PRIOR TO LAST 12 MONTHS
			1780	1. Yes
			32794	2. No
			253	9. Unknown
			8266	BL. NA, lifetime abstainer
472-472		S2BQ1A7		EVER HAVE PERIOD WHEN ENDED UP DRINKING MORE THAN INTENDED
			9410	1. Yes
			25136	2. No
			281	9. Unknown
			8266	BL. NA, lifetime abstainer
473-473		S2BQ1B7		HAPPEN IN THE LAST 12 MONTHS
			2401	1. Yes
			24381	2. No
			164	9. Unknown
			16147	BL. NA, lifetime abstainer or former drinker
474-474		S2BQ1C7		HAPPEN PRIOR TO LAST 12 MONTHS
			8770	1. Yes
			25768	2. No
			289	9. Unknown
			8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
475-475	S2BQ1A8		EVER HAVE PERIOD WHEN KEPT DRINKING LONGER THAN INTENDED
		6917	1. Yes
		27601	2. No
		309	9. Unknown
		8266	BL. NA, lifetime abstainer
476-476	S2BQ1B8		HAPPEN IN THE LAST 12 MONTHS
		1969	1. Yes
		24791	2. No
		186	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
477-477	S2BQ1C8		HAPPEN PRIOR TO LAST 12 MONTHS
		6469	1. Yes
		28045	2. No
		313	9. Unknown
		8266	BL. NA, lifetime abstainer
478-478	S2BQ1A9A		EVER HAD TROUBLE FALLING/STAYING ASLEEP WHEN EFFECTS OF ALCOHOL WERE WEARING OFF
		2990	1. Yes
		31505	2. No
		332	9. Unknown
		8266	BL. NA, lifetime abstainer
479-479	S2BQ1B9A		HAPPEN IN THE LAST 12 MONTHS
		1091	1. Yes
		25673	2. No
		182	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
480-480	S2BQ1C9A		HAPPEN PRIOR TO LAST 12 MONTHS
		2804	1. Yes
		31685	2. No
		338	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
481-481	S2BQ1A9B		EVER SHAKE WHEN EFFECTS OF ALCOHOL WERE WEARING OFF
		1777	1. Yes
		32785	2. No
		265	9. Unknown
		8266	BL. NA, lifetime abstainer
482-482	S2BQ1B9B		HAPPEN IN THE LAST 12 MONTHS
		414	1. Yes
		26386	2. No
		146	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
483-483	S2BQ1C9B		HAPPEN PRIOR TO LAST 12 MONTHS
		1673	1. Yes
		32886	2. No
		268	9. Unknown
		8266	BL. NA, lifetime abstainer
484-484	S2BQ1A9C		EVER FEEL ANXIOUS OR NERVOUS WHEN EFFECTS OF ALCOHOL WERE WEARING OFF
		2137	1. Yes
		32393	2. No
		297	9. Unknown
		8266	BL. NA, lifetime abstainer
485-485	S2BQ1B9C		HAPPEN IN THE LAST 12 MONTHS
		499	1. Yes
		26276	2. No
		171	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
486-486	S2BQ1C9C		HAPPEN PRIOR TO LAST 12 MONTHS
		2039	1. Yes
		32487	2. No
		301	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
487-487	S2BQ1A9D		EVER HAVE NAUSEA WHEN EFFECTS OF ALCOHOL WERE WEARING OFF
		10529	1. Yes
		24031	2. No
		267	9. Unknown
		8266	BL. NA, lifetime abstainer
488-488	S2BQ1B9D		HAPPEN IN THE LAST 12 MONTHS
		2275	1. Yes
		24516	2. No
		155	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
489-489	S2BQ1C9D		HAPPEN PRIOR TO LAST 12 MONTHS
		9964	1. Yes
		24587	2. No
		276	9. Unknown
		8266	BL. NA, lifetime abstainer
490-490	S2BQ1A9E		EVER FEEL UNUSUALLY RESTLESS WHEN EFFECTS OF ALCOHOL WERE WEARING OFF
		2885	1. Yes
		31598	2. No
		344	9. Unknown
		8266	BL. NA, lifetime abstainer
491-491	S2BQ1B9E		HAPPEN IN THE LAST 12 MONTHS
		867	1. Yes
		25883	2. No
		196	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
492-492	S2BQ1C9E		HAPPEN PRIOR TO LAST 12 MONTHS
		2680	1. Yes
		31800	2. No
		347	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
493-493	S2BQ1A9F		EVER SWEAT OR HEART BEAT FAST WHEN EFFECTS OF ALCOHOL WERE WEARING OFF
		2732	1. Yes
		31732	2. No
		363	9. Unknown
		8266	BL. NA, lifetime abstainer
494-494	S2BQ1B9F		HAPPEN IN THE LAST 12 MONTHS
		810	1. Yes
		25928	2. No
		208	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
495-495	S2BQ1C9F		HAPPEN PRIOR TO LAST 12 MONTHS
		2533	1. Yes
		31922	2. No
		372	9. Unknown
		8266	BL. NA, lifetime abstainer
496-496	S2BQ1A9G		EVER SEE, FEEL, HEAR THINGS WHEN EFFECTS OF ALCOHOL WERE WEARING OFF
		758	1. Yes
		33775	2. No
		294	9. Unknown
		8266	BL. NA, lifetime abstainer
497-497	S2BQ1B9G		HAPPEN IN THE LAST 12 MONTHS
		157	1. Yes
		26631	2. No
		158	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
498-498	S2BQ1C9G		HAPPEN PRIOR TO LAST 12 MONTHS
		702	1. Yes
		33831	2. No
		294	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
499-499	S2BQ1A9H		EVER HAVE FITS OR SEIZURES WHEN EFFECTS OF ALCOHOL WERE WEARING OFF
		205	1. Yes
		34353	2. No
		269	9. Unknown
		8266	BL. NA, lifetime abstainer
500-500	S2BQ1B9H		HAPPEN IN THE LAST 12 MONTHS
		29	1. Yes
		26773	2. No
		144	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
501-501	S2BQ1C9H		HAPPEN PRIOR TO LAST 12 MONTHS
		203	1. Yes
		34355	2. No
		269	9. Unknown
		8266	BL. NA, lifetime abstainer
502-502	S2BQ1A9I		EVER HAVE VERY BAD HEADACHES WHEN EFFECTS OF ALCOHOL WERE WEARING OFF
		8686	1. Yes
		25867	2. No
		274	9. Unknown
		8266	BL. NA, lifetime abstainer
503-503	S2BQ1B9I		HAPPEN IN THE LAST 12 MONTHS
		2823	1. Yes
		23965	2. No
		158	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
504-504	S2BQ1C9I		HAPPEN PRIOR TO LAST 12 MONTHS
		8207	1. Yes
		26336	2. No
		284	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
505-505	S2BQ1B9J		WITHDRAWAL SYMPTOMS IN LAST 12 MONTHS CAUSED SIGNIFICANT DISTRESS OR IMPAIRMENT IN SOCIAL, OCCUPATIONAL OR OTHER IMPORTANT AREAS
		653	1. Yes
		1663	2. No
		4	9. Unknown
		40773	BL. NA, less than two withdrawal symptoms in last 12 months
506-506	S2BQ1C9K		WITHDRAWAL SYMPTOMS BEFORE 12 MONTHS AGO CAUSED SIGNIFICANT DISTRESS OR IMPAIRMENT IN SOCIAL, OCCUPATIONAL OR OTHER IMPORTANT AREAS
		2164	1. Yes
		6054	2. No
		9	9. Unknown
		34866	BL. NA, less than two withdrawal symptoms before 12 months ago
507-507	S2BQ1A10		EVER DRINK OR USE MEDICINE OR DRUG OTHER THAN ASPIRIN, TYLENOL OR ADVIL TO GET OVER BAD AFTEREFFECTS OF DRINKING
		2032	1. Yes
		32520	2. No
		275	9. Unknown
		8266	BL. NA, lifetime abstainer
508-508	S2BQ1B10		HAPPEN IN THE LAST 12 MONTHS
		602	1. Yes
		26182	2. No
		162	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
509-509	S2BQ1C10		HAPPEN PRIOR TO LAST 12 MONTHS
		1942	1. Yes
		32607	2. No
		278	9. Unknown
		8266	BL. NA, lifetime abstainer
510-510	S2BQ1A11		EVER DRINK OR USE MEDICINE OR DRUG OTHER THAN ASPIRIN, TYLENOL OR ADVIL TO AVOID BAD AFTEREFFECTS OF DRINKING
		1218	1. Yes
		33332	2. No
		277	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
511-511	S2BQ1B11		HAPPEN IN THE LAST 12 MONTHS
		364	1. Yes
		26421	2. No
		161	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
512-512	S2BQ1C11		HAPPEN PRIOR TO LAST 12 MONTHS
		1168	1. Yes
		33382	2. No
		277	9. Unknown
		8266	BL. NA, lifetime abstainer
513-513	S2BQ1A12		EVER HAVE PERIOD WHEN SPENT LOT OF TIME DRINKING
		4318	1. Yes
		30247	2. No
		262	9. Unknown
		8266	BL. NA, lifetime abstainer
514-514	S2BQ1B12		HAPPEN IN THE LAST 12 MONTHS
		595	1. Yes
		26192	2. No
		159	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
515-515	S2BQ1C12		HAPPEN PRIOR TO LAST 12 MONTHS
		4165	1. Yes
		30400	2. No
		262	9. Unknown
		8266	BL. NA, lifetime abstainer
516-516	S2BQ1A13		EVER SPENT A LOT OF TIME BEING SICK OR GETTING OVER BAD AFTEREFFECTS OF DRINKING
		1586	1. Yes
		32985	2. No
		256	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
517-517	S2BQ1B13		HAPPEN IN THE LAST 12 MONTHS
		268	1. Yes
		26529	2. No
		149	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
518-518	S2BQ1C13		HAPPEN PRIOR TO LAST 12 MONTHS
		1528	1. Yes
		33043	2. No
		256	9. Unknown
		8266	BL. NA, lifetime abstainer
519-519	S2BQ1A14		EVER GIVE UP OR CUT DOWN IMPORTANT ACTIVITIES TO DRINK
		1219	1. Yes
		33353	2. No
		255	9. Unknown
		8266	BL. NA, lifetime abstainer
520-520	S2BQ1B14		HAPPEN IN THE LAST 12 MONTHS
		201	1. Yes
		26597	2. No
		148	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
521-521	S2BQ1C14		HAPPEN PRIOR TO LAST 12 MONTHS
		1184	1. Yes
		33388	2. No
		255	9. Unknown
		8266	BL. NA, lifetime abstainer
522-522	S2BQ1A15		EVER GIVE UP OR CUT DOWN PLEASURABLE ACTIVITIES TO DRINK
		998	1. Yes
		33571	2. No
		258	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
523-523	S2BQ1B15		HAPPEN IN THE LAST 12 MONTHS
		167	1. Yes
		26631	2. No
		148	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
524-524	S2BQ1C15		HAPPEN PRIOR TO LAST 12 MONTHS
		977	1. Yes
		33592	2. No
		258	9. Unknown
		8266	BL. NA, lifetime abstainer
525-525	S2BQ1A16		EVER CONTINUE TO DRINK EVEN THOUGH MADE DEPRESSED, UNINTERESTED IN THINGS, SUSPICIOUS OR DISTRUSTFUL OF OTHER PEOPLE
		1790	1. Yes
		32762	2. No
		275	9. Unknown
		8266	BL. NA, lifetime abstainer
526-526	S2BQ1B16		HAPPEN IN THE LAST 12 MONTHS
		407	1. Yes
		26376	2. No
		163	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
527-527	S2BQ1C16		HAPPEN PRIOR TO LAST 12 MONTHS
		1706	1. Yes
		32844	2. No
		277	9. Unknown
		8266	BL. NA, lifetime abstainer
528-528	S2BQ1A17		EVER CONTINUE TO DRINK EVEN THOUGH CAUSING HEALTH PROBLEM
		2045	1. Yes
		32521	2. No
		261	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
529-529	S2BQ1B17		HAPPEN IN THE LAST 12 MONTHS
		629	1. Yes
		26165	2. No
		152	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
530-530	S2BQ1C17		HAPPEN PRIOR TO LAST 12 MONTHS
		1930	1. Yes
		32635	2. No
		262	9. Unknown
		8266	BL. NA, lifetime abstainer
531-531	S2BQ1A18		EVER CONTINUE TO DRINK DESPITE PRIOR BLACKOUT
		2695	1. Yes
		31868	2. No
		264	9. Unknown
		8266	BL. NA, lifetime abstainer
532-532	S2BQ1B18		HAPPEN IN THE LAST 12 MONTHS
		528	1. Yes
		26256	2. No
		162	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
533-533	S2BQ1C18		HAPPEN PRIOR TO LAST 12 MONTHS
		2573	1. Yes
		31989	2. No
		265	9. Unknown
		8266	BL. NA, lifetime abstainer
534-534	S2BQ1A19		EVER HAVE PERIOD WHEN DRINKING INTERFERED WITH TAKING CARE OF HOME OR FAMILY
		1115	1. Yes
		33458	2. No
		254	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
535-535	S2BQ1B19		HAPPEN IN THE LAST 12 MONTHS
		209	1. Yes
		26587	2. No
		150	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
536-536	S2BQ1C19		HAPPEN PRIOR TO LAST 12 MONTHS
		1073	1. Yes
		33500	2. No
		254	9. Unknown
		8266	BL. NA, lifetime abstainer
537-537	S2BQ1A20		EVER HAVE JOB OR SCHOOL TROUBLES BECAUSE OF DRINKING
		1105	1. Yes
		33467	2. No
		255	9. Unknown
		8266	BL. NA, lifetime abstainer
538-538	S2BQ1B20		HAPPEN IN THE LAST 12 MONTHS
		135	1. Yes
		26661	2. No
		150	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
539-539	S2BQ1C20		HAPPEN PRIOR TO LAST 12 MONTHS
		1074	1. Yes
		33498	2. No
		255	9. Unknown
		8266	BL. NA, lifetime abstainer
540-540	S2BQ1A21		MORE THAN ONCE DRIVE A VEHICLE WHILE DRINKING
		7650	1. Yes
		26883	2. No
		294	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
541-541	S2BQ1B21		HAPPEN IN THE LAST 12 MONTHS
		1751	1. Yes
		25012	2. No
		183	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
542-542	S2BQ1C21		HAPPEN PRIOR TO LAST 12 MONTHS
		7443	1. Yes
		27085	2. No
		299	9. Unknown
		8266	BL. NA, lifetime abstainer
543-543	S2BQ1A22		MORE THAN ONCE RIDE IN VEHICLE WHILE DRIVER WAS DRINKING
		10520	1. Yes
		23919	2. No
		388	9. Unknown
		8266	BL. NA, lifetime abstainer
544-544	S2BQ1B22		HAPPEN IN THE LAST 12 MONTHS
		2596	1. Yes
		24111	2. No
		239	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
545-545	S2BQ1C22		HAPPEN PRIOR TO LAST 12 MONTHS
		10151	1. Yes
		24277	2. No
		399	9. Unknown
		8266	BL. NA, lifetime abstainer
546-546	S2BQ1A23		MORE THAN ONCE DRIVE A VEHICLE AFTER HAVING TOO MUCH TO DRINK
		6726	1. Yes
		27789	2. No
		312	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape	Location	Source Code	Frequency	Item value and description
547-547		S2BQ1B23		HAPPEN IN THE LAST 12 MONTHS
			1123	1. Yes
			25633	2. No
			190	9. Unknown
			16147	BL. NA, lifetime abstainer or former drinker
548-548		S2BQ1C23		HAPPEN PRIOR TO LAST 12 MONTHS
			6550	1. Yes
			27964	2. No
			313	9. Unknown
			8266	BL. NA, lifetime abstainer
549-549		S2BQ1A24		EVER IN SITUATIONS THAT INCREASED CHANCES OF GETTING HURT WHILE DRINKING OR AFTER DRINKING
			3690	1. Yes
			30830	2. No
			307	9. Unknown
			8266	BL. NA, lifetime abstainer
550-550		S2BQ1B24		HAPPEN IN THE LAST 12 MONTHS
			646	1. Yes
			26103	2. No
			197	9. Unknown
			16147	BL. NA, lifetime abstainer or former drinker
551-551		S2BQ1C24		HAPPEN PRIOR TO LAST 12 MONTHS
			3566	1. Yes
			30952	2. No
			309	9. Unknown
			8266	BL. NA, lifetime abstainer
552-552		S2BQ1A25		EVER CONTINUE TO DRINK DESPITE CAUSING TROUBLE WITH FAMILY OR FRIENDS
			2036	1. Yes
			32514	2. No
			277	9. Unknown
			8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
553-553	S2BQ1B25		HAPPEN IN THE LAST 12 MONTHS
		363	1. Yes
		26416	2. No
		167	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
554-554	S2BQ1C25		HAPPEN PRIOR TO LAST 12 MONTHS
		1978	1. Yes
		32572	2. No
		277	9. Unknown
		8266	BL. NA, lifetime abstainer
555-555	S2BQ1A26		EVER GET INTO PHYSICAL FIGHT WHEN OR RIGHT AFTER DRINKING
		3071	1. Yes
		31484	2. No
		272	9. Unknown
		8266	BL. NA, lifetime abstainer
556-556	S2BQ1B26		HAPPEN IN THE LAST 12 MONTHS
		396	1. Yes
		26387	2. No
		163	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
557-557	S2BQ1C26		HAPPEN PRIOR TO LAST 12 MONTHS
		2955	1. Yes
		31598	2. No
		274	9. Unknown
		8266	BL. NA, lifetime abstainer
558-558	S2BQ1A27		EVER GET ARRESTED OR HAVE OTHER LEGAL PROBLEMS BECAUSE OF DRINKING
		2710	1. Yes
		31850	2. No
		267	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
559-559	S2BQ1B27		HAPPEN IN THE LAST 12 MONTHS
		242	1. Yes
		26541	2. No
		163	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
560-560	S2BQ1C27		HAPPEN PRIOR TO LAST 12 MONTHS
		2574	1. Yes
		31985	2. No
		268	9. Unknown
		8266	BL. NA, lifetime abstainer
561-561	S2BQ1A28		EVER FIND COULD DRINK LESS THAN BEFORE TO GET EFFECT WANTED
		5153	1. Yes
		29166	2. No
		508	9. Unknown
		8266	BL. NA, lifetime abstainer
562-562	S2BQ1B28		HAPPEN IN THE LAST 12 MONTHS
		2844	1. Yes
		23752	2. No
		350	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
563-563	S2BQ1C28		HAPPEN PRIOR TO LAST 12 MONTHS
		4333	1. Yes
		29973	2. No
		521	9. Unknown
		8266	BL. NA, lifetime abstainer
564-564	S2BQ1A29		EVER RIDE IN CAR AS PASSENGER WHILE DRINKING
		9716	1. Yes
		24772	2. No
		339	9. Unknown
		8266	BL. NA, lifetime abstainer

Tape Location	Source Code	Frequency	Item value and description
565-565	S2BQ1B29		HAPPEN IN THE LAST 12 MONTHS
		2893	1. Yes
		23830	2. No
		223	9. Unknown
		16147	BL. NA, lifetime abstainer or former drinker
566-566	S2BQ1C29		HAPPEN PRIOR TO LAST 12 MONTHS
		9299	1. Yes
		25177	2. No
		351	9. Unknown
		8266	BL. NA, lifetime abstainer
567-567	S2BQ2A		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WERE HAPPENING AROUND THE SAME TIME ON AND OFF FOR A FEW MONTHS OR LONGER
		2582	1. Yes
		4368	2. No
		907	9. Unknown
		35236	BL. NA, lifetime abstainer; did not meet symptom criteria for lifetime alcohol dependence
568-568	S2BQ2B		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WERE HAPPENING AROUND THE SAME TIME MOST DAYS FOR AT LEAST A MONTH
		318	1. Yes
		4083	2. No
		874	9. Unknown
		37818	BL. NA, lifetime abstainer; did not meet symptom criteria for lifetime alcohol dependence; had period when some of these experiences were happening around the same time on and off for a few months or longer
569-569	S2BQ2C		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES HAPPENED WITHIN THE SAME ONE YEAR PERIOD
		2198	1. Yes
		2670	2. No
		89	9. Unknown
		38136	BL. NA, lifetime abstainer; did not meet symptom criteria for lifetime alcohol dependence; had period when some of these experiences were happening around the same time on and off for a few months or longer, or most days for at least a month

Tape Location	Source Code	Frequency	Item value and description
570-571	S2BQ2D		AGE AT ONSET OF ALCOHOL DEPENDENCE
		5008	6-80. Years
		90	99. Unknown
		37995	BL. NA, lifetime abstainer; did not meet symptom and/or duration criteria for lifetime alcohol dependence
572-573	S2BQ2E		NUMBER OF EPISODES OF ALCOHOL DEPENDENCE
		4808	1-98. Number of episodes
		290	99. Unknown
		37995	BL. NA, lifetime abstainer; did not meet symptom and/or duration criteria for lifetime alcohol dependence
574-576	S2BQ2FR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF ALCOHOL DEPENDENCE (BASED ON S2BQ2H IF ONLY 1 EPISODE)
		4870	1-720. Number of months
		228	999. Unknown
		37995	BL. NA, lifetime abstainer; did not meet symptom and/or duration criteria for lifetime alcohol dependence
577-578	S2BQ2GR		AGE WHEN ONLY/MOST RECENT EPISODE OF ALCOHOL DEPENDENCE BEGAN (BASED ON S2BQ2D IF ONLY 1 EPISODE)
		4984	8-80. Age
		114	99. Unknown
		37995	BL. NA, lifetime abstainer; did not meet symptom and/or duration criteria for lifetime alcohol dependence
579-580	S2BQ2I		AGE AT FULL REMISSION OF ALCOHOL DEPENDENCE
		2183	14-88. Age
		74	99. Unknown
		40836	BL. NA, lifetime abstainer; did not meet symptom and/or duration criteria for lifetime alcohol dependence; had 1+ symptoms of alcohol dependence or abuse in last 12 months
581-582	S2BQ3A		AGE AT ONSET OF ALCOHOL ABUSE
		10293	5-87. Age
		877	99. Unknown
		31923	BL. NA, lifetime abstainer; did not meet symptom criteria for lifetime alcohol abuse

Tape Location	Source Code	Frequency	Item value and description
583-584	S2BQ3B		NUMBER OF EPISODES OF ALCOHOL ABUSE
		9857	1-98. Number of episodes
		1313	99. Unknown
		31923	BL. NA, lifetime abstainer; did not meet symptom criteria for lifetime alcohol abuse
585-587	S2BQ3CR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF ALCOHOL ABUSE (BASED ON S2BQ3E IF ONLY 1 EPISODE)
		9778	1-792. Number of months
		1392	999. Unknown
		31923	BL. NA, lifetime abstainer; did not meet symptom criteria for lifetime alcohol abuse
588-589	S2BQ3DR		AGE AT MOST RECENT/ONLY EPISODE OF ALCOHOL ABUSE (BASED ON S2BQ3B IF ONLY 1 EPISODE)
		10114	5-89. Age
		1056	99. Unknown
		31923	BL. NA, lifetime abstainer; did not meet symptom criteria for lifetime alcohol abuse
590-591	S2BQ3F		AGE AT FULL REMISSION OF ALCOHOL ABUSE
		7347	10-89. Age
		1049	99. Unknown
		34697	BL. NA, lifetime abstainer; did not meet symptom criteria for lifetime alcohol abuse; had 1+ symptoms of alcohol abuse in last 12 months
SECTION 2C: ALCOHOL TREATMENT UTILIZATION			
592-592	S2CQ1		EVER SOUGHT HELP BECAUSE OF DRINKING
		1910	1. Yes
		32567	2. No
		350	9. Unknown
		8266	BL. NA, lifetime abstainer
593-593	S2CQ2A1		EVER WENT TO ALCOHOLICS/NARCOTICS/COCAINE ANONYMOUS, OR 12-STEP MEETING
		1444	1. Yes
		445	2. No
		21	9. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking

Tape Location	Source Code	Frequency	Item value and description
594-594	S2CQ2B1		WHEN WENT TO ALCOHOLICS/NARCOTICS/COCAINE ANONYMOUS, OR 12-STEP MEETING
		105	1. During the last 12 months only
		988	2. Before the last 12 months only
		348	3. During both time periods
		3	9. Unknown
		41649	BL. NA, never or unknown if ever went to anonymous meeting or 12-step meeting
595-595	S2CQ2A2		EVER WENT TO FAMILY SERVICES OR OTHER SOCIAL SERVICE AGENCY
		420	1. Yes
		1464	2. No
		26	9. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking
596-596	S2CQ2B2		WHEN WENT TO FAMILY SERVICES OR OTHER SOCIAL SERVICE AGENCY
		35	1. During the last 12 months only
		319	2. Before the last 12 months only
		66	3. During both time periods
		42673	BL. NA, never or unknown if ever went to family services or other social service agency
597-597	S2CQ2A3		EVER WENT TO ALCOHOL/DRUG DETOXIFICATION WARD/CLINIC
		642	1. Yes
		1247	2. No
		21	9. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking
598-598	S2CQ2B3		WHEN WENT TO ALCOHOL/DRUG DETOXIFICATION WARD/CLINIC
		46	1. During the last 12 months only
		543	2. Before the last 12 months only
		51	3. During both time periods
		2	9. Unknown
		42451	BL. NA, never or unknown if ever went to alcohol/drug detoxification ward/clinic
599-599	S2CQ2A4		EVER WENT TO INPATIENT WARD OF PSYCHIATRIC/GENERAL HOSPITAL OR COMMUNITY MENTAL HEALTH PROGRAM
		469	1. Yes
		1418	2. No
		23	9. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking

Tape Location	Source Code	Frequency	Item value and description
600-600	S2CQ2B4		WHEN WENT TO INPATIENT WARD OF PSYCHIATRIC/GENERAL HOSPITAL OR COMMUNITY MENTAL HEALTH PROGRAM
		41	1. During the last 12 months only
		384	2. Before the last 12 months only
		44	3. During both time periods
		42624	BL. NA, never or unknown if ever went to inpatient ward
601-601	S2CQ2A5		EVER WENT TO OUTPATIENT CLINIC, INCLUDING OUTREACH AND DAY/PARTIAL PATIENT PROGRAM
		548	1. Yes
		1338	2. No
		24	9. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking
602-602	S2CQ2B5		WHEN WENT TO OUTPATIENT CLINIC, INCLUDING OUTREACH AND DAY/PARTIAL PATIENT PROGRAM
		44	1. During the last 12 months only
		436	2. Before the last 12 months only
		67	3. During both time periods
		1	9. Unknown
		42545	BL. NA, never or unknown if ever went to outpatient clinic
603-603	S2CQ2A6		EVER WENT TO ALCOHOL/DRUG REHABILITATION PROGRAM
		849	1. Yes
		1041	2. No
		20	9. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking
604-604	S2CQ2B6		WHEN WENT TO ALCOHOL/DRUG REHABILITATION PROGRAM
		55	1. During the last 12 months only
		723	2. Before the last 12 months only
		70	3. During both time periods
		1	9. Unknown
		42244	BL. NA, never or unknown if ever went to alcohol/drug rehabilitation program
605-605	S2CQ2A7		EVER WENT TO EMERGENCY ROOM BECAUSE OF DRINKING
		483	1. Yes
		1403	2. No
		24	9. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking

Tape Location	Source Code	Frequency	Item value and description
606-606	S2CQ2B7		WHEN WENT TO EMERGENCY ROOM BECAUSE OF DRINKING
		27	1. During the last 12 months only
		422	2. Before the last 12 months only
		33	3. During both time periods
		1	9. Unknown
		42610	BL. NA, never or unknown if ever went to emergency room because of drinking
607-607	S2CQ2A8		EVER WENT TO HALFWAY HOUSE/THERAPEUTIC COMMUNITY
		162	1. Yes
		1726	2. No
		22	9. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking
608-608	S2CQ2B8		WHEN WENT TO HALFWAY HOUSE/THERAPEUTIC COMMUNITY
		10	1. During the last 12 months only
		143	2. Before the last 12 months only
		9	3. During both time periods
		42931	BL. NA, never or unknown if ever went to halfway house/therapeutic community
609-609	S2CQ2A9		EVER WENT TO CRISIS CENTER BECAUSE OF DRINKING
		88	1. Yes
		1799	2. No
		23	9. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking
610-610	S2CQ2B9		WHEN WENT TO CRISIS CENTER BECAUSE OF DRINKING
		5	1. During the last 12 months only
		73	2. Before the last 12 months only
		10	3. During both time periods
		43005	BL. NA, never or unknown if ever went to crisis center because of drinking
611-611	S2CQ2A10		EVER WENT TO EMPLOYEE ASSISTANCE PROGRAM (EAP)
		139	1. Yes
		1747	2. No
		24	9. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking

Tape Location	Source Code	Frequency	Item value and description
612-612	S2CQ2B10		WHEN WENT TO EMPLOYEE ASSISTANCE PROGRAM (EAP)
		10	1. During the last 12 months only
		125	2. Before the last 12 months only
		4	3. During both time periods
		42954	BL. NA, never or unknown if ever went to EAP because of drinking
613-613	S2CQ2A11		EVER WENT TO CLERGYMAN, PRIEST OR RABBI BECAUSE OF DRINKING
		273	1. Yes
		1614	2. No
		23	9. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking
614-614	S2CQ2B11		WHEN WENT TO CLERGYMAN, PRIEST OR RABBI BECAUSE OF DRINKING
		22	1. During the last 12 months only
		214	2. Before the last 12 months only
		37	3. During both time periods
		42820	BL. NA, never or unknown if ever went to clergyman, priest or rabbi because of drinking
615-615	S2CQ2A12		EVER WENT TO PRIVATE PHYSICIAN, PSYCHIATRIST, PSYCHOLOGIST, SOCIAL WORKER, OR ANY OTHER PROFESSIONAL
		703	1. Yes
		1184	2. No
		23	9. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking
616-616	S2CQ2B12		WHEN WENT TO PRIVATE PHYSICIAN, PSYCHIATRIST, PSYCHOLOGIST, SOCIAL WORKER, OR ANY OTHER PROFESSIONAL
		60	1. During the last 12 months only
		520	2. Before the last 12 months only
		123	3. During both time periods
		42390	BL. NA, never or unknown if ever went to doctor or other health professional
617-617	S2CQ2A13		EVER WENT TO ANY OTHER AGENCY OR PROFESSIONAL
		225	1. Yes
		1660	2. No
		25	9. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking

Tape Location	Source Code	Frequency	Item value and description
618-618	S2CQ2B13		WHEN WENT TO ANY OTHER AGENCY OR PROFESSIONAL
		17	1. During the last 12 months only
		178	2. Before the last 12 months only
		30	3. During both time periods
		42868	BL. NA, never or unknown if ever went to other agency or professional
619-620	S2CQ3A		AGE WHEN FIRST SOUGHT HELP BECAUSE OF DRINKING
		1839	5-85. Age
		71	99. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking
621-622	S2CQ3B		AGE AT ONLY/MOST RECENT TIME SOUGHT HELP WITH DRINKING
		1837	5-90. Age
		73	99. Unknown
		41183	BL. NA, never or unknown if ever sought help with drinking
623-623	S2CQ4A		EVER THOUGHT SHOULD SEEK HELP WITH DRINKING BUT DIDN'T GO
		1078	1. Yes
		25613	2. No
		8136	9. Unknown
		8266	BL. NA, lifetime abstainer
624-624	S2CQ4B		HAPPEN IN THE LAST 12 MONTHS
		248	1. Yes
		830	2. No
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
625-625	S2CQ4C		HAPPEN BEFORE 12 MONTHS AGO
		1004	1. Yes
		74	2. No
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
626-626	S2CQ4D1		DID NOT SEEK HELP BECAUSE WANTED TO GO, BUT HEALTH INSURANCE DIDN'T COVER
		90	1. Yes
		973	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go

Tape Location	Source Code	Frequency	Item value and description
627-627	S2CQ4D2		DID NOT SEEK HELP BECAUSE DIDN'T THINK ANYONE COULD HELP
		159	1. Yes
		904	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
628-628	S2CQ4D3		DID NOT SEEK HELP BECAUSE DIDN'T KNOW ANY PLACE TO GO FOR HELP
		79	1. Yes
		984	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
629-629	S2CQ4D4		DID NOT SEEK HELP BECAUSE COULDN'T AFFORD TO PAY THE BILL
		150	1. Yes
		913	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
630-630	S2CQ4D5		DID NOT SEEK HELP BECAUSE DIDN'T HAVE ANY WAY TO GET THERE
		46	1. Yes
		1017	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
631-631	S2CQ4D6		DID NOT SEEK HELP BECAUSE DIDN'T HAVE TIME
		92	1. Yes
		971	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
632-632	S2CQ4D7		DID NOT SEEK HELP BECAUSE THOUGHT THE PROBLEM WOULD GET BETTER BY ITSELF
		346	1. Yes
		717	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go

Tape Location	Source Code	Frequency	Item value and description
633-633	S2CQ4D8		DID NOT SEEK HELP BECAUSE WAS TOO EMBARRASSED TO DISCUSS IT WITH ANYONE
		202	1. Yes
		861	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
634-634	S2CQ4D9		DID NOT SEEK HELP BECAUSE AFRAID OF WHAT BOSS, FRIENDS, FAMILY, OR OTHERS WOULD THINK
		94	1. Yes
		969	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
635-635	S2CQ4D10		DID NOT SEEK HELP BECAUSE THOUGHT SHOULD BE STRONG ENOUGH TO HANDLE ALONE
		434	1. Yes
		629	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
636-636	S2CQ4D11		DID NOT SEEK HELP BECAUSE WAS AFRAID THEY WOULD PUT ME INTO THE HOSPITAL
		83	1. Yes
		980	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
637-637	S2CQ4D12		DID NOT SEEK HELP BECAUSE WAS AFRAID OF THE TREATMENT THEY WOULD GIVE ME
		82	1. Yes
		981	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
638-638	S2CQ4D13		DID NOT SEEK HELP BECAUSE HATED ANSWERING PERSONAL QUESTIONS
		114	1. Yes
		949	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go

Tape Location	Source Code	Frequency	Item value and description
639-639	S2CQ4D14		DID NOT SEEK HELP BECAUSE THE HOURS WERE INCONVENIENT
		28	1. Yes
		1035	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
640-640	S2CQ4D15		DID NOT SEEK HELP BECAUSE A MEMBER OF MY FAMILY OBJECTED
		11	1. Yes
		1052	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
641-641	S2CQ4D16		DID NOT SEEK HELP BECAUSE FAMILY THOUGHT I SHOULD GO BUT I DIDN'T THINK IT WAS NECESSARY
		110	1. Yes
		953	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
642-642	S2CQ4D17		DID NOT SEEK HELP BECAUSE CAN'T SPEAK ENGLISH VERY WELL
		4	1. Yes
		1059	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
643-643	S2CQ4D18		DID NOT SEEK HELP BECAUSE WAS AFRAID I WOULD LOSE MY JOB
		31	1. Yes
		1032	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
644-644	S2CQ4D19		DID NOT SEEK HELP BECAUSE COULDN'T ARRANGE FOR CHILD CARE
		7	1. Yes
		1056	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go

Tape Location	Source Code	Frequency	Item value and description
645-645	S2CQ4D20		DID NOT SEEK HELP BECAUSE HAD TO WAIT TOO LONG TO GET INTO A PROGRAM
		16	1. Yes
		1047	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
646-646	S2CQ4D21		DID NOT SEEK HELP BECAUSE WANTED TO KEEP DRINKING OR GOT DRUNK
		171	1. Yes
		892	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
647-647	S2CQ4D22		DID NOT SEEK HELP BECAUSE DIDN'T THINK DRINKING PROBLEM WAS SERIOUS ENOUGH
		207	1. Yes
		856	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
648-648	S2CQ4D23		DID NOT SEEK HELP BECAUSE DIDN'T WANT TO GO
		173	1. Yes
		890	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
649-649	S2CQ4D24		DID NOT SEEK HELP BECAUSE STOPPED DRINKING ON MY OWN
		202	1. Yes
		861	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
650-650	S2CQ4D25		DID NOT SEEK HELP BECAUSE FRIENDS OR FAMILY HELPED ME STOP DRINKING
		53	1. Yes
		1010	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go

Tape Location	Source Code	Frequency	Item value and description
651-651	S2CQ4D26		DID NOT SEEK HELP BECAUSE TRIED GETTING HELP BEFORE AND IT DIDN'T WORK
		56	1. Yes
		1007	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
652-652	S2CQ4D27		DID NOT SEEK HELP FOR OTHER REASON
		83	1. Yes
		980	2. No
		15	9. Unknown
		42015	BL. NA, never or unknown if ever thought should seek help but didn't go
SECTION 2D: FAMILY HISTORY (I) OF ALCOHOLISM			
653-653	S2DQ1		BLOOD/NATURAL FATHER EVER AN ALCOHOLIC OR PROBLEM DRINKER
		8124	1. Yes
		32445	2. No
		2524	9. Unknown
654-654	S2DQ2		BLOOD/NATURAL MOTHER EVER AN ALCOHOLIC OR PROBLEM DRINKER
		2311	1. Yes
		39553	2. No
		1229	9. Unknown
655-656	S2DQ3A		NUMBER OF FULL BROTHERS WHO LIVED TO BE 10 YEARS OLD
		41979	0-20. Full Brothers
		1114	99. Unknown
657-658	S2DQ3C1		NUMBER OF FULL BROTHERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS
		41629	0-11. Full Brother(s)
		1464	99. Unknown
659-659	S2DQ3C2		ANY FULL BROTHERS EVER ALCOHOLICS OR PROBLEM DRINKERS
		6213	1. Yes
		35766	2. No
		1114	9. Unknown

Tape	Location	Source Code	Frequency	Item value and description
660-661		S2DQ4A		NUMBER OF FULL SISTERS WHO LIVED TO BE 10 YEARS OLD
			42010 1083	0-20. Full Sister(s) 99. Unknown
662-663		S2DQ4C1		NUMBER OF FULL SISTERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS
			41795 1298	0-9. Full Sister(s) 99. Unknown
664-664		S2DQ4C2		ANY FULL SISTERS EVER ALCOHOLICS OR PROBLEM DRINKERS
			2707 39381 1005	1. Yes 2. No 9. Unknown
665-666		S2DQ5A		NUMBER OF NATURAL SONS WHO LIVED TO BE 10 YEARS OLD
			42315 778	0-20. Natural Son(s) 99. Unknown
667-668		S2DQ5C1		NUMBER OF NATURAL SONS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS
			42160 933	0-9. Natural Son(s) 99. Unknown
669-669		S2DQ5C2		ANY NATURAL SONS EVER ALCOHOLICS OR PROBLEM DRINKERS
			1751 40583 759	1. Yes 2. No 9. Unknown
670-671		S2DQ6A		NUMBER OF NATURAL DAUGHTERS WHO LIVED TO BE 10 YEARS OLD
			42334 759	0-15. Natural Daughter(s) 99. Unknown
672-673		S2DQ6C1		NUMBER OF NATURAL DAUGHTERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS
			42233 860	0-9. Natural Daughter(s) 99. Unknown

Tape Location	Source Code	Frequency	Item value and description
674-674	S2DQ6C2		ANY NATURAL DAUGHTERS EVER ALCOHOLICS OR PROBLEM DRINKERS
		886	1. Yes
		41505	2. No
		702	9. Unknown
675-676	S2DQ7A		NUMBER OF NATURAL FATHER'S FULL BROTHERS WHO LIVED TO BE 10 YEARS OLD
		36794	0-20. Father's Full Brother(s)
		6299	99. Unknown
677-678	S2DQ7C1		NUMBER OF NATURAL FATHER'S FULL BROTHERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS
		34176	0-20. Father's Full Brother(s)
		8917	99. Unknown
679-679	S2DQ7C2		ANY OF NATURAL FATHER'S FULL BROTHERS EVER ALCOHOLICS OR PROBLEM DRINKERS
		6646	1. Yes
		29473	2. No
		6974	9. Unknown
680-681	S2DQ8A		NUMBER OF NATURAL FATHER'S FULL SISTERS WHO LIVED TO BE 10 YEARS OLD
		37155	0-20. Father's Full Sister(s)
		5938	99. Unknown
682-683	S2DQ8C1		NUMBER OF NATURAL FATHER'S FULL SISTERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS
		35587	0-13. Father's Full Sister(s)
		7506	99. Unknown
684-684	S2DQ8C2		ANY OF NATURAL FATHER'S FULL SISTERS EVER ALCOHOLICS OR PROBLEM DRINKERS
		2427	1. Yes
		34628	2. No
		6038	9. Unknown
685-686	S2DQ9A		NUMBER OF NATURAL MOTHER'S FULL BROTHERS WHO LIVED TO BE 10 YEARS OLD
		39205	0-19. Mother's Full Brother(s)
		3888	99. Unknown

Tape Location	Source Code	Frequency	Item value and description
687-688	S2DQ9C1		NUMBER OF NATURAL MOTHER'S FULL BROTHERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS
		37601	0-16. Mother's Full Brother(s)
		5492	99. Unknown
689-689	S2DQ9C2		ANY OF NATURAL MOTHER'S FULL BROTHERS EVER ALCOHOLICS OR PROBLEM DRINKERS
		7133	1. Yes
		31747	2. No
		4213	9. Unknown
690-691	S2DQ10A		NUMBER OF NATURAL MOTHER'S FULL SISTERS WHO LIVED TO BE 10 YEARS OLD
		39459	0-20. Mother's Full Sister(s)
		3634	99. Unknown
692-693	S2DQ10C1		NUMBER OF NATURAL MOTHER'S FULL SISTERS WHO WERE EVER ALCOHOLICS OR PROBLEM DRINKERS
		38519	0-11. Mother's Full Sister(s)
		4574	99. Unknown
694-694	S2DQ10C2		ANY OF NATURAL MOTHER'S FULL SISTERS EVER ALCOHOLICS OR PROBLEM DRINKERS
		3034	1. Yes
		36522	2. No
		3537	9. Unknown
695-695	S2DQ11		NATURAL GRANDFATHER ON FATHER'S SIDE EVER AN ALCOHOLIC OR PROBLEM DRINKER
		3574	1. Yes
		26503	2. No
		13016	9. Unknown
696-696	S2DQ12		NATURAL GRANDMOTHER ON FATHER'S SIDE EVER AN ALCOHOLIC OR PROBLEM DRINKER
		904	1. Yes
		31818	2. No
		10371	9. Unknown
697-697	S2DQ13A		NATURAL GRANDFATHER ON MOTHER'S SIDE EVER AN ALCOHOLIC OR PROBLEM DRINKER
		4000	1. Yes
		29623	2. No
		9470	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
698-698	S2DQ13B		NATURAL GRANDMOTHER ON MOTHER'S SIDE EVER AN ALCOHOLIC OR PROBLEM DRINKER
		1095	1. Yes
		34379	2. No
		7619	9. Unknown
699-699	S2DQ14A		ADOPTIVE FATHER EVER AN ALCOHOLIC OR PROBLEM DRINKER
		64	1. Yes
		42784	2. No
		245	9. Unknown
700-700	S2DQ14B		ADOPTIVE MOTHER EVER AN ALCOHOLIC OR PROBLEM DRINKER
		20	1. Yes
		42834	2. No
		239	9. Unknown
701-701	S2DQ15		EVER MARRIED TO AN ALCOHOLIC OR PROBLEM DRINKER
		3768	1. Yes
		38742	2. No
		583	9. Unknown
702-702	S2DQ16		CURRENT SPOUSE EVER AN ALCOHOLIC OR PROBLEM DRINKER
		861	1. Yes
		41679	2. No
		553	9. Unknown
703-703	S2DQ17		CURRENT SPOUSE IS AN ALCOHOLIC OR PROBLEM DRINKER AT THIS TIME
		376	1. Yes
		42141	2. No
		576	9. Unknown
704-704	S2DQ18		EVER LIVED WITH SOMEONE AS IF MARRIED
		8464	1. Yes
		33798	2. No
		831	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
705-705	S2DQ19		EVER LIVED WITH SOMEONE AS IF MARRIED WHO WAS AN ALCOHOLIC OR PROBLEM DRINKER
		1949	1. Yes
		40266	2. No
		878	9. Unknown
706-706	S2DQ21		CURRENTLY LIVING AS IF MARRIED WITH ALCOHOLIC OR PROBLEM DRINKER
		28	1. Yes
		43035	2. No
		30	9. Unknown
SECTION 3A: TOBACCO USE AND DEPENDENCE			
707-707	S3AQ1A		EVER SMOKED 100+ CIGARETTES
		18013	1. Yes
		24636	2. No
		444	9. Unknown
708-708	S3AQ1B		EVER SMOKED 50+ CIGARS
		2733	1. Yes
		39899	2. No
		461	9. Unknown
709-709	S3AQ1C		EVER SMOKED A PIPE 50+ TIMES
		2023	1. Yes
		40617	2. No
		453	9. Unknown
710-710	S3AQ1D		EVER USED SNUFF 20+ TIMES
		1647	1. Yes
		40997	2. No
		449	9. Unknown
711-711	S3AQ1E		EVER USED CHEWING TOBACCO 20+ TIMES
		1832	1. Yes
		40813	2. No
		448	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
712-712	SMOKER		TOBACCO USE STATUS
		11118	1. Current user
		8074	2. Ex-user
		23901	3. Lifetime nonsmoker
713-714	S3AQ2A1		AGE WHEN SMOKED FIRST FULL CIGARETTE
		17756	5-80. Age
		257	99. Unknown
		25080	BL. NA, never or unknown if ever smoked 100+ cigarettes
715-720	S3AQ3A1R		DURATION (HOURS) SINCE LAST SMOKED CIGARETTE
		17919	1-657450. Hours
		94	999999. Unknown
		25080	BL. NA, never or unknown if ever smoked 100+ cigarettes
721-721	CHECK321		CIGARETTE SMOKING STATUS
		9913	1. Smoked cigarettes in the past 12 months
		8078	2. Smoked cigarettes prior to the last 12 months
		22	9. Unknown
		25080	BL. NA, never or unknown if ever smoked 100+ cigarettes
722-722	S3AQ3B1		USUAL FREQUENCY WHEN SMOKED CIGARETTES
		14836	1. Every day
		460	2. 5 to 6 Day(s) a week
		687	3. 3 to 4 Day(s) a week
		747	4. 1 to 2 Day(s) a week
		409	5. 2 to 3 Day(s) a month
		772	6. Once a month or less
		102	9. Unknown
		25080	BL. NA, never or unknown if ever smoked 100+ cigarettes
723-724	S3AQ3C1		USUAL QUANTITY WHEN SMOKED CIGARETTES
		17751	1-98. Cigarette(s)
		262	99. Unknown
		25080	BL. NA, never or unknown if ever smoked 100+ cigarettes
725-729	S3AQ3D1R		DURATION (DAYS) OF USUAL CIGARETTE SMOKING
		2930	1-27394. Days
		15083	99999. Unknown
		25080	BL. NA, never or unknown if ever smoked 100+ cigarettes

Tape Location	Source Code	Frequency	Item value and description
730-730	S3AQ41		EVER SMOKED CIGARETTES EVERY DAY
		16237	1. Yes
		1730	2. No
		46	9. Unknown
		25080	BL. NA, never or unknown if ever smoked 100+ cigarettes
731-732	S3AQ51		AGE STARTED SMOKING CIGARETTES EVERY DAY
		15895	5-87. Age
		342	99. Unknown
		26856	BL. NA, never or unknown if ever smoked cigarettes every day
733-734	S3AQ61		USUAL QUANTITY WHEN SMOKED CIGARETTES EVERY DAY
		16055	1-98. Cigarette(s)
		182	99. Unknown
		26856	BL. NA, never or unknown if ever smoked cigarettes every day
735-739	S3AQ71R		DURATION (DAYS) WHEN SMOKED CIGARETTES EVERY DAY
		15704	1-27394. Days
		533	99999. Unknown
		26856	BL. NA, never or unknown if ever smoked cigarettes every day
740-741	S3AQ2A2		AGE WHEN SMOKED FIRST FULL CIGAR
		2539	5-71. Age
		194	99. Unknown
		40360	BL. NA, never or unknown if ever smoked 50+ cigars
742-747	S3AQ3A2R		DURATION (HOURS) SINCE LAST SMOKED CIGARS
		2630	1-631152. Hours
		103	999999. Unknown
		40360	BL. NA, never or unknown if ever smoked 50+ cigars
748-748	CHECK322		CIGAR SMOKING STATUS
		1119	1. Smoked cigars in the past 12 months
		1592	2. Smoked cigars prior to the last 12 months
		22	9. Unknown
		40360	BL. NA, never or unknown if ever smoked 50+ cigars

Tape Location	Source Code	Frequency	Item value and description
749-749	S3AQ3B2		USUAL FREQUENCY WHEN SMOKED CIGARS
		520	1. Every day
		62	2. 5 to 6 Day(s) a week
		123	3. 3 to 4 Day(s) a week
		305	4. 1 to 2 Day(s) a week
		264	5. 2 to 3 Day(s) a month
		1387	6. Once a month or less
		72	9. Unknown
		40360	BL. NA, never or unknown if ever smoked 50+ cigars
750-751	S3AQ3C2		USUAL QUANTITY WHEN SMOKED CIGARS
		2643	1-98. Cigar(s)
		90	99. Unknown
		40360	BL. NA, never or unknown if ever smoked 50+ cigars
752-756	S3AQ3D2R		DURATION (DAYS) OF USUAL CIGAR SMOKING
		1991	1-21915. Days
		742	99999. Unknown
		40360	BL. NA, never or unknown if ever smoked 50+ cigars
757-757	S3AQ42		EVER SMOKED CIGARS EVERY DAY
		719	1. Yes
		1985	2. No
		29	9. Unknown
		40360	BL. NA, never or unknown if ever smoked 50+ cigars
758-759	S3AQ52		AGE STARTED SMOKING CIGARS EVERY DAY
		700	5-84. Age
		19	99. Unknown
		42374	BL. NA, never or unknown if ever smoked cigars every day
760-761	S3AQ62		USUAL QUANTITY WHEN SMOKED CIGARS EVERY DAY
		710	1-50. Cigar(s)
		9	99. Unknown
		42374	BL. NA, never or unknown if ever smoked cigars every day
762-766	S3AQ72R		DURATION (DAYS) WHEN SMOKED CIGARS EVERY DAY
		692	1-25568. Days
		27	99999. Unknown
		42374	BL. NA, never or unknown if ever smoked cigars every day

Tape Location	Source Code	Frequency	Item value and description
767-768	S3AQ2A3		AGE WHEN SMOKED FIRST FULL PIPE BOWL OF TOBACCO
		1903	5-70. Age
		120	99. Unknown
		41070	BL. NA, never or unknown if ever smoked a pipe 50+ times
769-774	S3AQ3A3R		DURATION (HOURS) SINCE LAST SMOKED PIPE
		1955	1-692514. Hours
		68	999999. Unknown
		41070	BL. NA, never or unknown if ever smoked a pipe 50+ times
775-775	CHECK323		PIPE SMOKING STATUS
		215	1. Smoked a pipe in the past 12 months
		1797	2. Smoked a pipe prior to the last 12 months
		11	9. Unknown
		41070	BL. NA, never or unknown if ever smoked a pipe 50+ times
776-776	S3AQ3B3		USUAL FREQUENCY WHEN SMOKED PIPE
		787	1. Every day
		81	2. 5 to 6 Days a week
		153	3. 3 to 4 Days a week
		288	4. 1 to 2 Days a week
		140	5. 2 to 3 Days a month
		526	6. Once a month or less
		48	9. Unknown
		41070	BL. NA, never or unknown if ever smoked a pipe 50+ times
777-778	S3AQ3C3		USUAL QUANTITY WHEN SMOKED PIPE
		1907	1-98. Pipe bowl of tobacco
		116	99. Unknown
		41070	BL. NA, never or unknown if ever smoked a pipe 50+ times
779-783	S3AQ3D3R		DURATION (DAYS) OF USUAL PIPE SMOKING
		1084	1-23011. Days
		939	99999. Unknown
		41070	BL. NA, never or unknown if ever smoked a pipe 50+ times
784-784	S3AQ43		EVER SMOKED PIPE EVERY DAY
		1007	1. Yes
		996	2. No
		20	9. Unknown
		41070	BL. NA, never or unknown if ever smoked a pipe 50+ times

Tape Location	Source Code	Frequency	Item value and description
785-786	S3AQ53		AGE WHEN SMOKED PIPE EVERY DAY
		965	7-70. Age
		42	99. Unknown
		42086	BL. NA, never or unknown if ever smoked a pipe every day
787-788	S3AQ63		USUAL QUANTITY WHEN SMOKED PIPE EVERY DAY
		963	1-98. Pipe bowl of tobacco
		44	99. Unknown
		42086	BL. NA, never or unknown if ever smoked a pipe every day
789-793	S3AQ73R		DURATION (DAYS) WHEN SMOKED PIPE EVERY DAY
		939	1-25202. Days
		68	99999. Unknown
		42086	BL. NA, never or unknown if ever smoked a pipe every day
794-795	S3AQ2A4		AGE WHEN FIRST USED SNUFF
		1604	5-68. Age
		43	99. Unknown
		41446	BL. NA, never or unknown if ever used snuff 20+ times
796-801	S3AQ3A4R		HOW LONG (HOURS) AGO LAST USED SNUFF
		1625	1-631152. Hours
		22	999999. Unknown
		41446	BL. NA, never or unknown if ever used snuff 20+ times
802-802	CHECK324		SNUFF USE STATUS
		720	1. Used snuff in the last 12 months
		923	2. Used snuff prior to the last 12 months
		4	9. Unknown
		41446	BL. NA, never or unknown if ever used snuff 20+ times
803-803	S3AQ3B4		USUAL FREQUENCY WHEN USED SNUFF
		821	1. Every day
		67	2. 5 to 6 Days a week
		122	3. 3 to 4 Days a week
		145	4. 1 to 2 Days a week
		118	5. 2 to 3 Days a month
		352	6. Once a month or less
		22	9. Unknown
		41446	BL. NA, never or unknown if ever used snuff 20+ times

Tape Location	Source Code	Frequency	Item value and description
804-805	S3AQ3C4		USUAL QUANTITY WHEN USED SNUFF
		1571	1-98. Pinch(es), Dip(s) or Rub(s)
		76	99. Unknown
		41446	BL. NA, never or unknown if ever used snuff 20+ times
806-810	S3AQ3D4R		DURATION (DAYS) OF USUAL SNUFF USE
		752	1-29951. Days
		895	99999. Unknown
		41446	BL. NA, never or unknown if ever used snuff 20+ times
811-811	S3AQ44		EVER USED SNUFF EVERY DAY
		1004	1. Yes
		634	2. No
		9	9. Unknown
		41446	BL. NA, never or unknown if ever used snuff 20+ times
812-813	S3AQ54		AGE STARTED USING SNUFF EVERY DAY
		989	5-78. Age
		15	99. Unknown
		42089	BL. NA, never or unknown if ever used snuff every day
814-815	S3AQ64		USUAL QUANTITY WHEN USED SNUFF EVERY DAY
		959	1-98. Pinch(es), Dip(s) or Rub(s)
		45	99. Unknown
		42089	BL. NA, never or unknown if ever used snuff every day
816-820	S3AQ74R		DURATION (DAYS) WHEN USED SNUFF EVERY DAY
		948	1-28490. Days
		56	99999. Unknown
		42089	BL. NA, never or unknown if ever used snuff every day
821-822	S3AQ2A5		AGE WHEN FIRST USED CHEWING TOBACCO
		1786	5-96. Age
		46	99. Unknown
		41261	BL. NA, never or unknown if ever used chewing tobacco 20+ times

Tape	Location	Source Code	Frequency	Item value and description
823-828		S3AQ3A5R		DURATION (HOURS) SINCE LAST USED CHEWING TOBACCO
			1795	1-657450. Hours
			37	999999. Unknown
			41261	BL. NA, never or unknown if ever used chewing tobacco 20+ times
829-829		CHECK325		CHEWING TOBACCO USE STATUS
			502	1. Used chewing tobacco in the last 12 months
			1322	2. Used chewing tobacco prior to the last 12 months
			8	9. Unknown
			41261	BL. NA, never or unknown if ever used chewing tobacco 20+ times
830-830		S3AQ3B5		USUAL FREQUENCY WHEN USED CHEWING TOBACCO
			619	1. Every day
			68	2. 5 to 6 Day(s) a week
			150	3. 3 to 4 Day(s) a week
			247	4. 1 to 2 Day(s) a week
			149	5. 2 to 3 Day(s) a month
			557	6. Once a month or less
			42	9. Unknown
			41261	BL. NA, never or unknown if ever used chewing tobacco 20+ times
831-832		S3AQ3C5		USUAL QUANTITY WHEN USED CHEWING TOBACCO
			1737	1-98. Plug(s), wad(s) or chaw(s)
			95	99. Unknown
			41261	BL. NA, never or unknown if ever used chewing tobacco 20+ times
833-837		S3AQ3D5R		DURATION (DAYS) OF USUAL CHEWING TOBACCO USE
			1103	1-20089. Days
			729	99999. Unknown
			41261	BL. NA, never or unknown if ever used chewing tobacco 20+ times
838-838		S3AQ45		EVER USED CHEWING TOBACCO EVERY DAY
			805	1. Yes
			1015	2. No
			12	9. Unknown
			41261	BL. NA, never or unknown if ever used chewing tobacco 20+ times

Tape Location	Source Code	Frequency	Item value and description
839-840	S3AQ55		AGE STARTED USING CHEWING TOBACCO EVERY DAY
		780	5-96. Age
		25	99. Unknown
		42288	BL. NA, never or unknown if ever used chewing tobacco every day
841-842	S3AQ65		USUAL QUANTITY WHEN USED CHEWING TOBACCO EVERY DAY
		756	1-98. Plug(s), wad(s) or chaw(s)
		49	99. Unknown
		42288	BL. NA, never or unknown if ever used chewing tobacco every day
843-847	S3AQ75R		DURATION (DAYS) WHEN USED CHEWING TOBACCO EVERY DAY
		731	1-29585. Days
		74	99999. Unknown
		42288	BL. NA, never or unknown if ever used chewing tobacco every day
848-848	S3AQ8A1		MORE THAN ONCE WANT TO STOP/CUT DOWN ON TOBACCO USE
		14293	1. Yes
		4782	2. No
		117	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
849-849	S3AQ8B1		HAPPEN IN LAST 12 MONTHS
		6108	1. Yes
		4950	2. No
		60	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
850-850	S3AQ8C1		HAPPEN BEFORE 12 MONTHS AGO
		13407	1. Yes
		5658	2. No
		127	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
851-851	S3AQ8A2		EVER GIVE UP/CUT DOWN ON ACTIVITIES OF INTEREST TO YOU BECAUSE TOBACCO USE NOT PERMITTED AT ACTIVITY
		1547	1. Yes
		17509	2. No
		136	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco

Tape Location	Source Code	Frequency	Item value and description
852-852	S3AQ8B2		HAPPEN IN LAST 12 MONTHS
		698	1. Yes
		10350	2. No
		70	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
853-853	S3AQ8C2		HAPPEN BEFORE 12 MONTHS AGO
		1470	1. Yes
		17584	2. No
		138	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
854-854	S3AQ8A3		EVER GIVE UP/CUT DOWN ON ACTIVITIES THAT WERE IMPORTANT TO YOU BECAUSE TOBACCO USE NOT PERMITTED AT ACTIVITY
		989	1. Yes
		18070	2. No
		133	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
855-855	S3AQ8B3		HAPPEN IN LAST 12 MONTHS
		449	1. Yes
		10598	2. No
		71	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
856-856	S3AQ8C3		HAPPEN BEFORE 12 MONTHS AGO
		946	1. Yes
		18113	2. No
		133	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
857-857	S3AQ8A4		EVER CONTINUE TO USE TOBACCO EVEN THOUGH IT WAS CAUSING/EXACERBATING A HEALTH PROBLEM
		8284	1. Yes
		10750	2. No
		158	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco

Tape	Location	Source Code	Frequency	Item value and description
858-858		S3AQ8B4		HAPPEN IN LAST 12 MONTHS
			4817	1. Yes
			6205	2. No
			96	9. Unknown
			31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
859-859		S3AQ8C4		HAPPEN BEFORE 12 MONTHS AGO
			7861	1. Yes
			11161	2. No
			170	9. Unknown
			23901	BL. NA, never or unknown if ever used tobacco
860-860		S3AQ8A5		EVER FIND SELF CHAIN SMOKING OR USING ONE PINCH OR PLUG OF SNUFF/CHEWING TOBACCO RIGHT AFTER ANOTHER
			5446	1. Yes
			13612	2. No
			134	9. Unknown
			23901	BL. NA, never or unknown if ever used tobacco
861-861		S3AQ8B5		HAPPEN IN LAST 12 MONTHS
			2243	1. Yes
			8801	2. No
			74	9. Unknown
			31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
862-862		S3AQ8C5		HAPPEN BEFORE 12 MONTHS AGO
			5091	1. Yes
			13959	2. No
			142	9. Unknown
			23901	BL. NA, never or unknown if ever used tobacco
863-863		S3AQ8A6		MORE THAN ONCE TRY TO STOP/CUT DOWN ON TOBACCO USE BUT FOUND COULDN'T DO IT
			8449	1. Yes
			10602	2. No
			141	9. Unknown
			23901	BL. NA, never or unknown if ever used tobacco

Tape Location	Source Code	Frequency	Item value and description
864-864	S3AQ8B6		HAPPEN IN LAST 12 MONTHS
		3927	1. Yes
		7124	2. No
		67	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
865-865	S3AQ8C6		HAPPEN BEFORE 12 MONTHS AGO
		7964	1. Yes
		11081	2. No
		147	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
866-866	S3AQ8A7A		EVER FEEL DEPRESSED AFTER STOPPING OR CUTTING DOWN ON TOBACCO USE
		2645	1. Yes
		16288	2. No
		259	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
867-867	S3AQ8B7A		HAPPEN IN LAST 12 MONTHS
		1128	1. Yes
		9848	2. No
		142	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
868-868	S3AQ8C7A		HAPPEN BEFORE 12 MONTHS AGO
		2441	1. Yes
		16489	2. No
		262	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
869-869	S3AQ8A7B		EVER HAVE DIFFICULTY FALLING/STAYING ASLEEP AFTER STOPPING/CUTTING DOWN ON TOBACCO USE
		2011	1. Yes
		16872	2. No
		309	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco

Tape	Location	Source Code	Frequency	Item value and description
870-870		S3AQ8B7B		HAPPEN IN LAST 12 MONTHS
			980	1. Yes
			9972	2. No
			166	9. Unknown
			31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
871-871		S3AQ8C7B		HAPPEN BEFORE 12 MONTHS AGO
			1821	1. Yes
			17058	2. No
			313	9. Unknown
			23901	BL. NA, never or unknown if ever used tobacco
872-872		S3AQ8A7C		EVER HAVE DIFFICULTY CONCENTRATING AFTER STOPPING/CUTTING DOWN ON TOBACCO USE
			2571	1. Yes
			16370	2. No
			251	9. Unknown
			23901	BL. NA, never or unknown if ever used tobacco
873-873		S3AQ8B7C		HAPPEN IN LAST 12 MONTHS
			1151	1. Yes
			9830	2. No
			137	9. Unknown
			31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
874-874		S3AQ8C7C		HAPPEN BEFORE 12 MONTHS AGO
			2362	1. Yes
			16575	2. No
			255	9. Unknown
			23901	BL. NA, never or unknown if ever used tobacco
875-875		S3AQ8A7D		EVER EAT MORE THAN USUAL OR GAIN WEIGHT AFTER STOPPING/CUTTING DOWN ON TOBACCO USE
			7589	1. Yes
			11353	2. No
			250	9. Unknown
			23901	BL. NA, never or unknown if ever used tobacco

Tape Location	Source Code	Frequency	Item value and description
876-876	S3AQ8B7D		HAPPEN IN LAST 12 MONTHS
		2108	1. Yes
		8854	2. No
		156	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
877-877	S3AQ8C7D		HAPPEN BEFORE 12 MONTHS AGO
		7039	1. Yes
		11896	2. No
		257	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
878-878	S3AQ8A7E		EVER BECOME EASILY IRRITATED, ANGRY OR FRUSTRATED AFTER STOPPING/CUTTING DOWN ON TOBACCO USE
		6383	1. Yes
		12552	2. No
		257	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
879-879	S3AQ8B7E		HAPPEN IN LAST 12 MONTHS
		2649	1. Yes
		8333	2. No
		136	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
880-880	S3AQ8C7E		HAPPEN BEFORE 12 MONTHS AGO
		5893	1. Yes
		13036	2. No
		263	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
881-881	S3AQ8A7F		EVER FEEL ANXIOUS OR NERVOUS AFTER STOPPING/CUTTING DOWN ON TOBACCO USE
		5832	1. Yes
		13108	2. No
		252	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco

Tape Location	Source Code	Frequency	Item value and description
882-882	S3AQ8B7F		HAPPEN IN LAST 12 MONTHS
		2459	1. Yes
		8516	2. No
		143	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
883-883	S3AQ8C7F		HAPPEN BEFORE 12 MONTHS AGO
		5427	1. Yes
		13506	2. No
		259	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
884-884	S3AQ8A7G		EVER FEEL HEART BEAT MORE SLOWLY THAN USUAL AFTER STOPPING/CUTTING DOWN ON TOBACCO USE
		867	1. Yes
		17730	2. No
		595	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
885-885	S3AQ8B7G		HAPPEN IN LAST 12 MONTHS
		394	1. Yes
		10428	2. No
		296	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
886-886	S3AQ8C7G		HAPPEN BEFORE 12 MONTHS AGO
		773	1. Yes
		17820	2. No
		599	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
887-887	S3AQ8A7H		EVER FEEL MORE RESTLESS THAN USUAL AFTER STOPPING/CUTTING DOWN ON TOBACCO USE
		4620	1. Yes
		14272	2. No
		300	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco

Tape	Location	Source Code	Frequency	Item value and description
888-888		S3AQ8B7H		HAPPEN IN LAST 12 MONTHS
			1949	1. Yes
			9011	2. No
			158	9. Unknown
			31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
889-889		S3AQ8C7H		HAPPEN BEFORE 12 MONTHS AGO
			4267	1. Yes
			14615	2. No
			310	9. Unknown
			23901	BL. NA, never or unknown if ever used tobacco
890-890		S3AQ8B7I		DID NICOTINE WITHDRAWAL SYMPTOMS IN LAST 12 MONTHS CAUSE DISCOMFORT, DISTRESS OR IMPAIRMENT IN SOCIAL, OCCUPATIONAL OR OTHER IMPORTANT AREAS
			889	1. Yes
			2032	2. No
			9	9. Unknown
			40163	BL. NA, less than two withdrawal symptoms in last 12 months
891-891		S3AQ8B7J		USE TOBACCO IN LAST 12 MONTHS TO AVOID NICOTINE WITHDRAWAL SYMPTOMS
			1398	1. Yes
			1514	2. No
			18	9. Unknown
			40163	BL. NA, less than two withdrawal symptoms in last 12 months
892-892		S3AQ8C7K		DID NICOTINE WITHDRAWAL SYMPTOMS BEFORE 12 MONTHS AGO CAUSE DISCOMFORT, DISTRESS OR IMPAIRMENT IN SOCIAL, OCCUPATIONAL OR OTHER IMPORTANT AREAS
			841	1. Yes
			1573	2. No
			4425	9. Unknown
			36254	BL. NA, less than two withdrawal symptoms before 12 months ago
893-893		S3AQ8C7L		USE TOBACCO BEFORE 12 MONTHS AGO TO AVOID NICOTINE WITHDRAWAL SYMPTOMS
			1157	1. Yes
			1252	2. No
			4430	9. Unknown
			36254	BL. NA, less than two withdrawal symptoms before 12 months ago

Tape	Location	Source Code	Frequency	Item value and description
894-894		S3AQ8A8		EVER WAKE UP IN THE MIDDLE OF THE NIGHT TO USE TOBACCO
			3843	1. Yes
			15157	2. No
			192	9. Unknown
			23901	BL. NA, never or unknown if ever used tobacco
895-895		S3AQ8B8		HAPPEN IN LAST 12 MONTHS
			2022	1. Yes
			8995	2. No
			101	9. Unknown
			31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
896-896		S3AQ8C8		HAPPEN BEFORE 12 MONTHS AGO
			3626	1. Yes
			15367	2. No
			199	9. Unknown
			23901	BL. NA, never or unknown if ever used tobacco
897-897		S3AQ8A9		OFTEN USE TOBACCO JUST AFTER/SHORTLY AFTER GETTING UP IN MORNING
			9994	1. Yes
			9012	2. No
			186	9. Unknown
			23901	BL. NA, never or unknown if ever used tobacco
898-898		S3AQ8B9		HAPPEN IN LAST 12 MONTHS
			6038	1. Yes
			4983	2. No
			97	9. Unknown
			31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
899-899		S3AQ8C9		HAPPEN BEFORE 12 MONTHS AGO
			9674	1. Yes
			9328	2. No
			190	9. Unknown
			23901	BL. NA, never or unknown if ever used tobacco

Tape Location	Source Code	Frequency	Item value and description
900-900	S3AQ8A10		EVER FIND YOURSELF USING TOBACCO JUST AFTER BEING IN SITUATION WHERE TOBACCO USE WAS PROHIBITED
		9070	1. Yes
		9914	2. No
		208	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
901-901	S3AQ8B10		HAPPEN IN LAST 12 MONTHS
		5752	1. Yes
		5259	2. No
		107	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
902-902	S3AQ8C10		HAPPEN BEFORE 12 MONTHS AGO
		8808	1. Yes
		10168	2. No
		216	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
903-903	S3AQ8A11		EVER HAD TO USE MUCH MORE TOBACCO THAN USUAL TO GET DESIRED EFFECT
		2216	1. Yes
		16724	2. No
		252	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
904-904	S3AQ8B11		HAPPEN IN LAST 12 MONTHS
		1064	1. Yes
		9933	2. No
		121	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
905-905	S3AQ8C11		HAPPEN BEFORE 12 MONTHS AGO
		2071	1. Yes
		16868	2. No
		253	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco

Tape Location	Source Code	Frequency	Item value and description
906-906	S3AQ8A12		EVER INCREASE USE OF TOBACCO BY 50% OR MORE
		3387	1. Yes
		15571	2. No
		234	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
907-907	S3AQ8B12		HAPPEN IN LAST 12 MONTHS
		986	1. Yes
		10011	2. No
		121	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
908-908	S3AQ8C12		HAPPEN BEFORE 12 MONTHS AGO
		3099	1. Yes
		15851	2. No
		242	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
909-909	S3AQ8A13		EVER HAVE A PERIOD WHEN USED TOBACCO MORE THAN INTENDED TO
		5991	1. Yes
		12958	2. No
		243	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
910-910	S3AQ8B13		HAPPEN IN LAST 12 MONTHS
		2463	1. Yes
		8527	2. No
		128	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
911-911	S3AQ8C13		HAPPEN BEFORE 12 MONTHS AGO
		5627	1. Yes
		13314	2. No
		251	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco

Tape Location	Source Code	Frequency	Item value and description
912-912	S3AQ8A14		EVER CONTINUE TO USE TOBACCO EVEN THOUGH MADE YOU NERVOUS/JITTERY/DEPRESSED
		2928	1. Yes
		16014	2. No
		250	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
913-913	S3AQ8B14		HAPPEN IN LAST 12 MONTHS
		1459	1. Yes
		9524	2. No
		135	9. Unknown
		31975	BL. NA, never or unknown if ever used tobacco; used tobacco prior to last 12 months
914-914	S3AQ8C14		HAPPEN BEFORE 12 MONTHS AGO
		2796	1. Yes
		16142	2. No
		254	9. Unknown
		23901	BL. NA, never or unknown if ever used tobacco
915-915	S3AQ91		SMOKED CIGARETTES WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO IN LAST 12 MONTHS
		4743	1. Yes
		269	2. No
		38081	BL. NA, didn't meet symptom criteria for nicotine dependence in last 12 months
916-916	S3AQ92		SMOKED CIGARS WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO IN LAST 12 MONTHS
		81	1. Yes
		4931	2. No
		38081	BL. NA, didn't meet symptom criteria for nicotine dependence in last 12 months
917-917	S3AQ93		SMOKED PIPE WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO IN LAST 12 MONTHS
		12	1. Yes
		5000	2. No
		38081	BL. NA, didn't meet symptom criteria for nicotine dependence in last 12 months

Tape Location	Source Code	Frequency	Item value and description
918-918	S3AQ94		USED SNUFF WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO IN LAST 12 MONTHS
		201	1. Yes
		4811	2. No
		38081	BL. NA, didn't meet symptom criteria for nicotine dependence in last 12 months
919-919	S3AQ95		USED CHEWING TOBACCO WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO IN LAST 12 MONTHS
		79	1. Yes
		4933	2. No
		38081	BL. NA, didn't meet symptom criteria for nicotine dependence in last 12 months
920-920	S3AQ10A		EVER HAVE PERIOD WHEN SOME OF THESE EXPERIENCES WERE HAPPENING AROUND SAME TIME MOST DAYS FOR AT LEAST A MONTH
		2740	1. Yes
		4550	2. No
		2796	9. Unknown
		33007	BL. NA, didn't meet symptom criteria for lifetime nicotine dependence
921-921	S3AQ10B		EVER HAVE PERIOD WHEN SOME OF THESE EXPERIENCES WERE HAPPENING AROUND SAME TIME OFF AND ON FOR A FEW MONTHS OR LONGER
		521	1. Yes
		4062	2. No
		2763	9. Unknown
		35747	BL. NA, didn't meet symptom criteria for lifetime nicotine dependence; had period when some of these experiences were happening most days for at least a month
922-922	S3AQ10C		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES HAPPENED WITHIN THE SAME ONE YEAR PERIOD
		3732	1. Yes
		2877	2. No
		216	9. Unknown
		36268	BL. NA, didn't meet symptom criteria for lifetime nicotine dependence; had period when some of these experiences were happening most days for at least a month, or on and off for a few months or longer

Tape Location	Source Code	Frequency	Item value and description
923-924	S3AQ10D		AGE AT ONSET OF NICOTINE DEPENDENCE
		6618	5-88. Age
		375	99. Unknown
		36100	BL. NA, didn't meet symptom and/or duration criteria for lifetime nicotine dependence
925-926	S3AQ10E		NUMBER OF EPISODES OF NICOTINE DEPENDENCE
		6469	1-98. Separate periods
		524	99. Unknown
		36100	BL. NA, didn't meet symptom and/or duration criteria for lifetime nicotine dependence
927-929	S3AQ10FR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF NICOTINE DEPENDENCE (BASED ON S3AQ10H IF ONLY ONE EPISODE)
		6987	1-888. Months
		6	999. Unknown
		36100	BL. NA, didn't meet symptom and/or duration criteria for lifetime nicotine dependence
930-931	S3AQ10GR		AGE WHEN ONLY/MOST RECENT EPISODE OF NICOTINE DEPENDENCE BEGAN (BASED ON S3AQ10D IF ONLY ONE EPISODE)
		6653	5-89. Age
		340	99. Unknown
		36100	BL. NA, didn't meet symptom and/or duration criteria for lifetime nicotine dependence
932-933	S3AQ10I		AGE AT FULL REMISSION OF NICOTINE DEPENDENCE
		1419	5-98. Age
		36	99. Unknown
		41638	BL. NA, didn't meet symptom and/or duration criteria for lifetime nicotine dependence; had 1+ symptoms of nicotine dependence in last 12 months
934-934	S3AQ111		SMOKED CIGARETTES WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO BEFORE 12 MONTHS AGO
		4267	1. Yes
		185	2. No
		5	9. Unknown
		38636	BL. NA, didn't meet symptom criteria for nicotine dependence before 12 months ago

Tape Location	Source Code	Frequency	Item value and description
935-935	S3AQ112		SMOKED CIGARS WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO BEFORE 12 MONTHS AGO
		123	1. Yes
		4331	2. No
		3	9. Unknown
		38636	BL. NA, didn't meet symptom criteria for nicotine dependence before 12 months ago
936-936	S3AQ113		SMOKED PIPE WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO BEFORE 12 MONTHS AGO
		76	1. Yes
		4378	2. No
		3	9. Unknown
		38636	BL. NA, didn't meet symptom criteria for nicotine dependence before 12 months ago
937-937	S3AQ114		USED SNUFF WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO BEFORE 12 MONTHS AGO
		174	1. Yes
		4281	2. No
		2	9. Unknown
		38636	BL. NA, didn't meet symptom criteria for nicotine dependence before 12 months ago
938-938	S3AQ115		USED CHEWING TOBACCO WHEN HAD SOME OF THESE EXPERIENCES WITH TOBACCO BEFORE 12 MONTHS AGO
		121	1. Yes
		4334	2. No
		2	9. Unknown
		38636	BL. NA, didn't meet symptom criteria for nicotine dependence before 12 months ago
939-939	TBTYPE1		SMOKED CIGARETTES WHEN EXPERIENCING SYMPTOMS FOR LIFETIME NICOTINE DEPENDENCE
		6653	1. Yes
		338	2. No
		2	9. Unknown
		36100	BL. NA, didn't meet symptom and/or duration criteria for lifetime nicotine dependence

Tape Location	Source Code	Frequency	Item value and description
940-940	TBTYPE2		SMOKED CIGARS WHEN EXPERIENCING SYMPTOMS FOR LIFETIME NICOTINE DEPENDENCE
		178	1. Yes
		6812	2. No
		3	9. Unknown
		36100	BL. NA, didn't meet symptom and/or duration criteria for lifetime nicotine dependence
941-941	TBTYPE3		SMOKED PIPE WHEN EXPERIENCING SYMPTOMS FOR LIFETIME NICOTINE DEPENDENCE
		82	1. Yes
		6908	2. No
		3	9. Unknown
		36100	BL. NA, didn't meet symptom and/or duration criteria for lifetime nicotine dependence
942-942	TBTYPE4		USED SNUFF WHEN EXPERIENCING SYMPTOMS FOR LIFETIME NICOTINE DEPENDENCE
		290	1. Yes
		6701	2. No
		2	9. Unknown
		36100	BL. NA, didn't meet symptom and/or duration criteria for lifetime nicotine dependence
943-943	TBTYPE5		USED CHEWING TOBACCO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME NICOTINE DEPENDENCE
		163	1. Yes
		6828	2. No
		2	9. Unknown
		36100	BL. NA, didn't meet symptom and/or duration criteria for lifetime nicotine dependence
SECTION 3B: MEDICINE USE			
944-944	S3BQ1A1		EVER USED SEDATIVES
		1609	1. Yes
		41164	2. No
		320	9. Unknown
945-945	S3BQ1A2		EVER USED TRANQUILIZERS
		1301	1. Yes
		41472	2. No
		320	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
946-946	S3BQ1A3		EVER USED OPIOIDS
		1815	1. Yes
		40954	2. No
		324	9. Unknown
947-947	S3BQ1A4		EVER USED AMPHETAMINES
		1750	1. Yes
		41015	2. No
		328	9. Unknown
948-948	S3BQ1A5		EVER USED CANNABIS
		8172	1. Yes
		34553	2. No
		368	9. Unknown
949-949	S3BQ1A6		EVER USED COCAINE OR CRACK
		2528	1. Yes
		40225	2. No
		340	9. Unknown
950-950	S3BQ1A7		EVER USED HALLUCINOGENS
		2176	1. Yes
		40575	2. No
		342	9. Unknown
951-951	S3BQ1A8		EVER USED INHALANTS
		664	1. Yes
		42096	2. No
		333	9. Unknown
952-952	S3BQ1A9A		EVER USED HEROIN
		150	1. Yes
		42643	2. No
		300	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
953-953	S3BQ1A10A		EVER USED OTHER DRUGS
		87	1. Yes
		42706	2. No
		300	9. Unknown
954-954	DGSTATUS		DRUG USE STATUS
		2461	1. Current user
		6679	2. Ex-user (did not use/unknown if used drugs in last 12 months)
		33953	3. Lifetime nondrug user
955-955	CKSTATUS		TIME FRAME FOR ANY DRUG USE
		198	1. Last 12 months only
		6657	2. Prior to last 12 months only
		2252	3. Both time periods
		33	9. Unknown
		33953	BL. NA, Lifetime nondrug user
956-957	S3BD1Q2A		AGE FIRST USED SEDATIVES
		1571	5-89. Age
		38	99. Unknown
		41484	BL. NA, never or unknown if ever used sedatives
958-959	S3BD2Q2A		AGE FIRST USED TRANQUILIZERS
		1272	5-89. Age
		29	99. Unknown
		41792	BL. NA, never or unknown if ever used tranquilizers
960-961	S3BD3Q2A		AGE FIRST USED OPIOIDS
		1755	5-88. Age
		60	99. Unknown
		41278	BL. NA, never or unknown if ever used opioids
962-963	S3BD4Q2A		AGE FIRST USED AMPHETAMINES
		1737	5-52. Age
		13	99. Unknown
		41343	BL. NA, never or unknown if ever used amphetamines

Tape Location	Source Code	Frequency	Item value and description
964-965	S3BD5Q2A		AGE FIRST USED CANNABIS
		8133	5-64. Age
		39	99. Unknown
		34921	BL. NA, never or unknown if ever used cannabis
966-967	S3BD6Q2A		AGE FIRST USED COCAINE OR CRACK
		2506	5-64. Age
		22	99. Unknown
		40565	BL. NA, never or unknown if ever used cocaine or crack
968-969	S3BD7Q2A		AGE FIRST USED HALLUCINOGENS
		2157	5-47. Age
		19	99. Unknown
		40917	BL. NA, never or unknown if ever used hallucinogens
970-971	S3BD8Q2A		AGE FIRST USED INHALANTS
		656	5-44. Age
		8	99. Unknown
		42429	BL. NA, never or unknown if ever used inhalants
972-973	S3BD9Q2A		AGE FIRST USED HEROIN
		150	9-62. Age
		42943	BL. NA, never or unknown if ever used heroin
974-975	S3BD10Q2A		AGE FIRST USED OTHER DRUG
		87	5-46. Age
		43006	BL. NA, never or unknown if ever used other drug
976-976	S3BD1Q2B		USED SEDATIVES IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS
		114	1. During the last 12 months only
		1109	2. Before the last 12 months only
		376	3. During both time periods
		10	9. Unknown
		41484	BL. NA, never or unknown if ever used sedatives

Tape Location	Source Code	Frequency	Item value and description
977-977	S3BD2Q2B		USED TRANQUILIZERS IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS
		102	1. During the last 12 months only
		953	2. Before the last 12 months only
		243	3. During both time periods
		3	9. Unknown
		41792	BL. NA, never or unknown if ever used tranquilizers
978-978	S3BD3Q2B		USED OPIOIDS IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS
		155	1. During the last 12 months only
		1125	2. Before the last 12 months only
		531	3. During both time periods
		4	9. Unknown
		41278	BL. NA, never or unknown if ever used opioids
979-979	S3BD4Q2B		USED AMPHETAMINES IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS
		32	1. During the last 12 months only
		1563	2. Before the last 12 months only
		154	3. During both time periods
		1	9. Unknown
		41343	BL. NA, never or unknown if ever used amphetamines
980-980	S3BD5Q2B		USED CANNABIS IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS
		98	1. During the last 12 months only
		6558	2. Before the last 12 months only
		1505	3. During both time periods
		11	9. Unknown
		34921	BL. NA, never or unknown if ever used cannabis
981-981	S3BD6Q2B		USED COCAINE OR CRACK IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS
		44	1. During the last 12 months only
		2309	2. Before the last 12 months only
		173	3. During both time periods
		2	9. Unknown
		40565	BL. NA, never or unknown if ever used cocaine or crack

Tape Location	Source Code	Frequency	Item value and description
982-982	S3BD7Q2B		USED HALLUCINOGENS IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS
		63	1. During the last 12 months only
		1980	2. Before the last 12 months only
		131	3. During both time periods
		2	9. Unknown
		40917	BL. NA, never or unknown if ever used hallucinogens
983-983	S3BD8Q2B		USED INHALANTS IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS
		8	1. During the last 12 months only
		625	2. Before the last 12 months only
		31	3. During both time periods
		42429	BL. NA, never or unknown if ever used inhalants
984-984	S3BD9Q2B		USED HEROIN IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS
		2	1. During the last 12 months only
		139	2. Before the last 12 months only
		9	3. During both time periods
		42943	BL. NA, never or unknown if ever used heroin
985-985	S3BD10Q2B		USED OTHER DRUG IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS
		2	1. During the last 12 months only
		79	2. Before the last 12 months only
		5	3. During both time periods
		1	9. Unknown
		43006	BL. NA, never or unknown if ever used other drug
986-987	S3BD1Q2C		HOW OFTEN USED SEDATIVES IN THE LAST 12 MONTHS
		52	1. Every day
		25	2. Nearly every day
		38	3. 3 to 4 times a week
		48	4. 1 to 2 times a week
		53	5. 2 to 3 times a month
		38	6. Once a month
		34	7. 7 to 11 times a year
		75	8. 3 to 6 times a year
		71	9. 2 times a year
		51	10. Once a year
		15	99. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
988-989	S3BD2Q2C		HOW OFTEN USED TRANQUILIZERS IN THE LAST 12 MONTHS
		35	1. Every day
		10	2. Nearly every day
		17	3. 3 to 4 times a week
		27	4. 1 to 2 times a week
		22	5. 2 to 3 times a month
		35	6. Once a month
		21	7. 7 to 11 times a year
		48	8. 3 to 6 times a year
		54	9. 2 times a year
		74	10. Once a year
		5	99. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
990-991	S3BD3Q2C		HOW OFTEN USED OPIOIDS IN THE LAST 12 MONTHS
		77	1. Every day
		32	2. Nearly every day
		36	3. 3 to 4 times a week
		49	4. 1 to 2 times a week
		72	5. 2 to 3 times a month
		80	6. Once a month
		42	7. 7 to 11 times a year
		100	8. 3 to 6 times a year
		84	9. 2 times a year
		102	10. Once a year
		16	99. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
992-993	S3BD4Q2C		HOW OFTEN USED AMPHETAMINES IN THE LAST 12 MONTHS
		20	1. Every day
		8	2. Nearly every day
		9	3. 3 to 4 times a week
		18	4. 1 to 2 times a week
		30	5. 2 to 3 times a month
		18	6. Once a month
		12	7. 7 to 11 times a year
		34	8. 3 to 6 times a year
		15	9. 2 times a year
		21	10. Once a year
		2	99. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
994-995	S3BD5Q2C		HOW OFTEN USED CANNABIS IN THE LAST 12 MONTHS
		227	1. Every day
		121	2. Nearly every day
		117	3. 3 to 4 times a week
		206	4. 1 to 2 times a week
		175	5. 2 to 3 times a month
		165	6. Once a month
		105	7. 7 to 11 times a year
		192	8. 3 to 6 times a year
		149	9. 2 times a year
		134	10. Once a year
		23	99. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
996-997	S3BD6Q2C		HOW OFTEN USED COCAINE OR CRACKIN THE LAST 12 MONTHS
		12	1. Every day
		5	2. Nearly every day
		18	3. 3 to 4 times a week
		23	4. 1 to 2 times a week
		13	5. 2 to 3 times a month
		18	6. Once a month
		8	7. 7 to 11 times a year
		40	8. 3 to 6 times a year
		29	9. 2 times a year
		49	10. Once a year
		4	99. Unknown
		42874	BL. NA, did not use cocaine or crack in the last 12 months
998-999	S3BD7Q2C		HOW OFTEN USED HALLUCINOGENS IN THE LAST 12 MONTHS
		1	1. Every day
		3	3. 3 to 4 times a week
		8	4. 1 to 2 times a week
		5	5. 2 to 3 times a month
		17	6. Once a month
		12	7. 7 to 11 times a year
		51	8. 3 to 6 times a year
		43	9. 2 times a year
		54	10. Once a year
		2	99. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1000-1001	S3BD8Q2C		HOW OFTEN USED INHALANTS IN THE LAST 12 MONTHS
		1	3. 3 to 4 times a week
		5	5. 2 to 3 times a month
		3	6. Once a month
		4	7. 7 to 11 times a year
		5	8. 3 to 6 times a year
		13	9. 2 times a year
		8	10. Once a year
		43054	BL. NA, did not use inhalants in the last 12 months
1002-1003	S3BD9Q2C		HOW OFTEN USED HEROIN IN THE LAST 12 MONTHS
		3	1. Every day
		1	2. Nearly every day
		1	3. 3 to 4 times a week
		1	8. 3 to 6 times a year
		4	9. 2 times a year
		1	10. Once a year
		43082	BL. NA, did not use heroin in the last 12 months
1004-1005	S3BD10Q2C		HOW OFTEN USED OTHER DRUG IN THE LAST 12 MONTHS
		3	1. Every day
		1	2. Nearly every day
		1	3. 3 to 4 times a week
		1	9. 2 times a year
		1	10. Once a year
		1	99. Unknown
		43085	BL. NA, did not use other drug in the last 12 months
1006-1010	S3BD1Q2DR		NUMBER OF DAYS SINCE MOST RECENT SEDATIVE USE
		1562	1-17532. Days
		47	99999. Unknown
		41484	BL. NA, never or unknown if ever used sedatives
1011-1015	S3BD2Q2DR		NUMBER OF DAYS SINCE MOST RECENT TRANQUILIZER USE
		1266	1-15341. Days
		35	99999. Unknown
		41792	BL. NA, never or unknown if ever used tranquilizers

Tape Location	Source Code	Frequency	Item value and description
1016-1020	S3BD3Q2DR		NUMBER OF DAYS SINCE MOST RECENT OPIOID USE
		1768	1-25568. Days
		47	99999. Unknown
		41278	BL. NA, never or unknown if ever used opioids
1021-1025	S3BD4Q2DR		NUMBER OF DAYS SINCE MOST RECENT AMPHETAMINE USE
		1720	1-21185. Days
		30	99999. Unknown
		41343	BL. NA, never or unknown if ever used amphetamines
1026-1030	S3BD5Q2DR		NUMBER OF DAYS SINCE MOST RECENT CANNABIS USE
		8076	1-25202. Days
		96	99999. Unknown
		34921	BL. NA, never or unknown if ever used cannabis
1031-1035	S3BD6Q2DR		NUMBER OF DAYS SINCE MOST RECENT COCAINE OR CRACK USE
		2493	1-15341. Days
		35	99999. Unknown
		40565	BL. NA, never or unknown if ever used cocaine or crack
1036-1040	S3BD7Q2DR		NUMBER OF DAYS SINCE MOST RECENT HALLUCINOGEN USE
		2147	1-16436. Days
		29	99999. Unknown
		40917	BL. NA, never or unknown if ever used hallucinogens
1041-1045	S3BD8Q2DR		NUMBER OF DAYS SINCE MOST RECENT INHALANT USE
		653	2-18628. Days
		11	99999. Unknown
		42429	BL. NA, never or unknown if ever used inhalants
1046-1050	S3BD9Q2DR		NUMBER OF DAYS SINCE MOST RECENT HEROIN USE
		150	1-14610. Days
		42943	BL. NA, never or unknown if ever used heroin
1051-1055	S3BD10Q2DR		NUMBER OF DAYS SINCE MOST RECENT OTHER DRUG USE
		86	1-13514. Days
		1	99999. Unknown
		43006	BL. NA, never or unknown if ever used other drug

Tape Location	Source Code	Frequency	Item value and description
1056-1057	S3BD1Q2E		HOW OFTEN USED SEDATIVES WHEN USING THE MOST
		183	1. Every day
		80	2. Nearly every day
		132	3. 3 to 4 times a week
		203	4. 1 to 2 times a week
		142	5. 2 to 3 times a month
		143	6. Once a month
		59	7. 7 to 11 times a year
		154	8. 3 to 6 times a year
		228	9. 2 times a year
		254	10. Once a year
		31	99. Unknown
		41484	BL. NA, never or unknown if ever used sedatives
1058-1059	S3BD2Q2E		HOW OFTEN USED TRANQUILIZERS WHEN USING THE MOST
		152	1. Every day
		57	2. Nearly every day
		83	3. 3 to 4 times a week
		140	4. 1 to 2 times a week
		107	5. 2 to 3 times a month
		113	6. Once a month
		50	7. 7 to 11 times a year
		140	8. 3 to 6 times a year
		172	9. 2 times a year
		263	10. Once a year
		24	99. Unknown
		41792	BL. NA, never or unknown if ever used tranquilizers
1060-1061	S3BD3Q2E		HOW OFTEN USED OPIOIDS WHEN USING THE MOST
		289	1. Every day
		105	2. Nearly every day
		115	3. 3 to 4 times a week
		194	4. 1 to 2 times a week
		135	5. 2 to 3 times a month
		163	6. Once a month
		64	7. 7 to 11 times a year
		192	8. 3 to 6 times a year
		200	9. 2 times a year
		322	10. Once a year
		36	99. Unknown
		41278	BL. NA, never or unknown if ever used opioids

Tape Location	Source Code	Frequency	Item value and description
1062-1063	S3BD4Q2E		HOW OFTEN USED AMPHETAMINES WHEN USING THE MOST
		320	1. Every day
		117	2. Nearly every day
		151	3. 3 to 4 times a week
		261	4. 1 to 2 times a week
		185	5. 2 to 3 times a month
		142	6. Once a month
		63	7. 7 to 11 times a year
		158	8. 3 to 6 times a year
		140	9. 2 times a year
		188	10. Once a year
		25	99. Unknown
		41343	BL. NA, never or unknown if ever used amphetamines
1064-1065	S3BD5Q2E		HOW OFTEN USED CANNABIS WHEN USING THE MOST
		1498	1. Every day
		492	2. Nearly every day
		623	3. 3 to 4 times a week
		1088	4. 1 to 2 times a week
		719	5. 2 to 3 times a month
		607	6. Once a month
		248	7. 7 to 11 times a year
		737	8. 3 to 6 times a year
		780	9. 2 times a year
		1291	10. Once a year
		89	99. Unknown
		34921	BL. NA, never or unknown if ever used cannabis
1066-1067	S3BD6Q2E		HOW OFTEN USED COCAINE OR CRACK WHEN USING THE MOST
		254	1. Every day
		91	2. Nearly every day
		175	3. 3 to 4 times a week
		338	4. 1 to 2 times a week
		248	5. 2 to 3 times a month
		240	6. Once a month
		79	7. 7 to 11 times a year
		275	8. 3 to 6 times a year
		307	9. 2 times a year
		494	10. Once a year
		27	99. Unknown
		40565	BL. NA, never or unknown if ever used cocaine or crack

Tape Location	Source Code	Frequency	Item value and description
1068-1069	S3BD7Q2E		HOW OFTEN USED HALLUCINOGENS WHEN USING THE MOST
		50	1. Every day
		29	2. Nearly every day
		59	3. 3 to 4 times a week
		183	4. 1 to 2 times a week
		170	5. 2 to 3 times a month
		206	6. Once a month
		83	7. 7 to 11 times a year
		306	8. 3 to 6 times a year
		399	9. 2 times a year
		660	10. Once a year
		31	99. Unknown
		40917	BL. NA, never or unknown if ever used hallucinogens
1070-1071	S3BD8Q2E		HOW OFTEN USED INHALANTS WHEN USING THE MOST
		28	1. Every day
		11	2. Nearly every day
		24	3. 3 to 4 times a week
		68	4. 1 to 2 times a week
		48	5. 2 to 3 times a month
		52	6. Once a month
		29	7. 7 to 11 times a year
		69	8. 3 to 6 times a year
		98	9. 2 times a year
		222	10. Once a year
		15	99. Unknown
		42429	BL. NA, never or unknown if ever used inhalants
1072-1073	S3BD9Q2E		HOW OFTEN USED HEROIN WHEN USING THE MOST
		62	1. Every day
		8	2. Nearly every day
		6	3. 3 to 4 times a week
		14	4. 1 to 2 times a week
		5	5. 2 to 3 times a month
		2	6. Once a month
		1	7. 7 to 11 times a year
		8	8. 3 to 6 times a year
		14	9. 2 times a year
		30	10. Once a year
		42943	BL. NA, never or unknown if ever used heroin

Tape Location	Source Code	Frequency	Item value and description
1074-1075	S3BD10Q2E		HOW OFTEN USED OTHER DRUG WHEN USING THE MOST
		36	1. Every day
		3	2. Nearly every day
		3	3. 3 to 4 times a week
		11	4. 1 to 2 times a week
		3	5. 2 to 3 times a month
		6	6. Once a month
		1	7. 7 to 11 times a year
		3	8. 3 to 6 times a year
		3	9. 2 times a year
		18	10. Once a year
		43006	BL. NA, never or unknown if ever used other drug
1076-1077	S3BD1Q2F		AGE WHEN BEGAN USING SEDATIVES MOST
		1561	5-89. Age
		48	99. Unknown
		41484	BL. NA, never or unknown if ever used sedatives
1078-1079	S3BD2Q2F		AGE WHEN BEGAN USING TRANQUILIZERS MOST
		1268	10-89. Age
		33	99. Unknown
		41792	BL. NA, never or unknown if ever used tranquilizers
1080-1081	S3BD3Q2F		AGE WHEN BEGAN USING OPIOIDS MOST
		1747	5-88. Age
		68	99. Unknown
		41278	BL. NA, never or unknown if ever used opioids
1082-1083	S3BD4Q2F		AGE WHEN BEGAN USING AMPHETAMINES MOST
		1726	7-61. Age
		24	99. Unknown
		41343	BL. NA, never or unknown if ever used amphetamines
1084-1085	S3BD5Q2F		AGE WHEN BEGAN USING CANNABIS MOST
		8082	5-64. Age
		90	99. Unknown
		34921	BL. NA, never or unknown if ever used cannabis

Tape Location	Source Code	Frequency	Item value and description
1086-1087	S3BD6Q2F		AGE WHEN BEGAN USING COCAINE OR CRACK MOST
		2501	5-64. Age
		27	99. Unknown
		40565	BL. NA, never or unknown if ever used cocaine or crack
1088-1089	S3BD7Q2F		AGE WHEN BEGAN USING HALLUCINOGENS MOST
		2154	5-47. Age
		22	99. Unknown
		40917	BL. NA, never or unknown if ever used hallucinogens
1090-1091	S3BD8Q2F		AGE WHEN BEGAN USING INHALANTS MOST
		652	5-47. Age
		12	99. Unknown
		42429	BL. NA, never or unknown if ever used inhalants
1092-1093	S3BD9Q2F		AGE WHEN BEGAN USING HEROIN MOST
		149	12-62. Age
		1	99. Unknown
		42943	BL. NA, never or unknown if ever used heroin
1094-1095	S3BD10Q2F		AGE WHEN BEGAN USING OTHER DRUG MOST
		87	5-46. Age
		43006	BL. NA, never or unknown if ever used other drug
1096-1099	S3BD1Q2GR		DURATION (WEEKS) USED SEDATIVES THE MOST
		1551	1-3392. Weeks
		58	9999. Unknown
		41484	BL. NA, never or unknown if ever used sedatives
1100-1103	S3BD2Q2GR		DURATION (WEEKS) USED TRANQUILIZERS THE MOST
		1250	1-2922. Weeks
		51	9999. Unknown
		41792	BL. NA, never or unknown if ever used tranquilizers
1104-1107	S3BD3Q2GR		DURATION (WEEKS) USED OPIOIDS THE MOST
		1734	1-1931. Weeks
		81	9999. Unknown
		41278	BL. NA, never or unknown if ever used opioids

Tape Location	Source Code	Frequency	Item value and description
1108-1111	S3BD4Q2GR		DURATION (WEEKS) USED AMPHETAMINES THE MOST
		1706	1-1722. Weeks
		44	9999. Unknown
		41343	BL. NA, never or unknown if ever used amphetamines
1112-1115	S3BD5Q2GR		DURATION (WEEKS) USED CANNABIS THE MOST
		7998	1-2818. Weeks
		174	9999. Unknown
		34921	BL. NA, never or unknown if ever used cannabis
1116-1119	S3BD6Q2GR		DURATION (WEEKS) USED COCAINE OR CRACK THE MOST
		2474	1-1565. Weeks
		54	9999. Unknown
		40565	BL. NA, never or unknown if ever used cocaine or crack
1120-1123	S3BD7Q2GR		DURATION (WEEKS) USED HALLUCINOGENS THE MOST
		2134	1-1826. Weeks
		42	9999. Unknown
		40917	BL. NA, never or unknown if ever used hallucinogens
1124-1127	S3BD8Q2GR		DURATION (WEEKS) USED INHALANTS THE MOST
		646	1-1826. Weeks
		18	9999. Unknown
		42429	BL. NA, never or unknown if ever used inhalants
1128-1131	S3BD9Q2GR		DURATION (WEEKS) USED HEROIN THE MOST
		147	1-1775. Weeks
		3	9999. Unknown
		42943	BL. NA, never or unknown if ever used heroin
1132-1135	S3BD10Q2GR		DURATION (WEEKS) USED OTHER DRUG THE MOST
		86	1-1044. Weeks
		1	9999. Unknown
		43006	BL. NA, never or unknown if ever used other drug
1136-1137	S3BQ3		NUMBER OF CANNABIS JOINTS USUALLY SMOKED IN A DAY IN THE LAST 12 MONTHS
		1566	1-64. Joint(s)
		48	99. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1138-1139	S3BQ4		NUMBER OF CANNABIS JOINTS USUALLY SMOKED IN A DAY WHEN USING CANNABIS THE MOST
		7967	1-98. Joint(s)
		205	99. Unknown
		34921	BL. NA, never or unknown if ever used cannabis
1140-1140	S3BQ5A		NOT COUNTING CRACK, EVER USED COCAINE
		2402	1. Yes
		66	2. No
		60	9. Unknown
		40565	BL. NA, never or unknown if ever used cocaine
1141-1141	S3BQ5B		NOT COUNTING CRACK, USED COCAINE IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS
		50	1. During the last 12 months only
		2221	2. Before the last 12 months only
		126	3. During both time periods
		5	9. Unknown
		40691	BL. NA, never or unknown if ever used cocaine
1142-1143	S3BQ6B		NUMBER OF GRAMS OF COCAINE USUALLY USED IN A DAY IN THE LAST 12 MONTHS
		55	1-8. Gram(s)
		1	99. Unknown
		43037	BL. NA, did not use cocaine in the last 12 months; did not report use in grams
1144-1145	S3BQ6C		NUMBER OF LINES OF COCAINE USUALLY USED IN A DAY IN THE LAST 12 MONTHS
		109	1-13. Line(s)
		42984	BL. NA, did not use cocaine in the last 12 months; did not report use in lines
1146-1147	S3BQ7B		NUMBER OF GRAMS OF COCAINE USUALLY USED IN A DAY WHEN USING COCAINE THE MOST
		627	1-16. Gram(s)
		8	99. Unknown
		42458	BL. NA, never or unknown if ever used cocaine; did not report use in grams
1148-1149	S3BQ7C		NUMBER OF LINES OF COCAINE USUALLY USED IN A DAY WHEN USING COCAINE THE MOST
		1581	1-45. Line(s)
		13	99. Unknown
		41499	BL. NA, never or unknown if ever used cocaine; did not report use in lines

Tape Location	Source Code	Frequency	Item value and description
1150-1150	S3BQ81		METHOD OF COCAINE USE: IV, THROUGH THE VEINS
		133	1. Yes
		2256	2. No
		13	9. Unknown
		40691	BL. NA, never or unknown if ever used cocaine
1151-1151	S3BQ82		METHOD OF COCAINE USE: INJECTION UNDER THE SKIN
		71	1. Yes
		2318	2. No
		13	9. Unknown
		40691	BL. NA, never or unknown if ever used cocaine
1152-1152	S3BQ83		METHOD OF COCAINE USE: SMOKING, FREEBASING
		465	1. Yes
		1924	2. No
		13	9. Unknown
		40691	BL. NA, never or unknown if ever used cocaine
1153-1153	S3BQ84		METHOD OF COCAINE USE: SNORTING, SNIFFING, BREATHING
		2265	1. Yes
		124	2. No
		13	9. Unknown
		40691	BL. NA, never or unknown if ever used cocaine
1154-1154	S3BQ85		METHOD OF COCAINE USE: BY MOUTH, DRINKING
		142	1. Yes
		2247	2. No
		13	9. Unknown
		40691	BL. NA, never or unknown if ever used cocaine
1155-1155	S3BQ86		METHOD OF COCAINE USE: OTHER METHOD
		32	1. Yes
		2357	2. No
		13	9. Unknown
		40691	BL. NA, never or unknown if ever used cocaine

Tape Location	Source Code	Frequency	Item value and description
1156-1156	S3BQ9A		NOT COUNTING COCAINE, EVER USED CRACK
		531	1. Yes
		1936	2. No
		61	9. Unknown
		40565	BL. NA, never or unknown if ever used crack
1157-1157	S3BQ9B		NOT COUNTING COCAINE, USED CRACK IN THE LAST 12 MONTHS/PRIOR TO LAST 12 MONTHS/BOTH TIME PERIODS
		13	1. During the last 12 months only
		469	2. Before last 12 months only
		47	3. During both time periods
		2	9. Unknown
		42562	BL. NA, never or unknown if ever used crack
1158-1159	S3BQ10		NUMBER OF ROCKS OF CRACK USUALLY USED IN A DAY IN THE LAST 12 MONTHS
		55	1-98. Rock(s)
		5	99. Unknown
		43033	BL. NA, did not use crack in the last 12 months
1160-1161	S3BQ11		NUMBER OF ROCKS OF CRACK USUALLY USED IN A DAY WHEN USING CRACK THE MOST
		474	1-98. Rock(s)
		57	99. Unknown
		42562	BL. NA, never or unknown if ever used crack
1162-1162	S3BQ121		METHOD OF CRACK USE: IV, THROUGH THE VEINS
		9	1. Yes
		520	2. No
		2	9. Unknown
		42562	BL. NA, never or unknown if ever used crack
1163-1163	S3BQ122		METHOD OF CRACK USE: INJECTION UNDER THE SKIN
		7	1. Yes
		522	2. No
		2	9. Unknown
		42562	BL. NA, never or unknown if ever used crack
1164-1164	S3BQ123		METHOD OF CRACK USE: SMOKING, FREEBASING
		489	1. Yes
		40	2. No
		2	9. Unknown
		42562	BL. NA, never or unknown if ever used crack

Tape Location	Source Code	Frequency	Item value and description
1165-1165	S3BQ124		METHOD OF CRACK USE: SNORTING, SNIFFING, BREATHING
		51	1. Yes
		478	2. No
		2	9. Unknown
		42562	BL. NA, never or unknown if ever used crack
1166-1166	S3BQ125		METHOD OF CRACK USE: BY MOUTH, DRINKING
		13	1. Yes
		516	2. No
		2	9. Unknown
		42562	BL. NA, never or unknown if ever used crack
1167-1167	S3BQ126		METHOD OF CRACK USE: OTHER METHOD
		9	1. Yes
		520	2. No
		2	9. Unknown
		42562	BL. NA, never or unknown if ever used crack
1168-1168	S3BQ12M1		EVER USED ECSTASY OR MDMA
		562	1. Yes
		1599	2. No
		15	9. Unknown
		40917	BL. NA, never or unknown if ever used hallucinogens
1169-1169	S3BQ12M2		USED ECSTASY OR MDMA IN THE LAST 12 MONTHS
		129	1. Yes
		432	2. No
		1	9. Unknown
		42531	BL. NA, never or unknown if ever used ecstasy or MDMA
1170-1170	S3BQ12M3		USED ECSTASY OR MDMA PRIOR TO LAST 12 MONTHS
		480	1. Yes
		64	2. No
		18	9. Unknown
		42531	BL. NA, never or unknown if ever used ecstasy or MDMA

Tape Location	Source Code	Frequency	Item value and description
SECTION 3C: DRUG ABUSE/DEPENDENCE (MEDICINE EXPERIENCES)			
1171-1171	S3CQ12A1		EVER HAVE ARGUMENTS WITH FAMILY OR FRIENDS BECAUSE OF MEDICINE/DRUG USE
		1650	1. Yes
		7437	2. No
		53	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1172-1172	S3CQ12B1		HAPPEN IN THE LAST 12 MONTHS
		229	1. Yes
		2230	2. No
		24	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1173-1173	S3CD1Q12C1		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		19	1. Yes
		476	2. No
		5	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1174-1174	S3CD2Q12C1		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		9	1. Yes
		338	2. No
		1	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1175-1175	S3CD3Q12C1		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		35	1. Yes
		652	2. No
		3	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1176-1176	S3CD4Q12C1		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		24	1. Yes
		160	2. No
		3	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1177-1177	S3CD5Q12C1		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		138	1. Yes
		1464	2. No
		12	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1178-1178	S3CD6Q12C1		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		45	1. Yes
		172	2. No
		2	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1179-1179	S3CD7Q12C1		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		16	1. Yes
		178	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1180-1180	S3CD8Q12C1		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		1	1. Yes
		38	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1181-1181	S3CD9Q12C1		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		4	1. Yes
		7	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1182-1182	S3CD10Q12C1		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		7	2. No
		1	9. Unknown
		43085	BL. NA, did not use other drug in the last 12 months
1183-1183	S3CQ12D1		HAPPEN PRIOR TO LAST 12 MONTHS
		1575	1. Yes
		7310	2. No
		57	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1184-1184	S3CD1Q12E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		158	1. Yes
		1326	2. No
		11	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1185-1185	S3CD2Q12E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		148	1. Yes
		1041	2. No
		10	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1186-1186	S3CD3Q12E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		178	1. Yes
		1473	2. No
		9	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1187-1187	S3CD4Q12E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		330	1. Yes
		1376	2. No
		12	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1188-1188	S3CD5Q12E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		895	1. Yes
		7135	2. No
		44	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1189-1189	S3CD6Q12E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		627	1. Yes
		1838	2. No
		19	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1190-1190	S3CD7Q12E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		203	1. Yes
		1896	2. No
		14	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1191-1191	S3CD8Q12E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		59	1. Yes
		595	2. No
		2	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1192-1192	S3CD9Q12E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		65	1. Yes
		82	2. No
		1	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1193-1193	S3CD10Q12E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		22	1. Yes
		62	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
1194-1194	S3CQ12A2		EVER GET INTO PHYSICAL FIGHT UNDER INFLUENCE OF MEDICINE/DRUG
		646	1. Yes
		8444	2. No
		50	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1195-1195	S3CQ12B2		HAPPEN IN THE LAST 12 MONTHS
		73	1. Yes
		2388	2. No
		22	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1196-1196	S3CD1Q12C2		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		5	1. Yes
		492	2. No
		3	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1197-1197	S3CD2Q12C2		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		6	1. Yes
		341	2. No
		1	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1198-1198	S3CD3Q12C2		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		12	1. Yes
		675	2. No
		3	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1199-1199	S3CD4Q12C2		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		15	1. Yes
		169	2. No
		3	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1200-1200	S3CD5Q12C2		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		32	1. Yes
		1569	2. No
		13	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1201-1201	S3CD6Q12C2		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		19	1. Yes
		198	2. No
		2	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1202-1202	S3CD7Q12C2		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		6	1. Yes
		188	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1203-1203	S3CD8Q12C2		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		2	1. Yes
		37	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1204-1204	S3CD9Q12C2		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		3	1. Yes
		8	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1205-1205	S3CD10Q12C2		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1206-1206	S3CQ12D2		HAPPEN PRIOR TO LAST 12 MONTHS
		625	1. Yes
		8266	2. No
		51	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1207-1207	S3CD1Q12E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		70	1. Yes
		1415	2. No
		10	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1208-1208	S3CD2Q12E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		61	1. Yes
		1128	2. No
		10	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1209-1209	S3CD3Q12E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		75	1. Yes
		1578	2. No
		7	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1210-1210	S3CD4Q12E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		177	1. Yes
		1532	2. No
		9	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1211-1211	S3CD5Q12E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		301	1. Yes
		7735	2. No
		38	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1212-1212	S3CD6Q12E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		263	1. Yes
		2205	2. No
		16	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1213-1213	S3CD7Q12E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		101	1. Yes
		2001	2. No
		11	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1214-1214	S3CD8Q12E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		26	1. Yes
		626	2. No
		4	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1215-1215	S3CD9Q12E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		31	1. Yes
		116	2. No
		1	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1216-1216	S3CD10Q12E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		13	1. Yes
		72	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1217-1217	S3CQ12A3		EVER CONTINUE TO USE MEDICINE/DRUG EVEN THOUGH CAUSING TROUBLE WITH FAMILY OR FRIENDS
		1437	1. Yes
		7654	2. No
		49	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1218-1218	S3CQ12B3		HAPPEN IN THE LAST 12 MONTHS
		195	1. Yes
		2259	2. No
		29	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1219-1219	S3CD1Q12C3		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		14	1. Yes
		479	2. No
		7	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1220-1220	S3CD2Q12C3		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		15	1. Yes
		330	2. No
		3	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1221-1221	S3CD3Q12C3		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		22	1. Yes
		664	2. No
		4	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1222-1222	S3CD4Q12C3		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		23	1. Yes
		159	2. No
		5	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1223-1223	S3CD5Q12C3		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		121	1. Yes
		1479	2. No
		14	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1224-1224	S3CD6Q12C3		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		44	1. Yes
		172	2. No
		3	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1225-1225	S3CD7Q12C3		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		18	1. Yes
		176	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1226-1226	S3CD8Q12C3		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		3	1. Yes
		36	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1227-1227	S3CD9Q12C3		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		4	1. Yes
		7	2. No
		43082	BL. NA, did not use heroin in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1228-1228	S3CD10Q12C3		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		7	2. No
		1	9. Unknown
		43085	BL. NA, did not use other drug in the last 12 months
1229-1229	S3CQ12D3		HAPPEN PRIOR TO LAST 12 MONTHS
		1383	1. Yes
		7506	2. No
		53	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1230-1230	S3CD1Q12E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		149	1. Yes
		1332	2. No
		14	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1231-1231	S3CD2Q12E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		144	1. Yes
		1044	2. No
		11	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1232-1232	S3CD3Q12E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		167	1. Yes
		1484	2. No
		9	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1233-1233	S3CD4Q12E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		317	1. Yes
		1388	2. No
		13	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1234-1234	S3CD5Q12E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		812	1. Yes
		7223	2. No
		39	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1235-1235	S3CD6Q12E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		560	1. Yes
		1910	2. No
		14	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1236-1236	S3CD7Q12E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		195	1. Yes
		1906	2. No
		12	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1237-1237	S3CD8Q12E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		59	1. Yes
		594	2. No
		3	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1238-1238	S3CD9Q12E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		72	1. Yes
		75	2. No
		1	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1239-1239	S3CD10Q12E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		21	1. Yes
		63	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
1240-1240	S3CQ12A4		EVER HAVE JOB OR SCHOOL TROUBLES BECAUSE OF MEDICINE/DRUG USE
		928	1. Yes
		8164	2. No
		48	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1241-1241	S3CQ12B4		HAPPEN IN THE LAST 12 MONTHS
		70	1. Yes
		2388	2. No
		25	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1242-1242	S3CD1Q12C4		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		1	1. Yes
		495	2. No
		4	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1243-1243	S3CD2Q12C4		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		3	1. Yes
		344	2. No
		1	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1244-1244	S3CD3Q12C4		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		9	1. Yes
		677	2. No
		4	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1245-1245	S3CD4Q12C4		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		5	1. Yes
		179	2. No
		3	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1246-1246	S3CD5Q12C4		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		40	1. Yes
		1561	2. No
		13	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1247-1247	S3CD6Q12C4		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		15	1. Yes
		202	2. No
		2	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1248-1248	S3CD7Q12C4		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		4	1. Yes
		190	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1249-1249	S3CD8Q12C4		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		2	1. Yes
		37	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1250-1250	S3CD9Q12C4		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		4	1. Yes
		7	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1251-1251	S3CD10Q12C4		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		6	2. No
		1	9. Unknown
		43085	BL. NA, did not use other drug in the last 12 months
1252-1252	S3CQ12D4		HAPPEN PRIOR TO LAST 12 MONTHS
		898	1. Yes
		7994	2. No
		50	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1253-1253	S3CD1Q12E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		82	1. Yes
		1400	2. No
		13	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1254-1254	S3CD2Q12E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		74	1. Yes
		1116	2. No
		9	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1255-1255	S3CD3Q12E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		93	1. Yes
		1557	2. No
		10	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1256-1256	S3CD4Q12E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		181	1. Yes
		1525	2. No
		12	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1257-1257	S3CD5Q12E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		577	1. Yes
		7460	2. No
		37	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1258-1258	S3CD6Q12E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		301	1. Yes
		2168	2. No
		15	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1259-1259	S3CD7Q12E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		127	1. Yes
		1974	2. No
		12	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1260-1260	S3CD8Q12E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		36	1. Yes
		617	2. No
		3	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1261-1261	S3CD9Q12E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		55	1. Yes
		92	2. No
		1	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1262-1262	S3CD10Q12E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		12	1. Yes
		72	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
1263-1263	S3CQ12A5		MEDICINE/DRUG USE EVER INTERFERED WITH TAKING CARE OF HOME OR FAMILY
		514	1. Yes
		8575	2. No
		51	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1264-1264	S3CQ12B5		HAPPEN IN THE LAST 12 MONTHS
		58	1. Yes
		2400	2. No
		25	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1265-1265	S3CD1Q12C5		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		9	1. Yes
		487	2. No
		4	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1266-1266	S3CD2Q12C5		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		3	1. Yes
		344	2. No
		1	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1267-1267	S3CD3Q12C5		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		13	1. Yes
		673	2. No
		4	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1268-1268	S3CD4Q12C5		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		9	1. Yes
		175	2. No
		3	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1269-1269	S3CD5Q12C5		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		22	1. Yes
		1578	2. No
		14	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1270-1270	S3CD6Q12C5		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		15	1. Yes
		202	2. No
		2	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1271-1271	S3CD7Q12C5		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		2	1. Yes
		192	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1272-1272	S3CD8Q12C5		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1273-1273	S3CD9Q12C5		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		3	1. Yes
		8	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1274-1274	S3CD10Q12C5		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1275-1275	S3CQ12D5		HAPPEN PRIOR TO LAST 12 MONTHS
		498	1. Yes
		8393	2. No
		51	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1276-1276	S3CD1Q12E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		83	1. Yes
		1400	2. No
		12	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1277-1277	S3CD2Q12E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		77	1. Yes
		1113	2. No
		9	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1278-1278	S3CD3Q12E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		94	1. Yes
		1557	2. No
		9	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1279-1279	S3CD4Q12E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		136	1. Yes
		1570	2. No
		12	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1280-1280	S3CD5Q12E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		218	1. Yes
		7818	2. No
		38	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1281-1281	S3CD6Q12E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		273	1. Yes
		2197	2. No
		14	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1282-1282	S3CD7Q12E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		91	1. Yes
		2012	2. No
		10	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1283-1283	S3CD8Q12E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		27	1. Yes
		627	2. No
		2	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1284-1284	S3CD9Q12E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		48	1. Yes
		100	2. No
		42945	BL. NA, did not use heroin prior to last 12 months
1285-1285	S3CD10Q12E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		6	1. Yes
		79	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1286-1286	S3CQ12A6		EVER ACCIDENTALLY INJURE SELF UNDER THE INFLUENCE OF MEDICINE/DRUG
		429	1. Yes
		8658	2. No
		53	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1287-1287	S3CQ12B6		HAPPEN IN THE LAST 12 MONTHS
		59	1. Yes
		2398	2. No
		26	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1288-1288	S3CD1Q12C6		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		3	1. Yes
		493	2. No
		4	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1289-1289	S3CD2Q12C6		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		4	1. Yes
		343	2. No
		1	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1290-1290	S3CD3Q12C6		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		7	1. Yes
		678	2. No
		5	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1291-1291	S3CD4Q12C6		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		5	1. Yes
		178	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1292-1292	S3CD5Q12C6		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		30	1. Yes
		1570	2. No
		14	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1293-1293	S3CD6Q12C6		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		7	1. Yes
		210	2. No
		2	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1294-1294	S3CD7Q12C6		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		6	1. Yes
		187	2. No
		3	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1295-1295	S3CD8Q12C6		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		2	1. Yes
		37	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1296-1296	S3CD9Q12C6		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		1	1. Yes
		10	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1297-1297	S3CD10Q12C6		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		2	1. Yes
		6	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1298-1298	S3CQ12D6		HAPPEN PRIOR TO LAST 12 MONTHS
		406	1. Yes
		8483	2. No
		53	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1299-1299	S3CD1Q12E6		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		50	1. Yes
		1433	2. No
		12	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1300-1300	S3CD2Q12E6		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		50	1. Yes
		1139	2. No
		10	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1301-1301	S3CD3Q12E6		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		58	1. Yes
		1592	2. No
		10	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1302-1302	S3CD4Q12E6		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		78	1. Yes
		1627	2. No
		13	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1303-1303	S3CD5Q12E6		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		200	1. Yes
		7834	2. No
		40	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1304-1304	S3CD6Q12E6		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		121	1. Yes
		2345	2. No
		18	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1305-1305	S3CD7Q12E6		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		78	1. Yes
		2022	2. No
		13	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1306-1306	S3CD8Q12E6		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		13	1. Yes
		640	2. No
		3	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1307-1307	S3CD9Q12E6		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		27	1. Yes
		120	2. No
		1	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1308-1308	S3CD10Q12E6		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		83	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
1309-1309	S3CQ12A7		MORE THAN ONCE DRIVE A VEHICLE UNDER THE INFLUENCE OF MEDICINE/DRUG
		2991	1. Yes
		6086	2. No
		63	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1310-1310	S3CQ12B7		HAPPEN IN THE LAST 12 MONTHS
		528	1. Yes
		1927	2. No
		28	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1311-1311	S3CD1Q12C7		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		17	1. Yes
		478	2. No
		5	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1312-1312	S3CD2Q12C7		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		25	1. Yes
		322	2. No
		1	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1313-1313	S3CD3Q12C7		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		68	1. Yes
		618	2. No
		4	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1314-1314	S3CD4Q12C7		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		35	1. Yes
		149	2. No
		3	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1315-1315	S3CD5Q12C7		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		419	1. Yes
		1179	2. No
		16	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1316-1316	S3CD6Q12C7		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		49	1. Yes
		168	2. No
		2	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1317-1317	S3CD7Q12C7		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		20	1. Yes
		174	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1318-1318	S3CD8Q12C7		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1319-1319	S3CD9Q12C7		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		4	1. Yes
		7	2. No
		43082	BL. NA, did not use heroin in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1320-1320	S3CD10Q12C7		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		7	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1321-1321	S3CQ12D7		HAPPEN PRIOR TO LAST 12 MONTHS
		2901	1. Yes
		5973	2. No
		68	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1322-1322	S3CD1Q12E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		210	1. Yes
		1271	2. No
		14	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1323-1323	S3CD2Q12E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		207	1. Yes
		983	2. No
		9	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1324-1324	S3CD3Q12E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		284	1. Yes
		1367	2. No
		9	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1325-1325	S3CD4Q12E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		501	1. Yes
		1203	2. No
		14	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1326-1326	S3CD5Q12E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		2389	1. Yes
		5630	2. No
		55	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1327-1327	S3CD6Q12E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		737	1. Yes
		1727	2. No
		20	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1328-1328	S3CD7Q12E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		323	1. Yes
		1777	2. No
		13	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1329-1329	S3CD8Q12E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		63	1. Yes
		590	2. No
		3	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1330-1330	S3CD9Q12E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		64	1. Yes
		83	2. No
		1	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1331-1331	S3CD10Q12E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		26	1. Yes
		59	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1332-1332	S3CQ12A8		EVER IN SITUATIONS THAT INCREASED CHANCES OF GETTING HURT WHILE UNDER THE INFLUENCE OF MEDICINE/DRUG OR FEELING AFTEREFFECTS
		1262	1. Yes
		7811	2. No
		67	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1333-1333	S3CQ12B8		HAPPEN IN THE LAST 12 MONTHS
		143	1. Yes
		2311	2. No
		29	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1334-1334	S3CD1Q12C8		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		10	1. Yes
		483	2. No
		7	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1335-1335	S3CD2Q12C8		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		9	1. Yes
		336	2. No
		3	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1336-1336	S3CD3Q12C8		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		25	1. Yes
		658	2. No
		7	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1337-1337	S3CD4Q12C8		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		15	1. Yes
		169	2. No
		3	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1338-1338	S3CD5Q12C8		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		99	1. Yes
		1501	2. No
		14	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1339-1339	S3CD6Q12C8		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		23	1. Yes
		195	2. No
		1	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1340-1340	S3CD7Q12C8		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		13	1. Yes
		181	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1341-1341	S3CD8Q12C8		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1342-1342	S3CD9Q12C8		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		2	1. Yes
		9	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1343-1343	S3CD10Q12C8		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1344-1344	S3CQ12D8		HAPPEN PRIOR TO LAST 12 MONTHS
		1228	1. Yes
		7646	2. No
		68	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1345-1345	S3CD1Q12E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		155	1. Yes
		1323	2. No
		17	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1346-1346	S3CD2Q12E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		128	1. Yes
		1057	2. No
		14	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1347-1347	S3CD3Q12E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		165	1. Yes
		1482	2. No
		13	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1348-1348	S3CD4Q12E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		249	1. Yes
		1452	2. No
		17	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1349-1349	S3CD5Q12E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		903	1. Yes
		7118	2. No
		53	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1350-1350	S3CD6Q12E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		380	1. Yes
		2083	2. No
		21	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1351-1351	S3CD7Q12E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		265	1. Yes
		1830	2. No
		18	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1352-1352	S3CD8Q12E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		49	1. Yes
		602	2. No
		5	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1353-1353	S3CD9Q12E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		47	1. Yes
		100	2. No
		1	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1354-1354	S3CD10Q12E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		16	1. Yes
		68	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
1355-1355	S3CQ12A9		EVER GET ARRESTED/HAVE OTHER LEGAL PROBLEM BECAUSE OF MEDICINE/DRUG USE
		668	1. Yes
		8426	2. No
		46	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1356-1356	S3CQ12B9		HAPPEN IN THE LAST 12 MONTHS
		66	1. Yes
		2394	2. No
		23	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1357-1357	S3CD1Q12C9		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		2	1. Yes
		495	2. No
		3	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1358-1358	S3CD2Q12C9		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		1	1. Yes
		346	2. No
		1	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1359-1359	S3CD3Q12C9		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		5	1. Yes
		681	2. No
		4	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1360-1360	S3CD4Q12C9		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		8	1. Yes
		176	2. No
		3	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1361-1361	S3CD5Q12C9		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		39	1. Yes
		1561	2. No
		14	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1362-1362	S3CD6Q12C9		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		10	1. Yes
		208	2. No
		1	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1363-1363	S3CD7Q12C9		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		1	1. Yes
		193	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1364-1364	S3CD8Q12C9		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1365-1365	S3CD9Q12C9		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		1	1. Yes
		10	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1366-1366	S3CD10Q12C9		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1367-1367	S3CQ12D9		HAPPEN PRIOR TO LAST 12 MONTHS
		631	1. Yes
		8266	2. No
		45	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1368-1368	S3CD1Q12E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		45	1. Yes
		1441	2. No
		9	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1369-1369	S3CD2Q12E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		36	1. Yes
		1155	2. No
		8	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1370-1370	S3CD3Q12E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		37	1. Yes
		1615	2. No
		8	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1371-1371	S3CD4Q12E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		86	1. Yes
		1623	2. No
		9	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1372-1372	S3CD5Q12E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		422	1. Yes
		7619	2. No
		33	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1373-1373	S3CD6Q12E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		168	1. Yes
		2303	2. No
		13	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1374-1374	S3CD7Q12E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		46	1. Yes
		2059	2. No
		8	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1375-1375	S3CD8Q12E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		10	1. Yes
		645	2. No
		1	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1376-1376	S3CD9Q12E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		41	1. Yes
		107	2. No
		42945	BL. NA, did not use heroin prior to last 12 months
1377-1377	S3CD10Q12E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		2	1. Yes
		83	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1378-1379	S3CD1Q13A		AGE AT ONSET OF SEDATIVE ABUSE
		347	12-75. Age
		28	99. Unknown
		42718	BL. NA, did not meet symptom criteria for lifetime sedative abuse
1380-1381	S3CD2Q13A		AGE AT ONSET OF TRANQUILIZER ABUSE
		322	10-69. Age
		27	99. Unknown
		42744	BL. NA, did not meet symptom criteria for lifetime tranquilizer abuse

Tape Location	Source Code	Frequency	Item value and description
1382-1383	S3CD3Q13A		AGE AT ONSET OF OPIOID ABUSE
		453	5-71. Age
		41	99. Unknown
		42599	BL. NA, did not meet symptom criteria for lifetime opioid abuse
1384-1385	S3CD4Q13A		AGE AT ONSET OF AMPHETAMINE ABUSE
		710	5-55. Age
		30	99. Unknown
		42353	BL. NA, did not meet symptom criteria for lifetime amphetamine abuse
1386-1387	S3CD5Q13A		AGE AT ONSET OF CANNABIS ABUSE
		3166	5-64. Age
		92	99. Unknown
		39835	BL. NA, did not meet symptom criteria for lifetime cannabis abuse
1388-1389	S3CD6Q13A		AGE AT ONSET OF COCAINE ABUSE
		1078	5-52. Age
		62	99. Unknown
		41953	BL. NA, did not meet symptom criteria for lifetime cocaine abuse
1390-1391	S3CD7Q13A		AGE AT ONSET OF HALLUCINOGEN ABUSE
		578	5-47. Age
		32	99. Unknown
		42483	BL. NA, did not meet symptom criteria for lifetime hallucinogen abuse
1392-1393	S3CD8Q13A		AGE AT ONSET OF INHALANT ABUSE
		119	6-53. Age
		16	99. Unknown
		42958	BL. NA, did not meet symptom criteria for lifetime inhalant abuse
1394-1395	S3CD9Q13A		AGE AT ONSET OF HEROIN ABUSE
		96	9-62. Age
		7	99. Unknown
		42990	BL. NA, did not meet symptom criteria for lifetime heroin abuse
1396-1397	S3CD10Q13A		AGE AT ONSET OF OTHER DRUG ABUSE
		35	14-39. Age
		3	99. Unknown
		43055	BL. NA, did not meet symptom criteria for lifetime other drug abuse

Tape Location	Source Code	Frequency	Item value and description
1398-1399	S3CD1Q13B		NUMBER OF EPISODES OF SEDATIVE ABUSE
		332	1-23. Separate periods
		43	99. Unknown
		42718	BL. NA, did not meet symptom criteria for lifetime sedative abuse
1400-1401	S3CD2Q13B		NUMBER OF EPISODES OF TRANQUILIZER ABUSE
		309	1-44. Separate periods
		40	99. Unknown
		42744	BL. NA, did not meet symptom criteria for lifetime tranquilizer abuse
1402-1403	S3CD3Q13B		NUMBER OF EPISODES OF OPIOID ABUSE
		437	1-98. Separate periods
		57	99. Unknown
		42599	BL. NA, did not meet symptom criteria for lifetime opioid abuse
1404-1405	S3CD4Q13B		NUMBER OF EPISODES OF AMPHETAMINE ABUSE
		676	1-98. Separate periods
		64	99. Unknown
		42353	BL. NA, did not meet symptom criteria for lifetime amphetamine abuse
1406-1407	S3CD5Q13B		NUMBER OF EPISODES OF CANNABIS ABUSE
		3005	1-98. Separate periods
		253	99. Unknown
		39835	BL. NA, did not meet symptom criteria for lifetime cannabis abuse
1408-1409	S3CD6Q13B		NUMBER OF EPISODES OF COCAINE ABUSE
		1033	1-98. Separate periods
		107	99. Unknown
		41953	BL. NA, did not meet symptom criteria for lifetime cocaine abuse
1410-1411	S3CD7Q13B		NUMBER OF EPISODES OF HALLUCINOGEN ABUSE
		557	1-98. Separate periods
		53	99. Unknown
		42483	BL. NA, did not meet symptom criteria for lifetime hallucinogen abuse
1412-1413	S3CD8Q13B		NUMBER OF EPISODES OF INHALANT ABUSE
		112	1-20. Separate periods
		23	99. Unknown
		42958	BL. NA, did not meet symptom criteria for lifetime inhalant abuse

Tape Location	Source Code	Frequency	Item value and description
1414-1415	S3CD9Q13B		NUMBER OF EPISODES OF HEROIN ABUSE
		91	1-98. Separate periods
		12	99. Unknown
		42990	BL. NA, did not meet symptom criteria for lifetime heroin abuse
1416-1417	S3CD10Q13B		NUMBER OF EPISODES OF OTHER DRUG ABUSE
		34	1-50. Separate periods
		4	99. Unknown
		43055	BL. NA, did not meet symptom criteria for lifetime other drug abuse
1418-1420	S3CD1Q13CR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF SEDATIVE ABUSE (BASED ON S3CD1Q13E IF ONLY 1 EPISODE)
		335	1-324. Months
		40	999. Unknown
		42718	BL. NA, did not meet symptom criteria for lifetime sedative abuse
1421-1423	S3CD2Q13CR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF TRANQUILIZER ABUSE (BASED ON S3CD2Q13E IF ONLY 1 EPISODE)
		314	1-480. Months
		35	999. Unknown
		42744	BL. NA, did not meet symptom criteria for lifetime tranquilizer abuse
1424-1426	S3CD3Q13CR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF OPIOID ABUSE (BASED ON S3CD3Q13E IF ONLY 1 EPISODE)
		445	1-384. Months
		49	999. Unknown
		42599	BL. NA, did not meet symptom criteria for lifetime opioid abuse
1427-1429	S3CD4Q13CR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF AMPHETAMINE ABUSE (BASED ON S3CD4Q13E IF ONLY 1 EPISODE)
		679	1-324. Months
		61	999. Unknown
		42353	BL. NA, did not meet symptom criteria for lifetime amphetamine abuse
1430-1432	S3CD5Q13CR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF CANNABIS ABUSE (BASED ON S3CD5Q13E IF ONLY 1 EPISODE)
		2990	1-468. Months
		268	999. Unknown
		39835	BL. NA, did not meet symptom criteria for lifetime cannabis abuse

Tape Location	Source Code	Frequency	Item value and description
1433-1435	S3CD6Q13CR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF COCAINE ABUSE (BASED ON S3CD6Q13E IF ONLY 1 EPISODE)
		1027	1-300. Months
		113	999. Unknown
		41953	BL. NA, did not meet symptom criteria for lifetime cocaine abuse
1436-1438	S3CD7Q13CR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF HALLUCINOGEN ABUSE (BASED ON S3CD7Q13E IF ONLY 1 EPISODE)
		549	1-312. Months
		61	999. Unknown
		42483	BL. NA, did not meet symptom criteria for lifetime hallucinogen abuse
1439-1441	S3CD8Q13CR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF INHALANT ABUSE (BASED ON S3CD8Q13E IF ONLY 1 EPISODE)
		115	1-300. Months
		20	999. Unknown
		42958	BL. NA, did not meet symptom criteria for lifetime inhalant abuse
1442-1444	S3CD9Q13CR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF HEROIN ABUSE (BASED ON S3CD9Q13E IF ONLY 1 EPISODE)
		90	1-480. Months
		13	999. Unknown
		42990	BL. NA, did not meet symptom criteria for lifetime heroin abuse
1445-1447	S3CD10Q13CR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF OTHER DRUG ABUSE (BASED ON S3CD10Q13E IF ONLY 1 EPISODE)
		35	1-156. Months
		3	999. Unknown
		43055	BL. NA, did not meet symptom criteria for lifetime other drug abuse
1448-1449	S3CD1Q13DR		AGE WHEN ONLY/MOST RECENT EPISODE OF SEDATIVE ABUSE BEGAN (BASED ON S3CD1Q13AR IF ONLY 1 EPISODE)
		341	12-75. Age
		34	99. Unknown
		42718	BL. NA, did not meet symptom criteria for lifetime sedative abuse

Tape Location	Source Code	Frequency	Item value and description
1450-1451	S3CD2Q13DR		AGE WHEN ONLY/MOST RECENT EPISODE OF TRANQUILIZER ABUSE BEGAN (BASED ON S3CD2Q13AR IF ONLY 1 EPISODE)
		316	10-69. Age
		33	99. Unknown
		42744	BL. NA, did not meet symptom criteria for lifetime tranquilizer abuse
1452-1453	S3CD3Q13DR		AGE WHEN ONLY/MOST RECENT EPISODE OF OPIOID ABUSE BEGAN (BASED ON S3CD3Q13AR IF ONLY 1 EPISODE)
		446	5-85. Age
		48	99. Unknown
		42599	BL. NA, did not meet symptom criteria for lifetime opioid abuse
1454-1455	S3CD4Q13DR		AGE WHEN ONLY/MOST RECENT EPISODE OF AMPHETAMINE ABUSE BEGAN (BASED ON S3CD4Q13AR IF ONLY 1 EPISODE)
		695	7-55. Age
		45	99. Unknown
		42353	BL. NA, did not meet symptom criteria for lifetime amphetamine abuse
1456-1457	S3CD5Q13DR		AGE WHEN ONLY/MOST RECENT EPISODE OF CANNABIS ABUSE BEGAN (BASED ON S3CD5Q13AR IF ONLY 1 EPISODE)
		3084	5-66. Age
		174	99. Unknown
		39835	BL. NA, did not meet symptom criteria for lifetime cannabis abuse
1458-1459	S3CD6Q13DR		AGE WHEN ONLY/MOST RECENT EPISODE OF COCAINE ABUSE BEGAN (BASED ON S3CD6Q13AR IF ONLY 1 EPISODE)
		1057	5-52. Age
		83	99. Unknown
		41953	BL. NA, did not meet symptom criteria for lifetime cocaine abuse
1460-1461	S3CD7Q13DR		AGE WHEN ONLY/MOST RECENT EPISODE OF HALLUCINOGEN ABUSE BEGAN (BASED ON S3CD7Q13AR IF ONLY 1 EPISODE)
		567	5-47. Age
		43	99. Unknown
		42483	BL. NA, did not meet symptom criteria for lifetime hallucinogen abuse

Tape Location	Source Code	Frequency	Item value and description
1462-1463	S3CD8Q13DR		AGE WHEN ONLY/MOST RECENT EPISODE OF INHALANT ABUSE BEGAN (BASED ON S3CD8Q13AR IF ONLY 1 EPISODE)
		116	6-53. Age
		19	99. Unknown
		42958	BL. NA, did not meet symptom criteria for lifetime inhalant abuse
1464-1465	S3CD9Q13DR		AGE WHEN ONLY/MOST RECENT EPISODE OF HEROIN ABUSE BEGAN (BASED ON S3CD9Q13AR IF ONLY 1 EPISODE)
		92	12-62. Age
		11	99. Unknown
		42990	BL. NA, did not meet symptom criteria for lifetime heroin abuse
1466-1467	S3CD10Q13DR		AGE WHEN ONLY/MOST RECENT EPISODE OF OTHER DRUG ABUSE BEGAN (BASED ON S3CD10Q13AR IF ONLY 1 EPISODE)
		35	14-41. Age
		3	99. Unknown
		43055	BL. NA, did not meet symptom criteria for lifetime other drug abuse
1468-1469	S3CD1Q13F		AGE AT FULL REMISSION OF SEDATIVE ABUSE
		314	14-58. Age
		17	99. Unknown
		42762	BL. NA, did not meet symptom criteria for lifetime sedative abuse; had 1+ symptoms of sedative abuse in the last 12 months
1470-1471	S3CD2Q13F		AGE AT FULL REMISSION OF TRANQUILIZER ABUSE
		288	14-71. Age
		19	99. Unknown
		42786	BL. NA, did not meet symptom criteria for lifetime tranquilizer abuse; had 1+ symptoms of tranquilizer abuse in the last 12 months
1472-1473	S3CD3Q13F		AGE AT FULL REMISSION OF OPIOID ABUSE
		352	5-71. Age
		26	99. Unknown
		42715	BL. NA, did not meet symptom criteria for lifetime opioid abuse; had 1+ symptoms of opioid abuse in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1474-1475	S3CD4Q13F		AGE AT FULL REMISSION OF AMPHETAMINE ABUSE
		659	14-59. Age
		23	99. Unknown
		42411	BL. NA, did not meet symptom criteria for lifetime amphetamine abuse; had 1+ symptoms of amphetamine abuse in the last 12 months
1476-1477	S3CD5Q13F		AGE AT FULL REMISSION OF CANNABIS ABUSE
		2618	5-75. Age
		105	99. Unknown
		40370	BL. NA, did not meet symptom criteria for lifetime cannabis abuse; had 1+ symptoms of cannabis abuse in the last 12 months
1478-1479	S3CD6Q13F		AGE AT FULL REMISSION OF COCAINE ABUSE
		1007	13-65. Age
		42	99. Unknown
		42044	BL. NA, did not meet symptom criteria for lifetime cocaine abuse; had 1+ symptoms of cocaine abuse in the last 12 months
1480-1481	S3CD7Q13F		AGE AT FULL REMISSION OF HALLUCINOGEN ABUSE
		533	5-55. Age
		27	99. Unknown
		42533	BL. NA, did not meet symptom criteria for lifetime hallucinogen abuse; had 1+ symptoms of hallucinogen abuse in the last 12 months
1482-1483	S3CD8Q13F		AGE AT FULL REMISSION OF INHALANT ABUSE
		115	6-55. Age
		13	99. Unknown
		42965	BL. NA, did not meet symptom criteria for lifetime inhalant abuse; had 1+ symptoms of inhalant abuse in the last 12 months
1484-1485	S3CD9Q13F		AGE AT FULL REMISSION OF HEROIN ABUSE
		91	14-64. Age
		5	99. Unknown
		42997	BL. NA, did not meet symptom criteria for lifetime heroin abuse; had 1+ symptoms of heroin abuse in the last 12 months

Tape	Location	Source Code	Frequency	Item value and description
1486-1487		S3CD10Q13F		AGE AT FULL REMISSION OF OTHER DRUG ABUSE
			34	16-41. Age
			3	99. Unknown
			43056	BL. NA, did not meet symptom criteria for lifetime other drug abuse; had 1+ symptoms of other drug abuse in the last 12 months
1488-1488		S3CQ14A1		MORE THAN ONCE WANT TO STOP OR CUT DOWN ON MEDICINE/DRUG USE
			3564	1. Yes
			5508	2. No
			68	9. Unknown
			33953	BL. NA, never or unknown if ever used drugs
1489-1489		S3CQ14B1		HAPPEN IN THE LAST 12 MONTHS
			617	1. Yes
			1829	2. No
			37	9. Unknown
			40610	BL. NA, did not use drugs in the last 12 months
1490-1490		S3CD1Q14C1		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
			75	1. Yes
			422	2. No
			3	9. Unknown
			42593	BL. NA, did not use sedatives in the last 12 months
1491-1491		S3CD2Q14C1		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
			65	1. Yes
			282	2. No
			1	9. Unknown
			42745	BL. NA, did not use tranquilizers in the last 12 months
1492-1492		S3CD3Q14C1		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
			107	1. Yes
			575	2. No
			8	9. Unknown
			42403	BL. NA, did not use opioids in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1493-1493	S3CD4Q14C1		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		41	1. Yes
		142	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1494-1494	S3CD5Q14C1		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		400	1. Yes
		1191	2. No
		23	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1495-1495	S3CD6Q14C1		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		89	1. Yes
		127	2. No
		3	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1496-1496	S3CD7Q14C1		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		53	1. Yes
		141	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1497-1497	S3CD8Q14C1		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		7	1. Yes
		32	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1498-1498	S3CD9Q14C1		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		6	1. Yes
		5	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1499-1499	S3CD10Q14C1		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		6	2. No
		1	9. Unknown
		43085	BL. NA, did not use other drug in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1500-1500	S3CQ14D1		HAPPEN PRIOR TO LAST 12 MONTHS
		3333	1. Yes
		5535	2. No
		74	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1501-1501	S3CD1Q14E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		427	1. Yes
		1050	2. No
		18	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1502-1502	S3CD2Q14E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		355	1. Yes
		830	2. No
		14	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1503-1503	S3CD3Q14E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		448	1. Yes
		1192	2. No
		20	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1504-1504	S3CD4Q14E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		634	1. Yes
		1062	2. No
		22	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1505-1505	S3CD5Q14E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		2581	1. Yes
		5436	2. No
		57	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1506-1506	S3CD6Q14E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		1119	1. Yes
		1342	2. No
		23	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1507-1507	S3CD7Q14E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		649	1. Yes
		1444	2. No
		20	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1508-1508	S3CD8Q14E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		192	1. Yes
		456	2. No
		8	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1509-1509	S3CD9Q14E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		83	1. Yes
		62	2. No
		3	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1510-1510	S3CD10Q14E1		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		33	1. Yes
		51	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
1511-1511	S3CQ14A2		MORE THAN ONCE TRY WITHOUT SUCCESS TO STOP OR CUT DOWN ON MEDICINE/DRUG USE
		1003	1. Yes
		8072	2. No
		65	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs

Tape Location	Source Code	Frequency	Item value and description
1512-1512	S3CQ14B2		HAPPEN IN THE LAST 12 MONTHS
		225	1. Yes
		2229	2. No
		29	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1513-1513	S3CD1Q14C2		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		29	1. Yes
		467	2. No
		4	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1514-1514	S3CD2Q14C2		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		24	1. Yes
		323	2. No
		1	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1515-1515	S3CD3Q14C2		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		30	1. Yes
		655	2. No
		5	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1516-1516	S3CD4Q14C2		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		14	1. Yes
		170	2. No
		3	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1517-1517	S3CD5Q14C2		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		132	1. Yes
		1463	2. No
		19	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1518-1518	S3CD6Q14C2		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		31	1. Yes
		185	2. No
		3	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1519-1519	S3CD7Q14C2		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		4	1. Yes
		190	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1520-1520	S3CD8Q14C2		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		1	1. Yes
		38	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1521-1521	S3CD9Q14C2		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		4	1. Yes
		7	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1522-1522	S3CD10Q14C2		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		7	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1523-1523	S3CQ14D2		HAPPEN PRIOR TO LAST 12 MONTHS
		941	1. Yes
		7936	2. No
		65	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1524-1524	S3CD1Q14E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		120	1. Yes
		1357	2. No
		18	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1525-1525	S3CD2Q14E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		110	1. Yes
		1075	2. No
		14	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1526-1526	S3CD3Q14E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		139	1. Yes
		1508	2. No
		13	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1527-1527	S3CD4Q14E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		170	1. Yes
		1529	2. No
		19	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1528-1528	S3CD5Q14E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		549	1. Yes
		7476	2. No
		49	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1529-1529	S3CD6Q14E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		374	1. Yes
		2089	2. No
		21	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1530-1530	S3CD7Q14E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		110	1. Yes
		1984	2. No
		19	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1531-1531	S3CD8Q14E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		44	1. Yes
		605	2. No
		7	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1532-1532	S3CD9Q14E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		56	1. Yes
		90	2. No
		2	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1533-1533	S3CD10Q14E2		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		10	1. Yes
		75	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1534-1534	S3CQ14A3		EVER USE MEDICINE/DRUG IN LARGER AMOUNTS OR LONGER PERIOD THAN INTENDED
		1244	1. Yes
		7832	2. No
		64	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1535-1535	S3CQ14B3		HAPPEN IN THE LAST 12 MONTHS
		215	1. Yes
		2238	2. No
		30	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1536-1536	S3CD1Q14C3		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		22	1. Yes
		473	2. No
		5	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1537-1537	S3CD2Q14C3		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		17	1. Yes
		330	2. No
		1	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1538-1538	S3CD3Q14C3		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		40	1. Yes
		645	2. No
		5	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1539-1539	S3CD4Q14C3		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		26	1. Yes
		157	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1540-1540	S3CD5Q14C3		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		111	1. Yes
		1485	2. No
		18	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1541-1541	S3CD6Q14C3		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		44	1. Yes
		172	2. No
		3	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1542-1542	S3CD7Q14C3		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		12	1. Yes
		182	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1543-1543	S3CD8Q14C3		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		2	1. Yes
		37	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1544-1544	S3CD9Q14C3		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		3	1. Yes
		8	2. No
		43082	BL. NA, did not use heroin in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1545-1545	S3CD10Q14C3		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		7	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1546-1546	S3CQ14D3		HAPPEN PRIOR TO LAST 12 MONTHS
		1185	1. Yes
		7692	2. No
		65	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1547-1547	S3CD1Q14E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		121	1. Yes
		1353	2. No
		21	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1548-1548	S3CD2Q14E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		120	1. Yes
		1064	2. No
		15	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1549-1549	S3CD3Q14E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		182	1. Yes
		1463	2. No
		15	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1550-1550	S3CD4Q14E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		248	1. Yes
		1450	2. No
		20	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1551-1551	S3CD5Q14E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		639	1. Yes
		7386	2. No
		49	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1552-1552	S3CD6Q14E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		480	1. Yes
		1982	2. No
		22	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1553-1553	S3CD7Q14E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		141	1. Yes
		1952	2. No
		20	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1554-1554	S3CD8Q14E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		39	1. Yes
		610	2. No
		7	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1555-1555	S3CD9Q14E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		62	1. Yes
		83	2. No
		3	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1556-1556	S3CD10Q14E3		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		15	1. Yes
		70	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1557-1557	S3CQ14A4		EVER SPENT A LOT TIME USING OR GETTING OVER BAD AFTEREFFECTS OF MEDICINE/DRUG
		899	1. Yes
		8173	2. No
		68	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1558-1558	S3CQ14B4		HAPPEN IN THE LAST 12 MONTHS
		123	1. Yes
		2329	2. No
		31	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1559-1559	S3CD1Q14C4		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		12	1. Yes
		483	2. No
		5	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1560-1560	S3CD2Q14C4		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		10	1. Yes
		336	2. No
		2	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1561-1561	S3CD3Q14C4		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		28	1. Yes
		656	2. No
		6	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1562-1562	S3CD4Q14C4		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		18	1. Yes
		165	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1563-1563	S3CD5Q14C4		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		48	1. Yes
		1547	2. No
		19	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1564-1564	S3CD6Q14C4		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		26	1. Yes
		190	2. No
		3	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1565-1565	S3CD7Q14C4		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		9	1. Yes
		185	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1566-1566	S3CD8Q14C4		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		1	1. Yes
		38	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1567-1567	S3CD9Q14C4		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		5	1. Yes
		6	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1568-1568	S3CD10Q14C4		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1569-1569	S3CQ14D4		HAPPEN PRIOR TO LAST 12 MONTHS
		865	1. Yes
		8008	2. No
		69	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1570-1570	S3CD1Q14E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		93	1. Yes
		1377	2. No
		25	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1571-1571	S3CD2Q14E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		94	1. Yes
		1087	2. No
		18	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1572-1572	S3CD3Q14E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		117	1. Yes
		1524	2. No
		19	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1573-1573	S3CD4Q14E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		226	1. Yes
		1467	2. No
		25	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1574-1574	S3CD5Q14E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		382	1. Yes
		7640	2. No
		52	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1575-1575	S3CD6Q14E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		376	1. Yes
		2081	2. No
		27	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1576-1576	S3CD7Q14E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		136	1. Yes
		1954	2. No
		23	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1577-1577	S3CD8Q14E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		43	1. Yes
		606	2. No
		7	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1578-1578	S3CD9Q14E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		59	1. Yes
		86	2. No
		3	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1579-1579	S3CD10Q14E4		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		13	1. Yes
		72	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1580-1580	S3CQ14A5		EVER SPENT A LOT TIME MAKING SURE HAD ENOUGH MEDICINE/DRUGS
		1258	1. Yes
		7819	2. No
		63	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1581-1581	S3CQ14B5		HAPPEN IN THE LAST 12 MONTHS
		256	1. Yes
		2200	2. No
		27	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1582-1582	S3CD1Q14C5		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		25	1. Yes
		471	2. No
		4	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1583-1583	S3CD2Q14C5		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		11	1. Yes
		336	2. No
		1	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1584-1584	S3CD3Q14C5		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		42	1. Yes
		643	2. No
		5	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1585-1585	S3CD4Q14C5		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		19	1. Yes
		164	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1586-1586	S3CD5Q14C5		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		159	1. Yes
		1438	2. No
		17	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1587-1587	S3CD6Q14C5		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		27	1. Yes
		190	2. No
		2	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1588-1588	S3CD7Q14C5		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		6	1. Yes
		188	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1589-1589	S3CD8Q14C5		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		1	1. Yes
		38	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1590-1590	S3CD9Q14C5		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		4	1. Yes
		7	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1591-1591	S3CD10Q14C5		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		7	2. No
		43085	BL. NA, did not use other drug in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1592-1592	S3CQ14D5		HAPPEN PRIOR TO LAST 12 MONTHS
		1205	1. Yes
		7674	2. No
		63	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1593-1593	S3CD1Q14E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		98	1. Yes
		1377	2. No
		20	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1594-1594	S3CD2Q14E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		91	1. Yes
		1093	2. No
		15	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1595-1595	S3CD3Q14E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		133	1. Yes
		1512	2. No
		15	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1596-1596	S3CD4Q14E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		205	1. Yes
		1493	2. No
		20	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1597-1597	S3CD5Q14E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		764	1. Yes
		7261	2. No
		49	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1598-1598	S3CD6Q14E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		382	1. Yes
		2079	2. No
		23	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1599-1599	S3CD7Q14E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		97	1. Yes
		1997	2. No
		19	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1600-1600	S3CD8Q14E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		32	1. Yes
		617	2. No
		7	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1601-1601	S3CD9Q14E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		59	1. Yes
		86	2. No
		3	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1602-1602	S3CD10Q14E5		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		11	1. Yes
		74	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1603-1603	S3CQ14A6A		EVER SLEEP MORE THAN USUAL WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		2061	1. Yes
		6968	2. No
		111	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1604-1604	S3CQ14B6A		HAPPEN IN THE LAST 12 MONTHS
		386	1. Yes
		2062	2. No
		35	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1605-1605	S3CD1Q14C6A		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		58	1. Yes
		437	2. No
		5	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1606-1606	S3CD2Q14C6A		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		26	1. Yes
		320	2. No
		2	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1607-1607	S3CD3Q14C6A		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		61	1. Yes
		622	2. No
		7	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1608-1608	S3CD4Q14C6A		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		32	1. Yes
		149	2. No
		6	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1609-1609	S3CD5Q14C6A		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		214	1. Yes
		1377	2. No
		23	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1610-1610	S3CD6Q14C6A		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		39	1. Yes
		177	2. No
		3	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1611-1611	S3CD7Q14C6A		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		32	1. Yes
		161	2. No
		3	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1612-1612	S3CD8Q14C6A		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		2	1. Yes
		37	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1613-1613	S3CD9Q14C6A		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		4	1. Yes
		7	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1614-1614	S3CD10Q14C6A		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		7	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1615-1615	S3CQ14D6A		HAPPEN PRIOR TO LAST 12 MONTHS
		1935	1. Yes
		6894	2. No
		113	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1616-1616	S3CD1Q14E6A		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		189	1. Yes
		1282	2. No
		24	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1617-1617	S3CD2Q14E6A		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		163	1. Yes
		1018	2. No
		18	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1618-1618	S3CD3Q14E6A		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		192	1. Yes
		1449	2. No
		19	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1619-1619	S3CD4Q14E6A		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		303	1. Yes
		1385	2. No
		30	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1620-1620	S3CD5Q14E6A		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		1123	1. Yes
		6858	2. No
		93	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1621-1621	S3CD6Q14E6A		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		466	1. Yes
		1978	2. No
		40	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1622-1622	S3CD7Q14E6A		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		220	1. Yes
		1863	2. No
		30	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1623-1623	S3CD8Q14E6A		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		30	1. Yes
		614	2. No
		12	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1624-1624	S3CD9Q14E6A		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		44	1. Yes
		100	2. No
		4	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1625-1625	S3CD10Q14E6A		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		8	1. Yes
		77	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1626-1626	S3CQ14A6B		EVER FEEL WEAK OR TIRED WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		2614	1. Yes
		6417	2. No
		109	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1627-1627	S3CQ14B6B		HAPPEN IN THE LAST 12 MONTHS
		495	1. Yes
		1950	2. No
		38	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1628-1628	S3CD1Q14C6B		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		56	1. Yes
		439	2. No
		5	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1629-1629	S3CD2Q14C6B		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		30	1. Yes
		314	2. No
		4	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1630-1630	S3CD3Q14C6B		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		75	1. Yes
		607	2. No
		8	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1631-1631	S3CD4Q14C6B		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		40	1. Yes
		142	2. No
		5	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1632-1632	S3CD5Q14C6B		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		277	1. Yes
		1317	2. No
		20	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1633-1633	S3CD6Q14C6B		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		55	1. Yes
		161	2. No
		3	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1634-1634	S3CD7Q14C6B		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		49	1. Yes
		145	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1635-1635	S3CD8Q14C6B		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		1	1. Yes
		38	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1636-1636	S3CD9Q14C6B		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		5	1. Yes
		6	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1637-1637	S3CD10Q14C6B		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		7	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1638-1638	S3CQ14D6B		HAPPEN PRIOR TO LAST 12 MONTHS
		2480	1. Yes
		6349	2. No
		113	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1639-1639	S3CD1Q14E6B		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		210	1. Yes
		1257	2. No
		28	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1640-1640	S3CD2Q14E6B		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		172	1. Yes
		1004	2. No
		23	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1641-1641	S3CD3Q14E6B		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		221	1. Yes
		1414	2. No
		25	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1642-1642	S3CD4Q14E6B		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		440	1. Yes
		1243	2. No
		35	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1643-1643	S3CD5Q14E6B		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		1413	1. Yes
		6569	2. No
		92	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1644-1644	S3CD6Q14E6B		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		698	1. Yes
		1747	2. No
		39	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1645-1645	S3CD7Q14E6B		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		339	1. Yes
		1746	2. No
		28	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1646-1646	S3CD8Q14E6B		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		51	1. Yes
		596	2. No
		9	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1647-1647	S3CD9Q14E6B		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		66	1. Yes
		78	2. No
		4	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1648-1648	S3CD10Q14E6B		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		11	1. Yes
		74	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1649-1649	S3CQ14A6C		EVER FEEL DEPRESSED WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		1538	1. Yes
		7505	2. No
		97	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1650-1650	S3CQ14B6C		HAPPEN IN THE LAST 12 MONTHS
		313	1. Yes
		2130	2. No
		40	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1651-1651	S3CD1Q14C6C		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		42	1. Yes
		452	2. No
		6	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1652-1652	S3CD2Q14C6C		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		37	1. Yes
		307	2. No
		4	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1653-1653	S3CD3Q14C6C		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		51	1. Yes
		630	2. No
		9	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1654-1654	S3CD4Q14C6C		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		29	1. Yes
		153	2. No
		5	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1655-1655	S3CD5Q14C6C		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		139	1. Yes
		1453	2. No
		22	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1656-1656	S3CD6Q14C6C		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		50	1. Yes
		165	2. No
		4	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1657-1657	S3CD7Q14C6C		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		23	1. Yes
		171	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1658-1658	S3CD8Q14C6C		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1659-1659	S3CD9Q14C6C		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		5	1. Yes
		6	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1660-1660	S3CD10Q14C6C		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		6	2. No
		1	9. Unknown
		43085	BL. NA, did not use other drug in the last 12 months
1661-1661	S3CQ14D6C		HAPPEN PRIOR TO LAST 12 MONTHS
		1444	1. Yes
		7397	2. No
		101	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1662-1662	S3CD1Q14E6C		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		143	1. Yes
		1324	2. No
		28	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1663-1663	S3CD2Q14E6C		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		137	1. Yes
		1038	2. No
		24	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1664-1664	S3CD3Q14E6C		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		169	1. Yes
		1465	2. No
		26	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1665-1665	S3CD4Q14E6C		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		304	1. Yes
		1379	2. No
		35	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1666-1666	S3CD5Q14E6C		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		664	1. Yes
		7329	2. No
		81	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1667-1667	S3CD6Q14E6C		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		570	1. Yes
		1873	2. No
		41	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1668-1668	S3CD7Q14E6C		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		188	1. Yes
		1894	2. No
		31	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1669-1669	S3CD8Q14E6C		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		34	1. Yes
		612	2. No
		10	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1670-1670	S3CD9Q14E6C		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		60	1. Yes
		82	2. No
		6	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1671-1671	S3CD10Q14E6C		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		12	1. Yes
		72	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
1672-1672	S3CQ14A6D		EVER SWEAT OR HEART BEAT FAST WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		1408	1. Yes
		7610	2. No
		122	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs

Tape Location	Source Code	Frequency	Item value and description
1673-1673	S3CQ14B6D		HAPPEN IN THE LAST 12 MONTHS
		192	1. Yes
		2256	2. No
		35	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1674-1674	S3CD1Q14C6D		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		13	1. Yes
		482	2. No
		5	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1675-1675	S3CD2Q14C6D		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		12	1. Yes
		332	2. No
		4	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1676-1676	S3CD3Q14C6D		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		28	1. Yes
		656	2. No
		6	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1677-1677	S3CD4Q14C6D		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		30	1. Yes
		152	2. No
		5	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1678-1678	S3CD5Q14C6D		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		66	1. Yes
		1526	2. No
		22	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1679-1679	S3CD6Q14C6D		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		41	1. Yes
		175	2. No
		3	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1680-1680	S3CD7Q14C6D		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		26	1. Yes
		168	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1681-1681	S3CD8Q14C6D		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1682-1682	S3CD9Q14C6D		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		4	1. Yes
		7	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1683-1683	S3CD10Q14C6D		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1684-1684	S3CQ14D6D		HAPPEN PRIOR TO LAST 12 MONTHS
		1354	1. Yes
		7465	2. No
		123	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1685-1685	S3CD1Q14E6D		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		76	1. Yes
		1389	2. No
		30	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1686-1686	S3CD2Q14E6D		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		67	1. Yes
		1108	2. No
		24	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1687-1687	S3CD3Q14E6D		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		91	1. Yes
		1543	2. No
		26	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1688-1688	S3CD4Q14E6D		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		361	1. Yes
		1315	2. No
		42	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1689-1689	S3CD5Q14E6D		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		415	1. Yes
		7559	2. No
		100	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1690-1690	S3CD6Q14E6D		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		617	1. Yes
		1821	2. No
		46	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1691-1691	S3CD7Q14E6D		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		202	1. Yes
		1876	2. No
		35	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1692-1692	S3CD8Q14E6D		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		35	1. Yes
		609	2. No
		12	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1693-1693	S3CD9Q14E6D		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		47	1. Yes
		95	2. No
		6	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1694-1694	S3CD10Q14E6D		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		6	1. Yes
		78	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
1695-1695	S3CQ14A6E		EVER HAVE NAUSEA WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		893	1. Yes
		8165	2. No
		82	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1696-1696	S3CQ14B6E		HAPPEN IN THE LAST 12 MONTHS
		131	1. Yes
		2321	2. No
		31	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1697-1697	S3CD1Q14C6E		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		16	1. Yes
		480	2. No
		4	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1698-1698	S3CD2Q14C6E		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		12	1. Yes
		334	2. No
		2	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1699-1699	S3CD3Q14C6E		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		35	1. Yes
		649	2. No
		6	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1700-1700	S3CD4Q14C6E		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		17	1. Yes
		166	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1701-1701	S3CD5Q14C6E		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		39	1. Yes
		1556	2. No
		19	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1702-1702	S3CD6Q14C6E		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		22	1. Yes
		194	2. No
		3	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1703-1703	S3CD7Q14C6E		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		13	1. Yes
		181	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1704-1704	S3CD8Q14C6E		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1705-1705	S3CD9Q14C6E		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		5	1. Yes
		6	2. No
		43082	BL. NA, did not use heroin in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1706-1706	S3CD10Q14C6E		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		7	2. No
		1	9. Unknown
		43085	BL. NA, did not use other drug in the last 12 months
1707-1707	S3CQ14D6E		HAPPEN PRIOR TO LAST 12 MONTHS
		837	1. Yes
		8022	2. No
		83	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1708-1708	S3CD1Q14E6E		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		70	1. Yes
		1403	2. No
		22	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1709-1709	S3CD2Q14E6E		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		61	1. Yes
		1119	2. No
		19	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1710-1710	S3CD3Q14E6E		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		114	1. Yes
		1529	2. No
		17	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1711-1711	S3CD4Q14E6E		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		171	1. Yes
		1521	2. No
		26	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1712-1712	S3CD5Q14E6E		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		283	1. Yes
		7723	2. No
		68	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1713-1713	S3CD6Q14E6E		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		280	1. Yes
		2170	2. No
		34	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1714-1714	S3CD7Q14E6E		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		169	1. Yes
		1915	2. No
		29	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1715-1715	S3CD8Q14E6E		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		30	1. Yes
		617	2. No
		9	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1716-1716	S3CD9Q14E6E		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		69	1. Yes
		76	2. No
		3	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1717-1717	S3CD10Q14E6E		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		8	1. Yes
		76	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
1718-1718	S3CQ14A6F		EVER YAWN A LOT WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		1822	1. Yes
		7044	2. No
		274	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1719-1719	S3CQ14B6F		HAPPEN IN THE LAST 12 MONTHS
		381	1. Yes
		2031	2. No
		71	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1720-1720	S3CD1Q14C6F		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		37	1. Yes
		451	2. No
		12	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1721-1721	S3CD2Q14C6F		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		21	1. Yes
		318	2. No
		9	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1722-1722	S3CD3Q14C6F		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		47	1. Yes
		629	2. No
		14	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1723-1723	S3CD4Q14C6F		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		23	1. Yes
		157	2. No
		7	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1724-1724	S3CD5Q14C6F		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		252	1. Yes
		1314	2. No
		48	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1725-1725	S3CD6Q14C6F		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		33	1. Yes
		177	2. No
		9	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1726-1726	S3CD7Q14C6F		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		25	1. Yes
		165	2. No
		6	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1727-1727	S3CD8Q14C6F		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		38	2. No
		1	9. Unknown
		43054	BL. NA, did not use inhalants in the last 12 months
1728-1728	S3CD9Q14C6F		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		4	1. Yes
		7	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1729-1729	S3CD10Q14C6F		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1730-1730	S3CQ14D6F		HAPPEN PRIOR TO LAST 12 MONTHS
		1742	1. Yes
		6924	2. No
		276	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1731-1731	S3CD1Q14E6F		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		146	1. Yes
		1292	2. No
		57	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1732-1732	S3CD2Q14E6F		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		115	1. Yes
		1035	2. No
		49	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1733-1733	S3CD3Q14E6F		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		128	1. Yes
		1472	2. No
		60	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1734-1734	S3CD4Q14E6F		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		248	1. Yes
		1386	2. No
		84	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1735-1735	S3CD5Q14E6F		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		1187	1. Yes
		6641	2. No
		246	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1736-1736	S3CD6Q14E6F		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		332	1. Yes
		2048	2. No
		104	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1737-1737	S3CD7Q14E6F		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		157	1. Yes
		1871	2. No
		85	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1738-1738	S3CD8Q14E6F		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		27	1. Yes
		605	2. No
		24	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1739-1739	S3CD9Q14E6F		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		40	1. Yes
		99	2. No
		9	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1740-1740	S3CD10Q14E6F		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		9	1. Yes
		74	2. No
		2	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
1741-1741	S3CQ14A6G		EVER HAVE RUNNY EYES OR NOSE WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		1001	1. Yes
		8004	2. No
		135	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1742-1742	S3CQ14B6G		HAPPEN IN THE LAST 12 MONTHS
		143	1. Yes
		2304	2. No
		36	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1743-1743	S3CD1Q14C6G		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		10	1. Yes
		484	2. No
		6	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1744-1744	S3CD2Q14C6G		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		6	1. Yes
		339	2. No
		3	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1745-1745	S3CD3Q14C6G		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		17	1. Yes
		666	2. No
		7	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1746-1746	S3CD4Q14C6G		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		14	1. Yes
		169	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1747-1747	S3CD5Q14C6G		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		56	1. Yes
		1535	2. No
		23	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1748-1748	S3CD6Q14C6G		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		51	1. Yes
		164	2. No
		4	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1749-1749	S3CD7Q14C6G		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		6	1. Yes
		188	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1750-1750	S3CD8Q14C6G		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		38	2. No
		1	9. Unknown
		43054	BL. NA, did not use inhalants in the last 12 months
1751-1751	S3CD9Q14C6G		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		2	1. Yes
		9	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1752-1752	S3CD10Q14C6G		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1753-1753	S3CQ14D6G		HAPPEN PRIOR TO LAST 12 MONTHS
		963	1. Yes
		7845	2. No
		134	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1754-1754	S3CD1Q14E6G		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		29	1. Yes
		1437	2. No
		29	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1755-1755	S3CD2Q14E6G		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		22	1. Yes
		1151	2. No
		26	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1756-1756	S3CD3Q14E6G		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		38	1. Yes
		1595	2. No
		27	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1757-1757	S3CD4Q14E6G		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		130	1. Yes
		1546	2. No
		42	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1758-1758	S3CD5Q14E6G		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		243	1. Yes
		7716	2. No
		115	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1759-1759	S3CD6Q14E6G		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		638	1. Yes
		1794	2. No
		52	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1760-1760	S3CD7Q14E6G		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		34	1. Yes
		2035	2. No
		44	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1761-1761	S3CD8Q14E6G		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		20	1. Yes
		624	2. No
		12	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1762-1762	S3CD9Q14E6G		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		50	1. Yes
		95	2. No
		3	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1763-1763	S3CD10Q14E6G		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		3	1. Yes
		80	2. No
		2	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
1764-1764	S3CQ14A6H		EVER EAT MORE OR GAIN WEIGHT WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		2378	1. Yes
		6663	2. No
		99	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs

Tape Location	Source Code	Frequency	Item value and description
1765-1765	S3CQ14B6H		HAPPEN IN THE LAST 12 MONTHS
		412	1. Yes
		2038	2. No
		33	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1766-1766	S3CD1Q14C6H		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		7	1. Yes
		487	2. No
		6	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1767-1767	S3CD2Q14C6H		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		7	1. Yes
		338	2. No
		3	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1768-1768	S3CD3Q14C6H		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		21	1. Yes
		663	2. No
		6	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1769-1769	S3CD4Q14C6H		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		14	1. Yes
		169	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1770-1770	S3CD5Q14C6H		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		364	1. Yes
		1229	2. No
		21	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1771-1771	S3CD6Q14C6H		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		14	1. Yes
		202	2. No
		3	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1772-1772	S3CD7Q14C6H		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		5	1. Yes
		189	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1773-1773	S3CD8Q14C6H		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		1	1. Yes
		38	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1774-1774	S3CD9Q14C6H		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		1	1. Yes
		10	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1775-1775	S3CD10Q14C6H		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1776-1776	S3CQ14D6H		HAPPEN PRIOR TO LAST 12 MONTHS
		2307	1. Yes
		6536	2. No
		99	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1777-1777	S3CD1Q14E6H		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		22	1. Yes
		1449	2. No
		24	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1778-1778	S3CD2Q14E6H		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		22	1. Yes
		1157	2. No
		20	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1779-1779	S3CD3Q14E6H		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		30	1. Yes
		1612	2. No
		18	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1780-1780	S3CD4Q14E6H		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		120	1. Yes
		1569	2. No
		29	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1781-1781	S3CD5Q14E6H		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		2088	1. Yes
		5903	2. No
		83	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1782-1782	S3CD6Q14E6H		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		142	1. Yes
		2301	2. No
		41	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1783-1783	S3CD7Q14E6H		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		27	1. Yes
		2054	2. No
		32	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1784-1784	S3CD8Q14E6H		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		3	1. Yes
		647	2. No
		6	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1785-1785	S3CD9Q14E6H		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		10	1. Yes
		135	2. No
		3	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1786-1786	S3CD10Q14E6H		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		5	1. Yes
		80	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1787-1787	S3CQ14A6I		EVER FEEL ANXIOUS OR NERVOUS WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		1925	1. Yes
		7119	2. No
		96	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1788-1788	S3CQ14B6I		HAPPEN IN THE LAST 12 MONTHS
		275	1. Yes
		2177	2. No
		31	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1789-1789	S3CD1Q14C6I		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		34	1. Yes
		460	2. No
		6	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1790-1790	S3CD2Q14C6I		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		29	1. Yes
		317	2. No
		2	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1791-1791	S3CD3Q14C6I		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		39	1. Yes
		644	2. No
		7	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1792-1792	S3CD4Q14C6I		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		36	1. Yes
		147	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1793-1793	S3CD5Q14C6I		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		120	1. Yes
		1476	2. No
		18	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1794-1794	S3CD6Q14C6I		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		41	1. Yes
		174	2. No
		4	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1795-1795	S3CD7Q14C6I		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		21	1. Yes
		173	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1796-1796	S3CD8Q14C6I		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		1	1. Yes
		38	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1797-1797	S3CD9Q14C6I		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		3	1. Yes
		8	2. No
		43082	BL. NA, did not use heroin in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1798-1798	S3CD10Q14C6I		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		7	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1799-1799	S3CQ14D6I		HAPPEN PRIOR TO LAST 12 MONTHS
		1842	1. Yes
		7004	2. No
		96	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1800-1800	S3CD1Q14E6I		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		98	1. Yes
		1372	2. No
		25	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1801-1801	S3CD2Q14E6I		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		98	1. Yes
		1082	2. No
		19	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1802-1802	S3CD3Q14E6I		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		129	1. Yes
		1512	2. No
		19	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1803-1803	S3CD4Q14E6I		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		401	1. Yes
		1287	2. No
		30	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1804-1804	S3CD5Q14E6I		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		903	1. Yes
		7093	2. No
		78	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1805-1805	S3CD6Q14E6I		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		671	1. Yes
		1778	2. No
		35	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1806-1806	S3CD7Q14E6I		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		254	1. Yes
		1828	2. No
		31	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1807-1807	S3CD8Q14E6I		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		33	1. Yes
		614	2. No
		9	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1808-1808	S3CD9Q14E6I		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		53	1. Yes
		91	2. No
		4	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1809-1809	S3CD10Q14E6I		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		6	1. Yes
		79	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1810-1810	S3CQ14A6J		EVER HAVE MUSCLE ACHES, CRAMPS, DIARRHEA WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		672	1. Yes
		8352	2. No
		116	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1811-1811	S3CQ14B6J		HAPPEN IN THE LAST 12 MONTHS
		136	1. Yes
		2308	2. No
		39	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 month

Tape Location	Source Code	Frequency	Item value and description
1812-1812	S3CD1Q14C6J		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		17	1. Yes
		476	2. No
		7	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1813-1813	S3CD2Q14C6J		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		12	1. Yes
		333	2. No
		3	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1814-1814	S3CD3Q14C6J		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		38	1. Yes
		643	2. No
		9	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1815-1815	S3CD4Q14C6J		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		20	1. Yes
		163	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1816-1816	S3CD5Q14C6J		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		22	1. Yes
		1570	2. No
		22	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1817-1817	S3CD6Q14C6J		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		32	1. Yes
		183	2. No
		4	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1818-1818	S3CD7Q14C6J		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		13	1. Yes
		181	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1819-1819	S3CD8Q14C6J		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1820-1820	S3CD9Q14C6J		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		4	1. Yes
		7	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1821-1821	S3CD10Q14C6J		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		7	2. No
		1	9. Unknown
		43085	BL. NA, did not use other drug in the last 12 months
1822-1822	S3CQ14D6J		HAPPEN PRIOR TO LAST 12 MONTHS
		633	1. Yes
		8193	2. No
		116	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1823-1823	S3CD1Q14E6J		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		48	1. Yes
		1414	2. No
		33	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1824-1824	S3CD2Q14E6J		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		46	1. Yes
		1127	2. No
		26	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1825-1825	S3CD3Q14E6J		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		84	1. Yes
		1548	2. No
		28	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1826-1826	S3CD4Q14E6J		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		156	1. Yes
		1523	2. No
		39	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1827-1827	S3CD5Q14E6J		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		117	1. Yes
		7860	2. No
		97	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1828-1828	S3CD6Q14E6J		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		283	1. Yes
		2152	2. No
		49	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1829-1829	S3CD7Q14E6J		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		122	1. Yes
		1952	2. No
		39	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1830-1830	S3CD8Q14E6J		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		18	1. Yes
		625	2. No
		13	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1831-1831	S3CD9Q14E6J		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		57	1. Yes
		85	2. No
		6	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1832-1832	S3CD10Q14E6J		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		11	1. Yes
		71	2. No
		3	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
1833-1833	S3CQ14A6K		EVER HAVE A FEVER WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		202	1. Yes
		8806	2. No
		132	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1834-1834	S3CQ14B6K		HAPPEN IN THE LAST 12 MONTHS
		36	1. Yes
		2407	2. No
		40	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1835-1835	S3CD1Q14C6K		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		6	1. Yes
		487	2. No
		7	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1836-1836	S3CD2Q14C6K		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		3	1. Yes
		340	2. No
		5	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1837-1837	S3CD3Q14C6K		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		12	1. Yes
		666	2. No
		12	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1838-1838	S3CD4Q14C6K		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		7	1. Yes
		172	2. No
		8	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1839-1839	S3CD5Q14C6K		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		3	1. Yes
		1584	2. No
		27	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1840-1840	S3CD6Q14C6K		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		9	1. Yes
		204	2. No
		6	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1841-1841	S3CD7Q14C6K		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		3	1. Yes
		188	2. No
		5	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1842-1842	S3CD8Q14C6K		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1843-1843	S3CD9Q14C6K		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		1	1. Yes
		10	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1844-1844	S3CD10Q14C6K		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1845-1845	S3CQ14D6K		HAPPEN PRIOR TO LAST 12 MONTHS
		196	1. Yes
		8616	2. No
		130	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1846-1846	S3CD1Q14E6K		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		19	1. Yes
		1436	2. No
		40	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1847-1847	S3CD2Q14E6K		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		13	1. Yes
		1149	2. No
		37	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1848-1848	S3CD3Q14E6K		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		24	1. Yes
		1594	2. No
		42	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1849-1849	S3CD4Q14E6K		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		37	1. Yes
		1622	2. No
		59	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1850-1850	S3CD5Q14E6K		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		46	1. Yes
		7917	2. No
		111	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1851-1851	S3CD6Q14E6K		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		77	1. Yes
		2339	2. No
		68	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1852-1852	S3CD7Q14E6K		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		25	1. Yes
		2034	2. No
		54	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1853-1853	S3CD8Q14E6K		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		11	1. Yes
		627	2. No
		18	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1854-1854	S3CD9Q14E6K		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		21	1. Yes
		118	2. No
		9	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1855-1855	S3CD10Q14E6K		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		2	1. Yes
		80	2. No
		3	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
1856-1856	S3CQ14A6L		EVER FIDGETED, PACED OR COULDN'T SIT STILL FROM AFTEREFFECTS OF MEDICINE/DRUG
		1202	1. Yes
		7839	2. No
		99	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs

Tape Location	Source Code	Frequency	Item value and description
1857-1857	S3CQ14B6L		HAPPEN IN THE LAST 12 MONTHS
		166	1. Yes
		2285	2. No
		32	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1858-1858	S3CD1Q14C6L		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		17	1. Yes
		477	2. No
		6	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1859-1859	S3CD2Q14C6L		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		15	1. Yes
		330	2. No
		3	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1860-1860	S3CD3Q14C6L		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		30	1. Yes
		654	2. No
		6	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1861-1861	S3CD4Q14C6L		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		24	1. Yes
		159	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1862-1862	S3CD5Q14C6L		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		47	1. Yes
		1548	2. No
		19	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1863-1863	S3CD6Q14C6L		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		35	1. Yes
		180	2. No
		4	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1864-1864	S3CD7Q14C6L		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		22	1. Yes
		172	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1865-1865	S3CD8Q14C6L		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1866-1866	S3CD9Q14C6L		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		3	1. Yes
		8	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1867-1867	S3CD10Q14C6L		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1868-1868	S3CQ14D6L		HAPPEN PRIOR TO LAST 12 MONTHS
		1139	1. Yes
		7706	2. No
		97	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1869-1869	S3CD1Q14E6L		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		59	1. Yes
		1410	2. No
		26	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1870-1870	S3CD2Q14E6L		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		59	1. Yes
		1121	2. No
		19	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1871-1871	S3CD3Q14E6L		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		79	1. Yes
		1563	2. No
		18	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1872-1872	S3CD4Q14E6L		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		280	1. Yes
		1409	2. No
		29	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1873-1873	S3CD5Q14E6L		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		331	1. Yes
		7663	2. No
		80	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1874-1874	S3CD6Q14E6L		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		526	1. Yes
		1917	2. No
		41	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1875-1875	S3CD7Q14E6L		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		180	1. Yes
		1899	2. No
		34	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1876-1876	S3CD8Q14E6L		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		20	1. Yes
		629	2. No
		7	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1877-1877	S3CD9Q14E6L		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		54	1. Yes
		89	2. No
		5	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1878-1878	S3CD10Q14E6L		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		7	1. Yes
		78	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1879-1879	S3CQ14A6M		EVER MOVE, TALK SLOWLY WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		1739	1. Yes
		7217	2. No
		184	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1880-1880	S3CQ14B6M		HAPPEN IN THE LAST 12 MONTHS
		304	1. Yes
		2134	2. No
		45	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1881-1881	S3CD1Q14C6M		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		25	1. Yes
		467	2. No
		8	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1882-1882	S3CD2Q14C6M		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		22	1. Yes
		324	2. No
		2	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1883-1883	S3CD3Q14C6M		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		47	1. Yes
		634	2. No
		9	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1884-1884	S3CD4Q14C6M		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		10	1. Yes
		173	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1885-1885	S3CD5Q14C6M		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		205	1. Yes
		1376	2. No
		33	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1886-1886	S3CD6Q14C6M		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		22	1. Yes
		193	2. No
		4	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1887-1887	S3CD7Q14C6M		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		20	1. Yes
		174	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1888-1888	S3CD8Q14C6M		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1889-1889	S3CD9Q14C6M		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		4	1. Yes
		7	2. No
		43082	BL. NA, did not use heroin in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1890-1890	S3CD10Q14C6M		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1891-1891	S3CQ14D6M		HAPPEN PRIOR TO LAST 12 MONTHS
		1669	1. Yes
		7090	2. No
		183	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1892-1892	S3CD1Q14E6M		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		132	1. Yes
		1323	2. No
		40	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1893-1893	S3CD2Q14E6M		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		135	1. Yes
		1033	2. No
		31	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1894-1894	S3CD3Q14E6M		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		110	1. Yes
		1519	2. No
		31	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1895-1895	S3CD4Q14E6M		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		103	1. Yes
		1562	2. No
		53	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1896-1896	S3CD5Q14E6M		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		1257	1. Yes
		6652	2. No
		165	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1897-1897	S3CD6Q14E6M		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		197	1. Yes
		2222	2. No
		65	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1898-1898	S3CD7Q14E6M		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		156	1. Yes
		1900	2. No
		57	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1899-1899	S3CD8Q14E6M		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		25	1. Yes
		613	2. No
		18	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1900-1900	S3CD9Q14E6M		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		38	1. Yes
		103	2. No
		7	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1901-1901	S3CD10Q14E6M		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		11	1. Yes
		74	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1902-1902	S3CQ14A6N		EVER SWEAT/HAVE PUPILS DILATE/HAIR STAND UP WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		1082	1. Yes
		7900	2. No
		158	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs

Tape Location	Source Code	Frequency	Item value and description
1903-1903	S3CQ14B6N		HAPPEN IN THE LAST 12 MONTHS
		159	1. Yes
		2281	2. No
		43	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1904-1904	S3CD1Q14C6N		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		11	1. Yes
		480	2. No
		9	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1905-1905	S3CD2Q14C6N		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		10	1. Yes
		334	2. No
		4	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1906-1906	S3CD3Q14C6N		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		16	1. Yes
		664	2. No
		10	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1907-1907	S3CD4Q14C6N		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		22	1. Yes
		160	2. No
		5	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1908-1908	S3CD5Q14C6N		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		54	1. Yes
		1534	2. No
		26	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1909-1909	S3CD6Q14C6N		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		36	1. Yes
		178	2. No
		5	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1910-1910	S3CD7Q14C6N		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		31	1. Yes
		163	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1911-1911	S3CD8Q14C6N		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1912-1912	S3CD9Q14C6N		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		2	1. Yes
		9	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1913-1913	S3CD10Q14C6N		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1914-1914	S3CQ14D6N		HAPPEN PRIOR TO LAST 12 MONTHS
		1039	1. Yes
		7745	2. No
		158	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1915-1915	S3CD1Q14E6N		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		45	1. Yes
		1415	2. No
		35	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1916-1916	S3CD2Q14E6N		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		37	1. Yes
		1131	2. No
		31	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1917-1917	S3CD3Q14E6N		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		53	1. Yes
		1575	2. No
		32	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1918-1918	S3CD4Q14E6N		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		235	1. Yes
		1434	2. No
		49	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1919-1919	S3CD5Q14E6N		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		389	1. Yes
		7545	2. No
		140	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1920-1920	S3CD6Q14E6N		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		406	1. Yes
		2014	2. No
		64	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1921-1921	S3CD7Q14E6N		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		247	1. Yes
		1813	2. No
		53	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months

Tape	Location	Source Code	Frequency	Item value and description
1922-1922		S3CD8Q14E6N		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
			17	1. Yes
			622	2. No
			17	9. Unknown
			42437	BL. NA, did not use inhalants prior to last 12 months
1923-1923		S3CD9Q14E6N		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
			37	1. Yes
			104	2. No
			7	9. Unknown
			42945	BL. NA, did not use heroin prior to last 12 months
1924-1924		S3CD10Q14E6N		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
			9	1. Yes
			74	2. No
			2	9. Unknown
			43008	BL. NA, did not use other drug prior to last 12 months
1925-1925		S3CQ14A60		EVER HAVE UNPLEASANT DREAMS THAT SEEM REAL WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
			911	1. Yes
			8084	2. No
			145	9. Unknown
			33953	BL. NA, never or unknown if ever used drugs
1926-1926		S3CQ14B60		HAPPEN IN THE LAST 12 MONTHS
			190	1. Yes
			2239	2. No
			54	9. Unknown
			40610	BL. NA, did not use drugs in the last 12 months
1927-1927		S3CD1Q14C60		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
			23	1. Yes
			467	2. No
			10	9. Unknown
			42593	BL. NA, did not use sedatives in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1928-1928	S3CD2Q14C60		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		15	1. Yes
		326	2. No
		7	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1929-1929	S3CD3Q14C60		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		30	1. Yes
		647	2. No
		13	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1930-1930	S3CD4Q14C60		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		19	1. Yes
		164	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1931-1931	S3CD5Q14C60		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		82	1. Yes
		1498	2. No
		34	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1932-1932	S3CD6Q14C60		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		27	1. Yes
		186	2. No
		6	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1933-1933	S3CD7Q14C60		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		13	1. Yes
		180	2. No
		3	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1934-1934	S3CD8Q14C60		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1935-1935	S3CD9Q14C60		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		2	1. Yes
		9	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1936-1936	S3CD10Q14C60		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		7	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1937-1937	S3CQ14D60		HAPPEN PRIOR TO LAST 12 MONTHS
		851	1. Yes
		7946	2. No
		145	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1938-1938	S3CD1Q14E60		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		73	1. Yes
		1388	2. No
		34	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1939-1939	S3CD2Q14E60		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		52	1. Yes
		1118	2. No
		29	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1940-1940	S3CD3Q14E60		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		75	1. Yes
		1548	2. No
		37	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1941-1941	S3CD4Q14E60		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		134	1. Yes
		1535	2. No
		49	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1942-1942	S3CD5Q14E60		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		351	1. Yes
		7596	2. No
		127	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1943-1943	S3CD6Q14E60		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		246	1. Yes
		2171	2. No
		67	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1944-1944	S3CD7Q14E60		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		206	1. Yes
		1851	2. No
		56	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1945-1945	S3CD8Q14E60		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		21	1. Yes
		620	2. No
		15	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1946-1946	S3CD9Q14E60		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		31	1. Yes
		112	2. No
		5	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1947-1947	S3CD10Q14E60		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		5	1. Yes
		80	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1948-1948	S3CQ14A6P		EVER SEE, FEEL, HEAR THINGS WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		993	1. Yes
		8045	2. No
		102	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1949-1949	S3CQ14B6P		HAPPEN IN THE LAST 12 MONTHS
		149	1. Yes
		2296	2. No
		38	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1950-1950	S3CD1Q14C6P		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		13	1. Yes
		479	2. No
		8	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
1951-1951	S3CD2Q14C6P		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		7	1. Yes
		338	2. No
		3	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1952-1952	S3CD3Q14C6P		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		8	1. Yes
		674	2. No
		8	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1953-1953	S3CD4Q14C6P		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		15	1. Yes
		168	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1954-1954	S3CD5Q14C6P		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		64	1. Yes
		1528	2. No
		22	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1955-1955	S3CD6Q14C6P		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		17	1. Yes
		198	2. No
		4	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1956-1956	S3CD7Q14C6P		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		37	1. Yes
		157	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1957-1957	S3CD8Q14C6P		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
1958-1958	S3CD9Q14C6P		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		2	1. Yes
		9	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1959-1959	S3CD10Q14C6P		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		7	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1960-1960	S3CQ14D6P		HAPPEN PRIOR TO LAST 12 MONTHS
		939	1. Yes
		7902	2. No
		101	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1961-1961	S3CD1Q14E6P		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		35	1. Yes
		1436	2. No
		24	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1962-1962	S3CD2Q14E6P		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		26	1. Yes
		1155	2. No
		18	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1963-1963	S3CD3Q14E6P		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		41	1. Yes
		1597	2. No
		22	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1964-1964	S3CD4Q14E6P		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		132	1. Yes
		1558	2. No
		28	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
1965-1965	S3CD5Q14E6P		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		335	1. Yes
		7656	2. No
		83	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1966-1966	S3CD6Q14E6P		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		220	1. Yes
		2227	2. No
		37	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1967-1967	S3CD7Q14E6P		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		404	1. Yes
		1677	2. No
		32	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1968-1968	S3CD8Q14E6P		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		22	1. Yes
		627	2. No
		7	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1969-1969	S3CD9Q14E6P		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		22	1. Yes
		121	2. No
		5	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1970-1970	S3CD10Q14E6P		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		5	1. Yes
		80	2. No
		43008	BL. NA, did not use other drug prior to last 12 months
1971-1971	S3CQ14A6Q		EVER SHAKE WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		799	1. Yes
		8238	2. No
		103	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
1972-1972	S3CQ14B6Q		HAPPEN IN THE LAST 12 MONTHS
		117	1. Yes
		2334	2. No
		32	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
1973-1973	S3CD1Q14C6Q		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		14	1. Yes
		480	2. No
		6	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1974-1974	S3CD2Q14C6Q		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		15	1. Yes
		331	2. No
		2	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
1975-1975	S3CD3Q14C6Q		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		19	1. Yes
		665	2. No
		6	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
1976-1976	S3CD4Q14C6Q		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		26	1. Yes
		157	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
1977-1977	S3CD5Q14C6Q		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		33	1. Yes
		1561	2. No
		20	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
1978-1978	S3CD6Q14C6Q		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		23	1. Yes
		192	2. No
		4	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
1979-1979	S3CD7Q14C6Q		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		13	1. Yes
		181	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
1980-1980	S3CD8Q14C6Q		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
1981-1981	S3CD9Q14C6Q		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		4	1. Yes
		7	2. No
		43082	BL. NA, did not use heroin in the last 12 months
1982-1982	S3CD10Q14C6Q		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
1983-1983	S3CQ14D6Q		HAPPEN PRIOR TO LAST 12 MONTHS
		753	1. Yes
		8086	2. No
		103	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
1984-1984	S3CD1Q14E6Q		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		54	1. Yes
		1420	2. No
		21	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
1985-1985	S3CD2Q14E6Q		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		46	1. Yes
		1137	2. No
		16	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
1986-1986	S3CD3Q14E6Q		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		65	1. Yes
		1575	2. No
		20	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
1987-1987	S3CD4Q14E6Q		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		219	1. Yes
		1471	2. No
		28	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
1988-1988	S3CD5Q14E6Q		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		182	1. Yes
		7807	2. No
		85	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
1989-1989	S3CD6Q14E6Q		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		340	1. Yes
		2107	2. No
		37	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
1990-1990	S3CD7Q14E6Q		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		107	1. Yes
		1971	2. No
		35	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
1991-1991	S3CD8Q14E6Q		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		24	1. Yes
		626	2. No
		6	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
1992-1992	S3CD9Q14E6Q		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		37	1. Yes
		106	2. No
		5	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
1993-1993	S3CD10Q14E6Q		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		8	1. Yes
		77	2. No
		43008	BL. NA, did not use other drug prior to last 12 months

Tape	Location	Source Code	Frequency	Item value and description
1994-1994		S3CQ14A6R		EVER HAVE TROUBLE FALLING, STAYING ASLEEP WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
			1390	1. Yes
			7646	2. No
			104	9. Unknown
			33953	BL. NA, never or unknown if ever used drugs
1995-1995		S3CQ14B6R		HAPPEN IN THE LAST 12 MONTHS
			224	1. Yes
			2222	2. No
			37	9. Unknown
			40610	BL. NA, did not use drugs in the last 12 months
1996-1996		S3CD1Q14C6R		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
			32	1. Yes
			460	2. No
			8	9. Unknown
			42593	BL. NA, did not use sedatives in the last 12 months
1997-1997		S3CD2Q14C6R		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
			18	1. Yes
			327	2. No
			3	9. Unknown
			42745	BL. NA, did not use tranquilizers in the last 12 months
1998-1998		S3CD3Q14C6R		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
			29	1. Yes
			652	2. No
			9	9. Unknown
			42403	BL. NA, did not use opioids in the last 12 months
1999-1999		S3CD4Q14C6R		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
			33	1. Yes
			150	2. No
			4	9. Unknown
			42906	BL. NA, did not use amphetamines in the last 12 months

Tape	Location	Source Code	Frequency	Item value and description
2000-2000		S3CD5Q14C6R		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
			57	1. Yes
			1534	2. No
			23	9. Unknown
			41479	BL. NA, did not use cannabis in the last 12 months
2001-2001		S3CD6Q14C6R		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
			48	1. Yes
			166	2. No
			5	9. Unknown
			42874	BL. NA, did not use cocaine in the last 12 months
2002-2002		S3CD7Q14C6R		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
			29	1. Yes
			165	2. No
			2	9. Unknown
			42897	BL. NA, did not use hallucinogens in the last 12 months
2003-2003		S3CD8Q14C6R		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
			1	1. Yes
			38	2. No
			43054	BL. NA, did not use inhalants in the last 12 months
2004-2004		S3CD9Q14C6R		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
			2	1. Yes
			9	2. No
			43082	BL. NA, did not use heroin in the last 12 months
2005-2005		S3CD10Q14C6R		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
			8	2. No
			43085	BL. NA, did not use other drug in the last 12 months
2006-2006		S3CQ14D6R		HAPPEN PRIOR TO LAST 12 MONTHS
			1314	1. Yes
			7524	2. No
			104	9. Unknown
			34151	BL. NA, did not use drugs prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2007-2007	S3CD1Q14E6R		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		78	1. Yes
		1389	2. No
		28	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
2008-2008	S3CD2Q14E6R		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		50	1. Yes
		1128	2. No
		21	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
2009-2009	S3CD3Q14E6R		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		82	1. Yes
		1556	2. No
		22	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
2010-2010	S3CD4Q14E6R		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		345	1. Yes
		1340	2. No
		33	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
2011-2011	S3CD5Q14E6R		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		268	1. Yes
		7720	2. No
		86	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
2012-2012	S3CD6Q14E6R		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		617	1. Yes
		1830	2. No
		37	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months

Tape	Location	Source Code	Frequency	Item value and description
2013-2013		S3CD7Q14E6R		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
			272	1. Yes
			1808	2. No
			33	9. Unknown
			40980	BL. NA, did not use hallucinogens prior to last 12 months
2014-2014		S3CD8Q14E6R		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
			16	1. Yes
			633	2. No
			7	9. Unknown
			42437	BL. NA, did not use inhalants prior to last 12 months
2015-2015		S3CD9Q14E6R		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
			39	1. Yes
			105	2. No
			4	9. Unknown
			42945	BL. NA, did not use heroin prior to last 12 months
2016-2016		S3CD10Q14E6R		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
			6	1. Yes
			78	2. No
			1	9. Unknown
			43008	BL. NA, did not use other drug prior to last 12 months
2017-2017		S3CQ14A6S		EVER HAVE FITS, SEIZURES WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
			93	1. Yes
			8955	2. No
			92	9. Unknown
			33953	BL. NA, never or unknown if ever used drugs
2018-2018		S3CQ14B6S		HAPPEN IN THE LAST 12 MONTHS
			17	1. Yes
			2430	2. No
			36	9. Unknown
			40610	BL. NA, did not use drugs in the last 12 months

Tape	Location	Source Code	Frequency	Item value and description
2019-2019		S3CD1Q14C6S		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
			2	1. Yes
			491	2. No
			7	9. Unknown
			42593	BL. NA, did not use sedatives in the last 12 months
2020-2020		S3CD2Q14C6S		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
			2	1. Yes
			340	2. No
			6	9. Unknown
			42745	BL. NA, did not use tranquilizers in the last 12 months
2021-2021		S3CD3Q14C6S		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
			3	1. Yes
			677	2. No
			10	9. Unknown
			42403	BL. NA, did not use opioids in the last 12 months
2022-2022		S3CD4Q14C6S		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
			3	1. Yes
			179	2. No
			5	9. Unknown
			42906	BL. NA, did not use amphetamines in the last 12 months
2023-2023		S3CD5Q14C6S		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
			4	1. Yes
			1588	2. No
			22	9. Unknown
			41479	BL. NA, did not use cannabis in the last 12 months
2024-2024		S3CD6Q14C6S		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
			4	1. Yes
			209	2. No
			6	9. Unknown
			42874	BL. NA, did not use cocaine in the last 12 months

Tape	Location	Source Code	Frequency	Item value and description
2025-2025		S3CD7Q14C6S		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
			194	2. No
			2	9. Unknown
			42897	BL. NA, did not use hallucinogens in the last 12 months
2026-2026		S3CD8Q14C6S		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
			1	1. Yes
			38	2. No
			43054	BL. NA, did not use inhalants in the last 12 months
2027-2027		S3CD9Q14C6S		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
			11	2. No
			43082	BL. NA, did not use heroin in the last 12 months
2028-2028		S3CD10Q14C6S		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
			8	2. No
			43085	BL. NA, did not use other drug in the last 12 months
2029-2029		S3CQ14D6S		HAPPEN PRIOR TO LAST 12 MONTHS
			87	1. Yes
			8764	2. No
			91	9. Unknown
			34151	BL. NA, did not use drugs prior to last 12 months
2030-2030		S3CD1Q14E6S		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
			4	1. Yes
			1467	2. No
			24	9. Unknown
			41598	BL. NA, did not use sedatives prior to last 12 months
2031-2031		S3CD2Q14E6S		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
			7	1. Yes
			1171	2. No
			21	9. Unknown
			41894	BL. NA, did not use tranquilizers prior to last 12 months

Tape	Location	Source Code	Frequency	Item value and description
2032-2032		S3CD3Q14E6S		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
			8	1. Yes
			1630	2. No
			22	9. Unknown
			41433	BL. NA, did not use opioids prior to last 12 months
2033-2033		S3CD4Q14E6S		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
			10	1. Yes
			1682	2. No
			26	9. Unknown
			41375	BL. NA, did not use amphetamines prior to last 12 months
2034-2034		S3CD5Q14E6S		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
			28	1. Yes
			7973	2. No
			73	9. Unknown
			35019	BL. NA, did not use cannabis prior to last 12 months
2035-2035		S3CD6Q14E6S		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
			34	1. Yes
			2416	2. No
			34	9. Unknown
			40609	BL. NA, did not use cocaine prior to last 12 months
2036-2036		S3CD7Q14E6S		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
			12	1. Yes
			2072	2. No
			29	9. Unknown
			40980	BL. NA, did not use hallucinogens prior to last 12 months
2037-2037		S3CD8Q14E6S		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
			3	1. Yes
			643	2. No
			10	9. Unknown
			42437	BL. NA, did not use inhalants prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2038-2038	S3CD9Q14E6S		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		9	1. Yes
		134	2. No
		5	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
2039-2039	S3CD10Q14E6S		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		2	1. Yes
		82	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
2040-2040	S3CQ14A6T		EVER HAVE VERY BAD HEADACHES WHEN EFFECTS OF MEDICINE/DRUG WERE WEARING OFF
		888	1. Yes
		8146	2. No
		106	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
2041-2041	S3CQ14B6T		HAPPEN IN THE LAST 12 MONTHS
		177	1. Yes
		2268	2. No
		38	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
2042-2042	S3CD1Q14C6T		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		19	1. Yes
		474	2. No
		7	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
2043-2043	S3CD2Q14C6T		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		11	1. Yes
		331	2. No
		6	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2044-2044	S3CD3Q14C6T		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		31	1. Yes
		650	2. No
		9	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
2045-2045	S3CD4Q14C6T		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		22	1. Yes
		161	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
2046-2046	S3CD5Q14C6T		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		91	1. Yes
		1499	2. No
		24	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
2047-2047	S3CD6Q14C6T		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		25	1. Yes
		188	2. No
		6	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
2048-2048	S3CD7Q14C6T		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		12	1. Yes
		182	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
2049-2049	S3CD8Q14C6T		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		2	1. Yes
		37	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
2050-2050	S3CD9Q14C6T		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		1	1. Yes
		10	2. No
		43082	BL. NA, did not use heroin in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2051-2051	S3CD10Q14C6T		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
2052-2052	S3CQ14D6T		HAPPEN PRIOR TO LAST 12 MONTHS
		831	1. Yes
		8006	2. No
		105	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
2053-2053	S3CD1Q14E6T		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		57	1. Yes
		1411	2. No
		27	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
2054-2054	S3CD2Q14E6T		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		64	1. Yes
		1113	2. No
		22	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
2055-2055	S3CD3Q14E6T		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		94	1. Yes
		1541	2. No
		25	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
2056-2056	S3CD4Q14E6T		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		170	1. Yes
		1514	2. No
		34	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
2057-2057	S3CD5Q14E6T		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		375	1. Yes
		7615	2. No
		84	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2058-2058	S3CD6Q14E6T		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		305	1. Yes
		2139	2. No
		40	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
2059-2059	S3CD7Q14E6T		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		112	1. Yes
		1968	2. No
		33	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
2060-2060	S3CD8Q14E6T		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		45	1. Yes
		600	2. No
		11	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
2061-2061	S3CD9Q14E6T		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		24	1. Yes
		120	2. No
		4	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
2062-2062	S3CD10Q14E6T		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		6	1. Yes
		78	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
2063-2063	S3CQ14B6U		WITHDRAWAL SYMPTOMS IN LAST 12 MONTHS CAUSED SIGNIFICANT DISTRESS OR IMPAIRMENT IN SOCIAL, OCCUPATIONAL OR OTHER IMPORTANT AREAS
		199	1. Yes
		557	2. No
		3	9. Unknown
		42334	BL. NA, less than 2 withdrawal symptoms in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2064-2064	S3CD1Q14C6U		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		10	1. Yes
		71	2. No
		43012	BL. NA, less than 2 withdrawal symptoms/did not use sedatives in the last 12 months
2065-2065	S3CD2Q14C6U		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		15	1. Yes
		37	2. No
		43041	BL. NA, less than 2 withdrawal symptoms/did not use tranquilizers in the last 12 months
2066-2066	S3CD3Q14C6U		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		16	1. Yes
		98	2. No
		42979	BL. NA, less than 2 withdrawal symptoms/did not use opioids in the last 12 months
2067-2067	S3CD4Q14C6U		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		10	1. Yes
		51	2. No
		1	9. Unknown
		43031	BL. NA, less than 2 withdrawal symptoms/did not use amphetamines in the last 12 months
2068-2068	S3CD5Q14C6U		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		20	1. Yes
		450	2. No
		1	9. Unknown
		42622	BL. NA, less than 2 withdrawal symptoms/did not use cannabis in the last 12 months
2069-2069	S3CD6Q14C6U		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		20	1. Yes
		66	2. No
		1	9. Unknown
		43006	BL. NA, less than 2 withdrawal symptoms/did not use cocaine in the last 12 months
2070-2070	S3CD7Q14C6U		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		15	1. Yes
		54	2. No
		43024	BL. NA, less than 2 withdrawal symptoms/did not use hallucinogens in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2071-2071	S3CD8Q14C6U		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		1	1. Yes
		1	2. No
		43091	BL. NA, less than 2 withdrawal symptoms/did not use inhalants in the last 12 months
2072-2072	S3CD9Q14C6U		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		5	2. No
		43088	BL. NA, less than 2 withdrawal symptoms/did not use heroin in the last 12 months
2073-2073	S3CD10Q14C6U		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		1	2. No
		43091	BL. NA, less than 2 withdrawal symptoms/did not use other drug in the last 12 months
2074-2074	S3CQ14D6V		WITHDRAWAL SYMPTOMS PRIOR TO LAST 12 MONTHS CAUSED SIGNIFICANT DISTRESS OR IMPAIRMENT IN SOCIAL, OCCUPATIONAL OR OTHER IMPORTANT AREAS
		1038	1. Yes
		2688	2. No
		9	9. Unknown
		39358	BL. NA, less than 2 withdrawal symptoms prior to last 12 months
2075-2075	S3CD1Q14E6V		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		92	1. Yes
		205	2. No
		1	9. Unknown
		42795	BL. NA, less than 2 withdrawal symptoms/did not use sedatives prior to last 12 months
2076-2076	S3CD2Q14E6V		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		93	1. Yes
		160	2. No
		1	9. Unknown
		42839	BL. NA, less than 2 withdrawal symptoms/did not use tranquilizers prior to last 12 months
2077-2077	S3CD3Q14E6V		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		101	1. Yes
		210	2. No
		1	9. Unknown
		42781	BL. NA, less than 2 withdrawal symptoms/did not use opioids prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2078-2078	S3CD4Q14E6V		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		200	1. Yes
		440	2. No
		3	9. Unknown
		42450	BL. NA, less than 2 withdrawal symptoms/did not use amphetamines prior to last 12 months
2079-2079	S3CD5Q14E6V		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		256	1. Yes
		2264	2. No
		6	9. Unknown
		40567	BL. NA, less than 2 withdrawal symptoms/did not use cannabis prior to last 12 months
2080-2080	S3CD6Q14E6V		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		312	1. Yes
		739	2. No
		3	9. Unknown
		42039	BL. NA, less than 2 withdrawal symptoms/did not use cocaine prior to last 12 months
2081-2081	S3CD7Q14E6V		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		183	1. Yes
		434	2. No
		2	9. Unknown
		42474	BL. NA, less than 2 withdrawal symptoms/did not use hallucinogens prior to last 12 months
2082-2082	S3CD8Q14E6V		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		31	1. Yes
		48	2. No
		43014	BL. NA, less than 2 withdrawal symptoms/did not use inhalants prior to last 12 months
2083-2083	S3CD9Q14E6V		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		48	1. Yes
		43	2. No
		43002	BL. NA, less than 2 withdrawal symptoms/did not use heroin prior to last 12 months
2084-2084	S3CD10Q14E6V		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		13	1. Yes
		8	2. No
		43072	BL. NA, less than 2 withdrawal symptoms/did not use other drug prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2085-2085	S3CQ14A7		EVER TAKE MORE MEDICINE/DRUG TO AVOID BAD AFTEREFFECTS
		645	1. Yes
		8410	2. No
		85	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
2086-2086	S3CQ14B7		HAPPEN IN THE LAST 12 MONTHS
		100	1. Yes
		2351	2. No
		32	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
2087-2087	S3CD1Q14C7		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		16	1. Yes
		479	2. No
		5	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
2088-2088	S3CD2Q14C7		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		13	1. Yes
		331	2. No
		4	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
2089-2089	S3CD3Q14C7		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		27	1. Yes
		654	2. No
		9	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
2090-2090	S3CD4Q14C7		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		17	1. Yes
		166	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2091-2091	S3CD5Q14C7		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		37	1. Yes
		1557	2. No
		20	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
2092-2092	S3CD6Q14C7		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		21	1. Yes
		193	2. No
		5	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
2093-2093	S3CD7Q14C7		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		3	1. Yes
		191	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
2094-2094	S3CD8Q14C7		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		1	1. Yes
		38	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
2095-2095	S3CD9Q14C7		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		11	2. No
		43082	BL. NA, did not use heroin in the last 12 months
2096-2096	S3CD10Q14C7		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
2097-2097	S3CQ14D7		HAPPEN PRIOR TO LAST 12 MONTHS
		620	1. Yes
		8239	2. No
		83	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2098-2098	S3CD1Q14E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		62	1. Yes
		1411	2. No
		22	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
2099-2099	S3CD2Q14E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		62	1. Yes
		1120	2. No
		17	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
2100-2100	S3CD3Q14E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		92	1. Yes
		1550	2. No
		18	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
2101-2101	S3CD4Q14E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		163	1. Yes
		1532	2. No
		23	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
2102-2102	S3CD5Q14E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		237	1. Yes
		7768	2. No
		69	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
2103-2103	S3CD6Q14E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		275	1. Yes
		2176	2. No
		33	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2104-2104	S3CD7Q14E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		51	1. Yes
		2033	2. No
		29	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
2105-2105	S3CD8Q14E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		10	1. Yes
		638	2. No
		8	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
2106-2106	S3CD9Q14E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		47	1. Yes
		96	2. No
		5	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
2107-2107	S3CD10Q14E7		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		9	1. Yes
		75	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
2108-2108	S3CQ14A8		EVER FIND USUAL AMOUNT OF MEDICINE/DRUG HAD MUCH LESS EFFECT
		1297	1. Yes
		7733	2. No
		110	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
2109-2109	S3CQ14B8		HAPPEN IN THE LAST 12 MONTHS
		256	1. Yes
		2188	2. No
		39	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2110-2110	S3CD1Q14C8		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		30	1. Yes
		462	2. No
		8	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
2111-2111	S3CD2Q14C8		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		24	1. Yes
		320	2. No
		4	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
2112-2112	S3CD3Q14C8		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		51	1. Yes
		628	2. No
		11	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
2113-2113	S3CD4Q14C8		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		21	1. Yes
		162	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
2114-2114	S3CD5Q14C8		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		141	1. Yes
		1450	2. No
		23	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
2115-2115	S3CD6Q14C8		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		34	1. Yes
		180	2. No
		5	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2116-2116	S3CD7Q14C8		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		13	1. Yes
		181	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
2117-2117	S3CD8Q14C8		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
2118-2118	S3CD9Q14C8		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		2	1. Yes
		9	2. No
		43082	BL. NA, did not use heroin in the last 12 months
2119-2119	S3CD10Q14C8		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
2120-2120	S3CQ14D8		HAPPEN PRIOR TO LAST 12 MONTHS
		1206	1. Yes
		7625	2. No
		111	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
2121-2121	S3CD1Q14E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		102	1. Yes
		1363	2. No
		30	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
2122-2122	S3CD2Q14E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		84	1. Yes
		1094	2. No
		21	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2123-2123	S3CD3Q14E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		161	1. Yes
		1474	2. No
		25	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
2124-2124	S3CD4Q14E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		245	1. Yes
		1442	2. No
		31	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
2125-2125	S3CD5Q14E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		658	1. Yes
		7326	2. No
		90	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
2126-2126	S3CD6Q14E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		409	1. Yes
		2034	2. No
		41	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
2127-2127	S3CD7Q14E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		112	1. Yes
		1970	2. No
		31	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
2128-2128	S3CD8Q14E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		22	1. Yes
		627	2. No
		7	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2129-2129	S3CD9Q14E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		52	1. Yes
		91	2. No
		5	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
2130-2130	S3CD10Q14E8		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		13	1. Yes
		71	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
2131-2131	S3CQ14A9		EVER HAD TO USE MUCH MORE OF MEDICINE/DRUG TO GET THE EFFECT WANTED
		1341	1. Yes
		7702	2. No
		97	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
2132-2132	S3CQ14B9		HAPPEN IN THE LAST 12 MONTHS
		255	1. Yes
		2194	2. No
		34	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
2133-2133	S3CD1Q14C9		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		30	1. Yes
		464	2. No
		6	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
2134-2134	S3CD2Q14C9		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		22	1. Yes
		323	2. No
		3	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2135-2135	S3CD3Q14C9		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		53	1. Yes
		629	2. No
		8	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
2136-2136	S3CD4Q14C9		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		20	1. Yes
		163	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
2137-2137	S3CD5Q14C9		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		133	1. Yes
		1459	2. No
		22	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
2138-2138	S3CD6Q14C9		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		35	1. Yes
		179	2. No
		5	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
2139-2139	S3CD7Q14C9		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		17	1. Yes
		177	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
2140-2140	S3CD8Q14C9		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		39	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
2141-2141	S3CD9Q14C9		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		2	1. Yes
		9	2. No
		43082	BL. NA, did not use heroin in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2142-2142	S3CD10Q14C9		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		1	1. Yes
		7	2. No
		43085	BL. NA, did not use other drug in the last 12 months
2143-2143	S3CQ14D9		HAPPEN PRIOR TO LAST 12 MONTHS
		1251	1. Yes
		7593	2. No
		98	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
2144-2144	S3CD1Q14E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		110	1. Yes
		1357	2. No
		28	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
2145-2145	S3CD2Q14E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		97	1. Yes
		1082	2. No
		20	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
2146-2146	S3CD3Q14E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		170	1. Yes
		1468	2. No
		22	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
2147-2147	S3CD4Q14E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		260	1. Yes
		1428	2. No
		30	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
2148-2148	S3CD5Q14E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		664	1. Yes
		7329	2. No
		81	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2149-2149	S3CD6Q14E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		446	1. Yes
		2001	2. No
		37	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
2150-2150	S3CD7Q14E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		121	1. Yes
		1962	2. No
		30	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
2151-2151	S3CD8Q14E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		25	1. Yes
		624	2. No
		7	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
2152-2152	S3CD9Q14E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		59	1. Yes
		83	2. No
		6	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
2153-2153	S3CD10Q14E9		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		12	1. Yes
		72	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
2154-2154	S3CQ14A10		EVER GIVE UP OR CUT DOWN ON IMPORTANT ACTIVITIES TO USE MEDICINE/DRUG
		809	1. Yes
		8246	2. No
		85	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
2155-2155	S3CQ14B10		HAPPEN IN THE LAST 12 MONTHS
		100	1. Yes
		2351	2. No
		32	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2156-2156	S3CD1Q14C10		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		7	1. Yes
		487	2. No
		6	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
2157-2157	S3CD2Q14C10		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		9	1. Yes
		336	2. No
		3	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
2158-2158	S3CD3Q14C10		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		16	1. Yes
		666	2. No
		8	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
2159-2159	S3CD4Q14C10		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		13	1. Yes
		170	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
2160-2160	S3CD5Q14C10		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		43	1. Yes
		1550	2. No
		21	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
2161-2161	S3CD6Q14C10		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		28	1. Yes
		187	2. No
		4	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
2162-2162	S3CD7Q14C10		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		5	1. Yes
		189	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2163-2163	S3CD8Q14C10		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		1	1. Yes
		38	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
2164-2164	S3CD9Q14C10		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		2	1. Yes
		9	2. No
		43082	BL. NA, did not use heroin in the last 12 months
2165-2165	S3CD10Q14C10		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
2166-2166	S3CQ14D10		HAPPEN PRIOR TO LAST 12 MONTHS
		784	1. Yes
		8073	2. No
		85	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
2167-2167	S3CD1Q14E10		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		68	1. Yes
		1403	2. No
		24	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
2168-2168	S3CD2Q14E10		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		70	1. Yes
		1110	2. No
		19	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
2169-2169	S3CD3Q14E10		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		82	1. Yes
		1559	2. No
		19	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2170-2170	S3CD4Q14E10		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		170	1. Yes
		1524	2. No
		24	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
2171-2171	S3CD5Q14E10		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		400	1. Yes
		7604	2. No
		70	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
2172-2172	S3CD6Q14E10		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		364	1. Yes
		2088	2. No
		32	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
2173-2173	S3CD7Q14E10		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		103	1. Yes
		1984	2. No
		26	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
2174-2174	S3CD8Q14E10		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		26	1. Yes
		624	2. No
		6	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
2175-2175	S3CD9Q14E10		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		55	1. Yes
		89	2. No
		4	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2176-2176	S3CD10Q14E10		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		10	1. Yes
		74	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
2177-2177	S3CQ14A11		EVER GIVE UP OR CUT DOWN ON PLEASURABLE ACTIVITIES TO USE MEDICINE/DRUG
		701	1. Yes
		8353	2. No
		86	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs
2178-2178	S3CQ14B11		HAPPEN IN THE LAST 12 MONTHS
		88	1. Yes
		2362	2. No
		33	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
2179-2179	S3CD1Q14C11		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		8	1. Yes
		487	2. No
		5	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
2180-2180	S3CD2Q14C11		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		7	1. Yes
		338	2. No
		3	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
2181-2181	S3CD3Q14C11		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		15	1. Yes
		667	2. No
		8	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2182-2182	S3CD4Q14C11		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		10	1. Yes
		173	2. No
		4	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
2183-2183	S3CD5Q14C11		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		36	1. Yes
		1556	2. No
		22	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
2184-2184	S3CD6Q14C11		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		25	1. Yes
		189	2. No
		5	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
2185-2185	S3CD7Q14C11		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		2	1. Yes
		192	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
2186-2186	S3CD8Q14C11		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		1	1. Yes
		38	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
2187-2187	S3CD9Q14C11		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		1	1. Yes
		10	2. No
		43082	BL. NA, did not use heroin in the last 12 months
2188-2188	S3CD10Q14C11		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2189-2189	S3CQ14D11		HAPPEN PRIOR TO LAST 12 MONTHS
		679	1. Yes
		8177	2. No
		86	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
2190-2190	S3CD1Q14E11		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		64	1. Yes
		1408	2. No
		23	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
2191-2191	S3CD2Q14E11		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		55	1. Yes
		1126	2. No
		18	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
2192-2192	S3CD3Q14E11		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		75	1. Yes
		1567	2. No
		18	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
2193-2193	S3CD4Q14E11		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		155	1. Yes
		1538	2. No
		25	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
2194-2194	S3CD5Q14E11		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		318	1. Yes
		7686	2. No
		70	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2195-2195	S3CD6Q14E11		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		342	1. Yes
		2110	2. No
		32	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
2196-2196	S3CD7Q14E11		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		90	1. Yes
		1997	2. No
		26	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
2197-2197	S3CD8Q14E11		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		28	1. Yes
		622	2. No
		6	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
2198-2198	S3CD9Q14E11		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		52	1. Yes
		92	2. No
		4	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months
2199-2199	S3CD10Q14E11		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		10	1. Yes
		74	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
2200-2200	S3CQ14A12		EVER CONTINUE TO USE MEDICINE/DRUG EVEN THOUGH MADE DEPRESSED, UNINTERESTED IN THINGS OR SUSPICIOUS OR DISTRUSTFUL OF OTHER PEOPLE
		1060	1. Yes
		7983	2. No
		97	9. Unknown
		33953	BL. NA, never or unknown if ever used drugs

Tape Location	Source Code	Frequency	Item value and description
2201-2201	S3CQ14B12		HAPPEN IN THE LAST 12 MONTHS
		162	1. Yes
		2284	2. No
		37	9. Unknown
		40610	BL. NA, did not use drugs in the last 12 months
2202-2202	S3CD1Q14C12		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
		10	1. Yes
		482	2. No
		8	9. Unknown
		42593	BL. NA, did not use sedatives in the last 12 months
2203-2203	S3CD2Q14C12		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		13	1. Yes
		329	2. No
		6	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
2204-2204	S3CD3Q14C12		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		19	1. Yes
		661	2. No
		10	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
2205-2205	S3CD4Q14C12		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		18	1. Yes
		164	2. No
		5	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
2206-2206	S3CD5Q14C12		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		92	1. Yes
		1500	2. No
		22	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2207-2207	S3CD6Q14C12		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		36	1. Yes
		177	2. No
		6	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
2208-2208	S3CD7Q14C12		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		8	1. Yes
		186	2. No
		2	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months
2209-2209	S3CD8Q14C12		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		3	1. Yes
		36	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
2210-2210	S3CD9Q14C12		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		3	1. Yes
		8	2. No
		43082	BL. NA, did not use heroin in the last 12 months
2211-2211	S3CD10Q14C12		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
2212-2212	S3CQ14D12		HAPPEN PRIOR TO LAST 12 MONTHS
		1013	1. Yes
		7833	2. No
		96	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
2213-2213	S3CD1Q14E12		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		80	1. Yes
		1390	2. No
		25	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2214-2214	S3CD2Q14E12		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		81	1. Yes
		1099	2. No
		19	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
2215-2215	S3CD3Q14E12		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		99	1. Yes
		1540	2. No
		21	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months
2216-2216	S3CD4Q14E12		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		224	1. Yes
		1466	2. No
		28	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
2217-2217	S3CD5Q14E12		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		513	1. Yes
		7481	2. No
		80	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
2218-2218	S3CD6Q14E12		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		457	1. Yes
		1989	2. No
		38	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
2219-2219	S3CD7Q14E12		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		121	1. Yes
		1962	2. No
		30	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months

Tape	Location	Source Code	Frequency	Item value and description
2220-2220		S3CD8Q14E12		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
			35	1. Yes
			614	2. No
			7	9. Unknown
			42437	BL. NA, did not use inhalants prior to last 12 months
2221-2221		S3CD9Q14E12		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
			52	1. Yes
			92	2. No
			4	9. Unknown
			42945	BL. NA, did not use heroin prior to last 12 months
2222-2222		S3CD10Q14E12		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
			9	1. Yes
			75	2. No
			1	9. Unknown
			43008	BL. NA, did not use other drug prior to last 12 months
2223-2223		S3CQ14A13		EVER CONTINUE TO USE MEDICINE/DRUG EVEN THOUGH CAUSING HEALTH PROBLEM
			1105	1. Yes
			7937	2. No
			98	9. Unknown
			33953	BL. NA, never or unknown if ever used drugs
2224-2224		S3CQ14B13		HAPPEN IN THE LAST 12 MONTHS
			216	1. Yes
			2227	2. No
			40	9. Unknown
			40610	BL. NA, did not use drugs in the last 12 months
2225-2225		S3CD1Q14C13		HAPPEN IN THE LAST 12 MONTHS WITH SEDATIVES
			16	1. Yes
			475	2. No
			9	9. Unknown
			42593	BL. NA, did not use sedatives in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2226-2226	S3CD2Q14C13		HAPPEN IN THE LAST 12 MONTHS WITH TRANQUILIZERS
		17	1. Yes
		326	2. No
		5	9. Unknown
		42745	BL. NA, did not use tranquilizers in the last 12 months
2227-2227	S3CD3Q14C13		HAPPEN IN THE LAST 12 MONTHS WITH OPIOIDS
		24	1. Yes
		655	2. No
		11	9. Unknown
		42403	BL. NA, did not use opioids in the last 12 months
2228-2228	S3CD4Q14C13		HAPPEN IN THE LAST 12 MONTHS WITH AMPHETAMINES
		18	1. Yes
		163	2. No
		6	9. Unknown
		42906	BL. NA, did not use amphetamines in the last 12 months
2229-2229	S3CD5Q14C13		HAPPEN IN THE LAST 12 MONTHS WITH CANNABIS
		148	1. Yes
		1439	2. No
		27	9. Unknown
		41479	BL. NA, did not use cannabis in the last 12 months
2230-2230	S3CD6Q14C13		HAPPEN IN THE LAST 12 MONTHS WITH COCAINE
		33	1. Yes
		180	2. No
		6	9. Unknown
		42874	BL. NA, did not use cocaine in the last 12 months
2231-2231	S3CD7Q14C13		HAPPEN IN THE LAST 12 MONTHS WITH HALLUCINOGENS
		13	1. Yes
		179	2. No
		4	9. Unknown
		42897	BL. NA, did not use hallucinogens in the last 12 months

Tape Location	Source Code	Frequency	Item value and description
2232-2232	S3CD8Q14C13		HAPPEN IN THE LAST 12 MONTHS WITH INHALANTS
		3	1. Yes
		36	2. No
		43054	BL. NA, did not use inhalants in the last 12 months
2233-2233	S3CD9Q14C13		HAPPEN IN THE LAST 12 MONTHS WITH HEROIN
		3	1. Yes
		8	2. No
		43082	BL. NA, did not use heroin in the last 12 months
2234-2234	S3CD10Q14C13		HAPPEN IN THE LAST 12 MONTHS WITH OTHER DRUG
		8	2. No
		43085	BL. NA, did not use other drug in the last 12 months
2235-2235	S3CQ14D13		HAPPEN PRIOR TO LAST 12 MONTHS
		1064	1. Yes
		7780	2. No
		98	9. Unknown
		34151	BL. NA, did not use drugs prior to last 12 months
2236-2236	S3CD1Q14E13		HAPPEN PRIOR TO LAST 12 MONTHS WITH SEDATIVES
		98	1. Yes
		1369	2. No
		28	9. Unknown
		41598	BL. NA, did not use sedatives prior to last 12 months
2237-2237	S3CD2Q14E13		HAPPEN PRIOR TO LAST 12 MONTHS WITH TRANQUILIZERS
		95	1. Yes
		1081	2. No
		23	9. Unknown
		41894	BL. NA, did not use tranquilizers prior to last 12 months
2238-2238	S3CD3Q14E13		HAPPEN PRIOR TO LAST 12 MONTHS WITH OPIOIDS
		119	1. Yes
		1518	2. No
		23	9. Unknown
		41433	BL. NA, did not use opioids prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2239-2239	S3CD4Q14E13		HAPPEN PRIOR TO LAST 12 MONTHS WITH AMPHETAMINES
		243	1. Yes
		1444	2. No
		31	9. Unknown
		41375	BL. NA, did not use amphetamines prior to last 12 months
2240-2240	S3CD5Q14E13		HAPPEN PRIOR TO LAST 12 MONTHS WITH CANNABIS
		612	1. Yes
		7379	2. No
		83	9. Unknown
		35019	BL. NA, did not use cannabis prior to last 12 months
2241-2241	S3CD6Q14E13		HAPPEN PRIOR TO LAST 12 MONTHS WITH COCAINE
		441	1. Yes
		2003	2. No
		40	9. Unknown
		40609	BL. NA, did not use cocaine prior to last 12 months
2242-2242	S3CD7Q14E13		HAPPEN PRIOR TO LAST 12 MONTHS WITH HALLUCINOGENS
		138	1. Yes
		1940	2. No
		35	9. Unknown
		40980	BL. NA, did not use hallucinogens prior to last 12 months
2243-2243	S3CD8Q14E13		HAPPEN PRIOR TO LAST 12 MONTHS WITH INHALANTS
		40	1. Yes
		608	2. No
		8	9. Unknown
		42437	BL. NA, did not use inhalants prior to last 12 months
2244-2244	S3CD9Q14E13		HAPPEN PRIOR TO LAST 12 MONTHS WITH HEROIN
		55	1. Yes
		89	2. No
		4	9. Unknown
		42945	BL. NA, did not use heroin prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2245-2245	S3CD10Q14E13		HAPPEN PRIOR TO LAST 12 MONTHS WITH OTHER DRUG
		13	1. Yes
		71	2. No
		1	9. Unknown
		43008	BL. NA, did not use other drug prior to last 12 months
2246-2246	S3CD1Q15A		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH SEDATIVES WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD
		108	1. Yes
		62	2. No
		10	9. Unknown
		42913	BL. NA, did not meet symptom criteria for lifetime sedative dependence
2247-2247	S3CD2Q15A		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH TRANQUILIZERS WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD
		97	1. Yes
		57	2. No
		11	9. Unknown
		42928	BL. NA, did not meet symptom criteria for lifetime tranquilizer dependence
2248-2248	S3CD3Q15A		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH OPIOIDS WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD
		132	1. Yes
		95	2. No
		17	9. Unknown
		42849	BL. NA, did not meet symptom criteria for lifetime opioid dependence
2249-2249	S3CD4Q15A		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH AMPHETAMINES WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD
		251	1. Yes
		134	2. No
		14	9. Unknown
		42694	BL. NA, did not meet symptom criteria for lifetime amphetamine dependence
2250-2250	S3CD5Q15A		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH CANNABIS WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD
		646	1. Yes
		490	2. No
		36	9. Unknown
		41921	BL. NA, did not meet symptom criteria for lifetime cannabis dependence

Tape Location	Source Code	Frequency	Item value and description
2251-2251	S3CD6Q15A		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH COCAINE WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD
		421	1. Yes
		256	2. No
		33	9. Unknown
		42383	BL. NA, did not meet symptom criteria for lifetime cocaine dependence
2252-2252	S3CD7Q15A		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH HALLUCINOGENS WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD
		130	1. Yes
		117	2. No
		14	9. Unknown
		42832	BL. NA, did not meet symptom criteria for lifetime hallucinogen dependence
2253-2253	S3CD8Q15A		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH INHALANTS WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD
		27	1. Yes
		30	2. No
		6	9. Unknown
		43030	BL. NA, did not meet symptom criteria for lifetime inhalant dependence
2254-2254	S3CD9Q15A		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH HEROIN WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD
		50	1. Yes
		20	2. No
		11	9. Unknown
		43012	BL. NA, did not meet symptom criteria for lifetime heroin dependence
2255-2255	S3CD10Q15A		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WITH OTHER DRUG WERE HAPPENING AROUND THE SAME TIME FOR A MONTH OR WITHIN THE SAME 1-YEAR PERIOD
		10	1. Yes
		7	2. No
		2	9. Unknown
		43074	BL. NA, did not meet symptom criteria for lifetime other drug dependence
2256-2257	S3CD1Q15B		AGE AT ONSET OF SEDATIVE DEPENDENCE
		105	13-73. Age
		3	99. Unknown
		42985	BL. NA, did not meet symptom and/or duration criteria for lifetime sedative dependence

Tape Location	Source Code	Frequency	Item value and description
2258-2259	S3CD2Q15B		AGE AT ONSET OF TRANQUILIZER DEPENDENCE
		97 42996	11-63. Age BL. NA, did not meet symptom and/or duration criteria for lifetime tranquilizer dependence
2260-2261	S3CD3Q15B		AGE AT ONSET OF OPIOID DEPENDENCE
		131 1 42961	11-67. Age 99. Unknown BL. NA, did not meet symptom and/or duration criteria for lifetime opioid dependence
2262-2263	S3CD4Q15B		AGE AT ONSET OF AMPHETAMINE DEPENDENCE
		247 4 42842	13-50. Age 99. Unknown BL. NA, did not meet symptom and/or duration criteria for lifetime amphetamine dependence
2264-2265	S3CD5Q15B		AGE AT ONSET OF CANNABIS DEPENDENCE
		637 9 42447	7-59. Age 99. Unknown BL. NA, did not meet symptom and/or duration criteria for lifetime cannabis dependence
2266-2267	S3CD6Q15B		AGE AT ONSET OF COCAINE DEPENDENCE
		407 14 42672	10-48. Age 99. Unknown BL. NA, did not meet symptom and/or duration criteria for lifetime cocaine dependence
2268-2269	S3CD7Q15B		AGE AT ONSET OF HALLUCINOGEN DEPENDENCE
		127 3 42963	9-35. Age 99. Unknown BL. NA, did not meet symptom and/or duration criteria for lifetime hallucinogen dependence
2270-2271	S3CD8Q15B		AGE AT ONSET OF INHALANT DEPENDENCE
		26 1 43066	9-31. Age 99. Unknown BL. NA, did not meet symptom and/or duration criteria for lifetime inhalant dependence

Tape Location	Source Code	Frequency	Item value and description
2272-2273	S3CD9Q15B		AGE AT ONSET OF HEROIN DEPENDENCE
		50	10-62. Age
		43043	BL. NA, did not meet symptom and/or duration criteria for lifetime heroin dependence
2274-2275	S3CD10Q15B		AGE AT ONSET OF OTHER DRUG DEPENDENCE
		10	15-32. Age
		43083	BL. NA, did not meet symptom and/or duration criteria for lifetime other drug dependence
2276-2277	S3CD1Q15C		NUMBER OF EPISODES OF SEDATIVE DEPENDENCE
		102	1-10. Separate periods
		6	99. Unknown
		42985	BL. NA, did not meet symptom and/or duration criteria for lifetime sedative dependence
2278-2279	S3CD2Q15C		NUMBER OF EPISODES OF TRANQUILIZER DEPENDENCE
		91	1-14. Separate periods
		6	99. Unknown
		42996	BL. NA, did not meet symptom and/or duration criteria for lifetime tranquilizer dependence
2280-2281	S3CD3Q15C		NUMBER OF EPISODES OF OPIOID DEPENDENCE
		128	1-39. Separate periods
		4	99. Unknown
		42961	BL. NA, did not meet symptom and/or duration criteria for lifetime opioid dependence
2282-2283	S3CD4Q15C		NUMBER OF EPISODES OF AMPHETAMINE DEPENDENCE
		241	1-50. Separate periods
		10	99. Unknown
		42842	BL. NA, did not meet symptom and/or duration criteria for lifetime amphetamine dependence
2284-2285	S3CD5Q15C		NUMBER OF EPISODES OF CANNABIS DEPENDENCE
		620	1-98. Separate periods
		26	99. Unknown
		42447	BL. NA, did not meet symptom and/or duration criteria for lifetime cannabis dependence

Tape Location	Source Code	Frequency	Item value and description
2286-2287	S3CD6Q15C		NUMBER OF EPISODES OF COCAINE DEPENDENCE
		400	1-98. Separate periods
		21	99. Unknown
		42672	BL. NA, did not meet symptom and/or duration criteria for lifetime cocaine dependence
2288-2289	S3CD7Q15C		NUMBER OF EPISODES OF HALLUCINOGEN DEPENDENCE
		124	1-98. Separate periods
		6	99. Unknown
		42963	BL. NA, did not meet symptom and/or duration criteria for lifetime hallucinogen dependence
2290-2291	S3CD8Q15C		NUMBER OF EPISODES OF INHALANT DEPENDENCE
		24	1-98. Separate periods
		3	99. Unknown
		43066	BL. NA, did not meet symptom and/or duration criteria for lifetime inhalant dependence
2292-2293	S3CD9Q15C		NUMBER OF EPISODES OF HEROIN DEPENDENCE
		49	1-98. Separate periods
		1	99. Unknown
		43043	BL. NA, did not meet symptom and/or duration criteria for lifetime heroin dependence
2294-2295	S3CD10Q15C		NUMBER OF EPISODES OF OTHER DRUG DEPENDENCE
		10	1-3. Separate periods
		43083	BL. NA, did not meet symptom and/or duration criteria for lifetime other drug dependence
2296-2298	S3CD1Q15DR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF SEDATIVE DEPENDENCE (BASED ON S3CD1Q15F IF ONLY 1 EPISODE)
		103	1-300. Months
		5	999. Unknown
		42985	BL. NA, did not meet symptom and/or duration criteria for lifetime sedative dependence

Tape Location	Source Code	Frequency	Item value and description
2299-2301	S3CD2Q15DR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF TRANQUILIZER DEPENDENCE (BASED ON S3CD2Q15F IF ONLY 1 EPISODE)
		93	1-360. Months
		4	999. Unknown
		42996	BL. NA, did not meet symptom and/or duration criteria for lifetime tranquilizer dependence
2302-2304	S3CD3Q15DR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF OPIOID DEPENDENCE (BASED ON S3CD3Q15F IF ONLY 1 EPISODE)
		128	1-300. Months
		4	999. Unknown
		42961	BL. NA, did not meet symptom and/or duration criteria for lifetime opioid dependence
2305-2307	S3CD4Q15DR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF AMPHETAMINE DEPENDENCE (BASED ON S3CD4Q15F IF ONLY 1 EPISODE)
		245	1-300. Months
		6	999. Unknown
		42842	BL. NA, did not meet symptom and/or duration criteria for lifetime amphetamine dependence
2308-2310	S3CD5Q15DR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF CANNABIS DEPENDENCE (BASED ON S3CD5Q15F IF ONLY 1 EPISODE)
		626	1-360. Months
		20	999. Unknown
		42447	BL. NA, did not meet symptom and/or duration criteria for lifetime cannabis dependence
2311-2313	S3CD6Q15DR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF COCAINE DEPENDENCE (BASED ON S3CD6Q15F IF ONLY 1 EPISODE)
		407	1-300. Months
		14	999. Unknown
		42672	BL. NA, did not meet symptom and/or duration criteria for lifetime cocaine dependence
2314-2316	S3CD7Q15DR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF HALLUCINOGEN DEPENDENCE (BASED ON S3CD7Q15F IF ONLY 1 EPISODE)
		127	1-384. Months
		3	999. Unknown
		42963	BL. NA, did not meet symptom and/or duration criteria for lifetime hallucinogen dependence

Tape Location	Source Code	Frequency	Item value and description
2317-2319	S3CD8Q15DR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF INHALANT DEPENDENCE (BASED ON S3CD8Q15F IF ONLY 1 EPISODE)
		26	1-240. Months
		1	999. Unknown
		43066	BL. NA, did not meet symptom and/or duration criteria for lifetime inhalant dependence
2320-2322	S3CD9Q15DR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF HEROIN DEPENDENCE (BASED ON S3CD9Q15F IF ONLY 1 EPISODE)
		50	1-360. Months
		43043	BL. NA, did not meet symptom and/or duration criteria for lifetime heroin dependence
2323-2325	S3CD10Q15DR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF OTHER DRUG DEPENDENCE (BASED ON S3CD10Q15F IF ONLY 1 EPISODE)
		10	1-180. Months
		43083	BL. NA, did not meet symptom and/or duration criteria for lifetime other drug dependence
2326-2327	S3CD1Q15ER		AGE AT MOST RECENT/ONLY EPISODE OF SEDATIVE DEPENDENCE (BASED ON S3CD1Q15B IF ONLY 1 EPISODE)
		104	14-73. Age
		4	99. Unknown
		42985	BL. NA, did not meet symptom and/or duration criteria for lifetime sedative dependence
2328-2329	S3CD2Q15ER		AGE AT MOST RECENT/ONLY EPISODE OF TRANQUILIZER DEPENDENCE (BASED ON S3CD2Q15B IF ONLY 1 EPISODE)
		95	11-69. Age
		2	99. Unknown
		42996	BL. NA, did not meet symptom and/or duration criteria for lifetime tranquilizer dependence
2330-2331	S3CD3Q15ER		AGE AT MOST RECENT/ONLY EPISODE OF OPIOID DEPENDENCE (BASED ON S3CD3Q15B IF ONLY 1 EPISODE)
		131	11-67. Age
		1	99. Unknown
		42961	BL. NA, did not meet symptom and/or duration criteria for lifetime opioid dependence

Tape Location	Source Code	Frequency	Item value and description
2332-2333	S3CD4Q15ER		AGE AT MOST RECENT/ONLY EPISODE OF AMPHETAMINE DEPENDENCE (BASED ON S3CD4Q15B IF ONLY 1 EPISODE)
		247	13-50. Age
		4	99. Unknown
		42842	BL. NA, did not meet symptom and/or duration criteria for lifetime amphetamine dependence
2334-2335	S3CD5Q15ER		AGE AT MOST RECENT/ONLY EPISODE OF CANNABIS DEPENDENCE (BASED ON S3CD5Q15B IF ONLY 1 EPISODE)
		629	7-59. Age
		17	99. Unknown
		42447	BL. NA, did not meet symptom and/or duration criteria for lifetime cannabis dependence
2336-2337	S3CD6Q15ER		AGE AT MOST RECENT/ONLY EPISODE OF CRACK OR COCAINE DEPENDENCE (BASED ON S3CD6Q15B IF ONLY 1 EPISODE)
		408	10-52. Age
		13	99. Unknown
		42672	BL. NA, did not meet symptom and/or duration criteria for lifetime cocaine dependence
2338-2339	S3CD7Q15ER		AGE AT MOST RECENT/ONLY EPISODE OF HALLUCINOGEN DEPENDENCE (BASED ON S3CD7Q15B IF ONLY 1 EPISODE)
		127	14-48. Age
		3	99. Unknown
		42963	BL. NA, did not meet symptom and/or duration criteria for lifetime hallucinogen dependence
2340-2341	S3CD8Q15ER		AGE AT MOST RECENT/ONLY EPISODE OF INHALANT DEPENDENCE (BASED ON S3CD8Q15B IF ONLY 1 EPISODE)
		25	11-48. Age
		2	99. Unknown
		43066	BL. NA, did not meet symptom and/or duration criteria for lifetime inhalant dependence
2342-2343	S3CD9Q15ER		AGE AT MOST RECENT/ONLY EPISODE OF HEROIN DEPENDENCE (BASED ON S3CD9Q15B IF ONLY 1 EPISODE)
		50	14-62. Age
		43043	BL. NA, did not meet symptom and/or duration criteria for lifetime heroin dependence

Tape Location	Source Code	Frequency	Item value and description
2344-2345	S3CD10Q15ER		AGE AT MOST RECENT/ONLY EPISODE OF OTHER DRUG DEPENDENCE (BASED ON S3CD10Q15B IF ONLY 1 EPISODE)
		10 43083	15-35. Age BL. NA, did not meet symptom and/or duration criteria for lifetime other drug dependence
2346-2347	S3CD1Q15G		AGE AT FULL REMISSION OF SEDATIVE DEPENDENCE
		71 2 43020	15-52. Age 99. Unknown BL. NA, did not meet symptom and/or duration criteria for lifetime sedative dependence; had 1+ symptoms of sedative dependence or abuse in last 12 months
2348-2349	S3CD2Q15G		AGE AT FULL REMISSION OF TRANQUILIZER DEPENDENCE
		74 2 43017	11-71. Age 99. Unknown BL. NA, did not meet symptom and/or duration criteria for lifetime tranquilizer dependence; had 1+ symptoms of tranquilizer dependence or abuse in last 12 months
2350-2351	S3CD3Q15G		AGE AT FULL REMISSION OF OPIOID DEPENDENCE
		80 1 43012	15-52. Age 99. Unknown BL. NA, did not meet symptom and/or duration criteria for lifetime opioid dependence; had 1+ symptoms of opioid dependence or abuse in last 12 months
2352-2353	S3CD4Q15G		AGE AT FULL REMISSION OF AMPHETAMINE DEPENDENCE
		218 1 42874	13-52. Age 99. Unknown BL. NA, did not meet symptom and/or duration criteria for lifetime amphetamine dependence; had 1+ symptoms of amphetamine dependence or abuse in last 12 months
2354-2355	S3CD5Q15G		AGE AT FULL REMISSION OF CANNABIS DEPENDENCE
		442 5 42646	11-52. Age 99. Unknown BL. NA, did not meet symptom and/or duration criteria for lifetime cannabis dependence; had 1+ symptoms of cannabis dependence or abuse in last 12 months

Tape Location	Source Code	Frequency	Item value and description
2356-2357	S3CD6Q15G		AGE AT FULL REMISSION OF COCAINE DEPENDENCE
		368	14-53. Age
		7	99. Unknown
		42718	BL. NA, did not meet symptom and/or duration criteria for lifetime cocaine dependence; had 1+ symptoms of cocaine dependence or abuse in last 12 months
2358-2359	S3CD7Q15G		AGE AT FULL REMISSION OF HALLUCINOGEN DEPENDENCE
		109	16-52. Age
		3	99. Unknown
		42981	BL. NA, did not meet symptom and/or duration criteria for lifetime hallucinogen dependence; had 1+ symptoms of hallucinogen dependence or abuse in last 12 months
2360-2361	S3CD8Q15G		AGE AT FULL REMISSION OF INHALANT DEPENDENCE
		24	12-52. Age
		1	99. Unknown
		43068	BL. NA, did not meet symptom and/or duration criteria for lifetime inhalant dependence; had 1+ symptoms of inhalant dependence or abuse in last 12 months
2362-2363	S3CD9Q15G		AGE AT FULL REMISSION OF HEROIN DEPENDENCE
		47	14-64. Age
		43046	BL. NA, did not meet symptom and/or duration criteria for lifetime heroin dependence; had 1+ symptoms of heroin dependence or abuse in last 12 months
2364-2365	S3CD10Q15G		AGE AT FULL REMISSION OF OTHER DRUG DEPENDENCE
		9	15-40. Age
		43084	BL. NA, did not meet symptom and/or duration criteria for lifetime other drug dependence; had 1+ symptoms of other drug dependence or abuse in last 12 months
SECTION 3D: DRUG TREATMENT UTILIZATION			
2366-2366	S3DQ1		EVER SOUGHT HELP BECAUSE OF MEDICINE OR DRUG USE
		785	1. Yes
		8278	2. No
		77	9. Unknown
		33953	BL. NA, lifetime non drug user

Tape Location	Source Code	Frequency	Item value and description
2367-2367	S3DQ2A1		EVER WENT TO NARCOTICS/COCAINE/ALCOHOLICS ANONYMOUS OR ANY 12-STEP MEETING
		484	1. Yes
		290	2. No
		11	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2368-2368	S3DQ2B1		WHEN WENT TO NARCOTICS/COCAINE/ALCOHOLICS ANONYMOUS OR ANY 12-STEP MEETING
		29	1. During the last 12 months only
		309	2. Before the last 12 months only
		146	3. During both time periods
		42609	BL. NA, never or unknown if ever went to anonymous meeting or any 12-step meeting
2369-2369	S3DQ2A2		EVER WENT TO FAMILY SERVICES OR OTHER SOCIAL SERVICE AGENCY
		174	1. Yes
		600	2. No
		11	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2370-2370	S3DQ2B2		WHEN WENT TO FAMILY SERVICES OR OTHER SOCIAL SERVICE AGENCY
		10	1. During the last 12 months only
		131	2. Before the last 12 months only
		33	3. During both time periods
		42919	BL. NA, never or unknown if ever went to family services or other social service agency
2371-2371	S3DQ2A3		EVER WENT TO DRUG/ALCOHOL DETOXIFICATION WARD/CLINIC
		298	1. Yes
		477	2. No
		10	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2372-2372	S3DQ2B3		WHEN WENT TO DRUG/ALCOHOL DETOXIFICATION WARD/CLINIC
		22	1. During the last 12 months only
		247	2. Before the last 12 months only
		29	3. During both time periods
		42795	BL. NA, never or unknown if ever went to alcohol/drug detoxification ward/clinic

Tape Location	Source Code	Frequency	Item value and description
2373-2373	S3DQ2A4		EVER WENT TO INPATIENT WARD OF PSYCHIATRIC/GENERAL HOSPITAL OR COMMUNITY MENTAL HEALTH PROGRAM
		255	1. Yes
		521	2. No
		9	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2374-2374	S3DQ2B4		WHEN WENT TO INPATIENT WARD OF PSYCHIATRIC/GENERAL HOSPITAL OR COMMUNITY MENTAL HEALTH PROGRAM
		23	1. During the last 12 months only
		200	2. Before the last 12 months only
		32	3. During both time periods
		42838	BL. NA, never or unknown if ever went to inpatient ward
2375-2375	S3DQ2A5		EVER WENT TO OUTPATIENT CLINIC, INCLUDING OUTREACH AND DAY/PARTIAL PATIENT PROGRAM
		288	1. Yes
		488	2. No
		9	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2376-2376	S3DQ2B5		WHEN WENT TO OUTPATIENT CLINIC, INCLUDING OUTREACH AND DAY/PARTIAL PATIENT PROGRAM
		27	1. During the last 12 months only
		214	2. Before the last 12 months only
		47	3. During both time periods
		42805	BL. NA, never or unknown if ever went to outpatient clinic
2377-2377	S3DQ2A6		EVER WENT TO DRUG/ALCOHOL REHABILITATION PROGRAM
		384	1. Yes
		392	2. No
		9	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2378-2378	S3DQ2B6		WHEN WENT TO DRUG/ALCOHOL REHABILITATION PROGRAM
		26	1. During the last 12 months only
		308	2. Before the last 12 months only
		50	3. During both time periods
		42709	BL. NA, never or unknown if ever went to alcohol/drug rehabilitation program

Tape Location	Source Code	Frequency	Item value and description
2379-2379	S3DQ2A7		EVER WENT TO METHADONE MAINTENANCE PROGRAM
		44	1. Yes
		730	2. No
		11	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2380-2380	S3DQ2B7		WHEN WENT TO METHADONE MAINTENANCE PROGRAM
		3	1. During the last 12 months only
		28	2. Before the last 12 months only
		13	3. During both time periods
		43049	BL. NA, never or unknown if ever went to methadone maintenance program
2381-2381	S3DQ2A8		EVER WENT TO EMERGENCY ROOM BECAUSE OF MEDICINE/DRUG USE
		180	1. Yes
		596	2. No
		9	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2382-2382	S3DQ2B8		WHEN WENT TO EMERGENCY ROOM BECAUSE OF MEDICINE/DRUG USE
		14	1. During the last 12 months only
		152	2. Before the last 12 months only
		13	3. During both time periods
		1	9. Unknown
		42913	BL. NA, never or unknown if ever went to emergency room because of medicine/drug use
2383-2383	S3DQ2A9		EVER WENT TO HALFWAY HOUSE BECAUSE OF MEDICINE/DRUG USE
		92	1. Yes
		685	2. No
		8	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2384-2384	S3DQ2B9		WHEN WENT TO HALFWAY HOUSE BECAUSE OF MEDICINE/DRUG USE
		6	1. During the last 12 months only
		76	2. Before the last 12 months only
		9	3. During both time periods
		1	9. Unknown
		43001	BL. NA, never or unknown if ever went to halfway house because of medicine/drug use

Tape Location	Source Code	Frequency	Item value and description
2385-2385	S3DQ2A10		EVER WENT TO CRISIS CENTER BECAUSE OF MEDICINE/DRUG USE
		44	1. Yes
		732	2. No
		9	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2386-2386	S3DQ2B10		WHEN WENT TO CRISIS CENTER BECAUSE OF MEDICINE/DRUG USE
		2	1. During the last 12 months only
		33	2. Before the last 12 months only
		9	3. During both time periods
		43049	BL. NA, never or unknown if ever went to crisis center because of medicine/drug use
2387-2387	S3DQ2A11		EVER WENT TO EMPLOYEE ASSISTANCE PROGRAM (EAP)
		66	1. Yes
		709	2. No
		10	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2388-2388	S3DQ2B11		WHEN WENT TO EMPLOYEE ASSISTANCE PROGRAM (EAP)
		6	1. During the last 12 months only
		56	2. Before the last 12 months only
		4	3. During both time periods
		43027	BL. NA, never or unknown if ever went to EAP because of medicine/drug use
2389-2389	S3DQ2A12		EVER WENT TO CLERGYMAN, PRIEST OR RABBI BECAUSE OF MEDICINE/DRUG USE
		144	1. Yes
		632	2. No
		9	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2390-2390	S3DQ2B12		WHEN WENT TO CLERGYMAN, PRIEST OR RABBI BECAUSE OF MEDICINE/DRUG USE
		11	1. During the last 12 months only
		111	2. Before the last 12 months only
		22	3. During both time periods
		42949	BL. NA, never or unknown if ever went to clergyman, priest or rabbi because of medicine/drug use

Tape Location	Source Code	Frequency	Item value and description
2391-2391	S3DQ2A13		EVER WENT TO PRIVATE PHYSICIAN, PSYCHIATRIST, PSYCHOLOGIST, SOCIAL WORKER, OR ANY OTHER PROFESSIONAL
		384	1. Yes
		392	2. No
		9	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2392-2392	S3DQ2B13		WHEN WENT TO PRIVATE PHYSICIAN, PSYCHIATRIST, PSYCHOLOGIST, SOCIAL WORKER, OR ANY OTHER PROFESSIONAL
		37	1. During the last 12 months only
		268	2. Before the last 12 months only
		79	3. During both time periods
		42709	BL. NA, never or unknown if ever went to doctor or other health professional
2393-2393	S3DQ2A14		EVER WENT TO ANY OTHER AGENCY OR PROFESSIONAL
		104	1. Yes
		669	2. No
		12	9. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2394-2394	S3DQ2B14		WHEN WENT TO ANY OTHER AGENCY OR PROFESSIONAL
		6	1. During the last 12 months only
		77	2. Before the last 12 months only
		21	3. During both time periods
		42989	BL. NA, never or unknown if ever went to other agency or professional
2395-2396	S3DQ3A		AGE WHEN FIRST SOUGHT HELP BECAUSE OF MEDICINE/DRUG USE
		746	11-74. Age
		39	99. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use
2397-2398	S3DQ3B		AGE AT ONLY/MOST RECENT TIME SOUGHT HELP WITH MEDICINE/DRUG USE
		746	17-80. Age
		39	99. Unknown
		42308	BL. NA, never or unknown if ever sought help with medicine/drug use

Tape Location	Source Code	Frequency	Item value and description
2399-2399	S3DQ4A		EVER THOUGHT SHOULD SEEK HELP WITH MEDICINE/DRUG USE BUT DIDN'T GO
		565	1. Yes
		8496	2. No
		79	9. Unknown
		33953	BL. NA, lifetime non drug user
2400-2400	S3DQ4B		HAPPEN IN THE LAST 12 MONTHS
		99	1. Yes
		466	2. No
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2401-2401	S3DQ4C		HAPPEN BEFORE 12 MONTHS AGO
		535	1. Yes
		30	2. No
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2402-2402	S3DQ4D1		DID NOT SEEK HELP BECAUSE WANTED TO GO, BUT HEALTH INSURANCE DIDN'T COVER
		61	1. Yes
		501	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2403-2403	S3DQ4D2		DID NOT SEEK HELP BECAUSE DIDN'T THINK ANYONE COULD HELP
		101	1. Yes
		461	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2404-2404	S3DQ4D3		DID NOT SEEK HELP BECAUSE DIDN'T KNOW ANY PLACE TO GO FOR HELP
		55	1. Yes
		507	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2405-2405	S3DQ4D4		DID NOT SEEK HELP BECAUSE COULDN'T AFFORD TO PAY THE BILL
		110	1. Yes
		452	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go

Tape Location	Source Code	Frequency	Item value and description
2406-2406	S3DQ4D5		DID NOT SEEK HELP BECAUSE DIDN'T HAVE ANY WAY TO GET THERE
		25	1. Yes
		537	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2407-2407	S3DQ4D6		DID NOT SEEK HELP BECAUSE DIDN'T HAVE TIME
		60	1. Yes
		502	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2408-2408	S3DQ4D7		DID NOT SEEK HELP BECAUSE THOUGHT THE PROBLEM WOULD GET BETTER BY ITSELF
		190	1. Yes
		372	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2409-2409	S3DQ4D8		DID NOT SEEK HELP BECAUSE WAS TOO EMBARRASSED TO DISCUSS IT WITH ANYONE
		145	1. Yes
		417	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2410-2410	S3DQ4D9		DID NOT SEEK HELP BECAUSE AFRAID OF WHAT BOSS, FRIENDS, FAMILY, OR OTHERS WOULD THINK
		94	1. Yes
		468	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2411-2411	S3DQ4D10		DID NOT SEEK HELP BECAUSE THOUGHT SHOULD BE STRONG ENOUGH TO HANDLE ALONE
		242	1. Yes
		320	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go

Tape Location	Source Code	Frequency	Item value and description
2412-2412	S3DQ4D11		DID NOT SEEK HELP BECAUSE WAS AFRAID THEY WOULD PUT ME INTO THE HOSPITAL
		76	1. Yes
		486	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2413-2413	S3DQ4D12		DID NOT SEEK HELP BECAUSE WAS AFRAID OF THE TREATMENT THEY WOULD GIVE ME
		51	1. Yes
		511	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2414-2414	S3DQ4D13		DID NOT SEEK HELP BECAUSE HATED ANSWERING PERSONAL QUESTIONS
		102	1. Yes
		460	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2415-2415	S3DQ4D14		DID NOT SEEK HELP BECAUSE THE HOURS WERE INCONVENIENT
		17	1. Yes
		545	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2416-2416	S3DQ4D15		DID NOT SEEK HELP BECAUSE A MEMBER OF MY FAMILY OBJECTED
		5	1. Yes
		557	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2417-2417	S3DQ4D16		DID NOT SEEK HELP BECAUSE FAMILY THOUGHT SHOULD GO BUT I DIDN'T THINK IT WAS NECESSARY
		39	1. Yes
		523	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go

Tape Location	Source Code	Frequency	Item value and description
2418-2418	S3DQ4D17		DID NOT SEEK HELP BECAUSE CAN'T SPEAK ENGLISH VERY WELL
		2	1. Yes
		560	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2419-2419	S3DQ4D18		DID NOT SEEK HELP BECAUSE WAS AFRAID I WOULD LOSE MY JOB
		28	1. Yes
		534	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2420-2420	S3DQ4D19		DID NOT SEEK HELP BECAUSE COULDN'T ARRANGE FOR CHILD CARE
		11	1. Yes
		551	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2421-2421	S3DQ4D20		DID NOT SEEK HELP BECAUSE HAD TO WAIT TOO LONG TO GET INTO A PROGRAM
		18	1. Yes
		544	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2422-2422	S3DQ4D21		DID NOT SEEK HELP BECAUSE WANTED TO KEEP USING A MEDICINE OR DRUG
		98	1. Yes
		464	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2423-2423	S3DQ4D22		DID NOT SEEK HELP BECAUSE DIDN'T THINK MEDICINE OR DRUG PROBLEM WAS SERIOUS ENOUGH
		95	1. Yes
		467	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go

Tape Location	Source Code	Frequency	Item value and description
2424-2424	S3DQ4D23		DID NOT SEEK HELP BECAUSE DIDN'T WANT TO GO
		112	1. Yes
		450	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2425-2425	S3DQ4D24		DID NOT SEEK HELP BECAUSE STOPPED USING A MEDICINE OR DRUG ON MY OWN
		107	1. Yes
		455	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2426-2426	S3DQ4D25		DID NOT SEEK HELP BECAUSE FRIENDS OR FAMILY HELPED ME STOP USING A MEDICINE OR DRUG
		29	1. Yes
		533	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2427-2427	S3DQ4D26		DID NOT SEEK HELP BECAUSE TRIED GETTING HELP BEFORE AND IT DIDN'T WORK
		39	1. Yes
		523	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
2428-2428	S3DQ4D27		DID NOT SEEK HELP FOR OTHER REASON
		32	1. Yes
		530	2. No
		3	9. Unknown
		42528	BL. NA, never or unknown if ever thought should seek help but didn't go
SECTION 3E: FAMILY HISTORY (II) OF DRUG ABUSE			
2429-2429	S3EQ1		BLOOD/NATURAL FATHER EVER HAD PROBLEMS WITH DRUGS
		1068	1. Yes
		38975	2. No
		3050	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
2430-2430	S3EQ2		BLOOD/NATURAL MOTHER EVER HAD PROBLEMS WITH DRUGS
		720	1. Yes
		40641	2. No
		1732	9. Unknown
2431-2432	S3EQ3B		NUMBER OF FULL BROTHERS WHO EVER HAD PROBLEMS WITH DRUGS
		41150	0-9. Full brother(s)
		1943	99. Unknown
2433-2433	S3EQ3C		ANY FULL BROTHERS EVER HAD PROBLEMS WITH DRUGS
		3551	1. Yes
		38055	2. No
		1487	9. Unknown
2434-2435	S3EQ4B		NUMBER OF FULL SISTERS WHO EVER HAD PROBLEMS WITH DRUGS
		41339	0-10. Full sister(s)
		1754	99. Unknown
2436-2436	S3EQ4C		ANY FULL SISTERS EVER HAD PROBLEMS WITH DRUGS
		1915	1. Yes
		39803	2. No
		1375	9. Unknown
2437-2438	S3EQ5B		NUMBER OF NATURAL SONS WHO EVER HAD PROBLEMS WITH DRUGS
		41903	0-5. Natural son(s)
		1190	99. Unknown
2439-2439	S3EQ5C		ANY NATURAL SONS EVER HAD PROBLEMS WITH DRUGS
		1429	1. Yes
		40731	2. No
		933	9. Unknown
2440-2441	S3EQ6B		NUMBER OF NATURAL DAUGHTERS WHO EVER HAD PROBLEMS WITH DRUGS
		42016	0-6. Natural daughter(s)
		1077	99. Unknown

Tape Location	Source Code	Frequency	Item value and description
2442-2442	S3EQ6C		ANY NATURAL DAUGHTERS EVER HAD PROBLEMS WITH DRUGS
		812	1. Yes
		41427	2. No
		854	9. Unknown
2443-2444	S3EQ7B		NUMBER OF NATURAL FATHER'S FULL BROTHERS WHO EVER HAD PROBLEMS WITH DRUGS
		34433	0-14. Natural father's full brother(s)
		8660	99. Unknown
2445-2445	S3EQ7C		ANY OF NATURAL FATHER'S FULL BROTHERS EVER HAD PROBLEMS WITH DRUGS
		1594	1. Yes
		35773	2. No
		5726	9. Unknown
2446-2447	S3EQ8B		NUMBER OF NATURAL FATHER'S FULL SISTERS WHO EVER HAD PROBLEMS WITH DRUGS
		35368	0-10. Natural father's full sister(s)
		7725	99. Unknown
2448-2448	S3EQ8C		ANY OF NATURAL FATHER'S FULL SISTERS EVER HAD PROBLEMS WITH DRUGS
		1044	1. Yes
		36846	2. No
		5203	9. Unknown
2449-2450	S3EQ9B		NUMBER OF NATURAL MOTHER'S FULL BROTHERS WHO EVER HAD PROBLEMS WITH DRUGS
		37459	0-10. Natural mother's full brother(s)
		5634	99. Unknown
2451-2451	S3EQ9C		ANY OF NATURAL MOTHER'S FULL BROTHERS EVER HAD PROBLEMS WITH DRUGS
		2015	1. Yes
		37312	2. No
		3766	9. Unknown
2452-2453	S3EQ10B		NUMBER OF NATURAL MOTHER'S FULL SISTERS WHO EVER HAD PROBLEMS WITH DRUGS
		38072	0-12. Natural mother's full sister(s)
		5021	99. Unknown

Tape Location	Source Code	Frequency	Item value and description
2454-2454	S3EQ10C		ANY OF NATURAL MOTHER'S FULL SISTERS EVER HAD PROBLEMS WITH DRUGS
		1392	1. Yes
		38300	2. No
		3401	9. Unknown
2455-2455	S3EQ11		NATURAL GRANDFATHER ON YOUR FATHER'S SIDE EVER HAD PROBLEMS WITH DRUGS
		111	1. Yes
		34100	2. No
		8882	9. Unknown
2456-2456	S3EQ12		NATURAL GRANDMOTHER ON YOUR FATHER'S SIDE EVER HAD PROBLEMS WITH DRUGS
		90	1. Yes
		35035	2. No
		7968	9. Unknown
2457-2457	S3EQ13		NATURAL GRANDFATHER ON YOUR MOTHER'S SIDE EVER HAD PROBLEMS WITH DRUGS
		128	1. Yes
		35886	2. No
		7079	9. Unknown
2458-2458	S3EQ14		NATURAL GRANDMOTHER ON YOUR MOTHER'S SIDE EVER HAD PROBLEMS WITH DRUGS
		128	1. Yes
		36712	2. No
		6253	9. Unknown
SECTION 4A: MAJOR DEPRESSION (LOW MOOD I)			
2459-2459	S4AQ1		EVER HAD 2-WEEK PERIOD WHEN FELT SAD, BLUE, DEPRESSED, OR DOWN MOST OF TIME
		12785	1. Yes
		29416	2. No
		892	9. Unknown
2460-2460	S4AQ2		EVER HAD 2-WEEK PERIOD WHEN DIDN'T CARE ABOUT THINGS USUALLY CARED ABOUT
		10533	1. Yes
		31618	2. No
		942	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
2461-2461	S4AQ4A1		LOST 2+ POUNDS/WEEK FOR SEVERAL WEEKS OR 10+ POUNDS IN MONTH, WHEN NOT SICK OR DIETING
		4650	1. Yes
		8712	2. No
		391	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2462-2462	S4AQ4A2		LOST APPETITE NEARLY EVERY DAY FOR 2+ WEEKS
		5854	1. Yes
		7672	2. No
		227	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2463-2463	S4AQ4A3		GAINED 2+ POUNDS/WEEK FOR SEVERAL WEEKS OR 10+ POUNDS IN MONTH, WHEN NOT PREGNANT
		2746	1. Yes
		10757	2. No
		250	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2464-2464	S4AQ4A4		WANTED TO EAT MORE THAN USUAL MOST DAYS FOR 2+ WEEKS
		3108	1. Yes
		10463	2. No
		182	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2465-2465	S4AQ4A5		HAD TROUBLE FALLING ASLEEP NEARLY EVERY DAY FOR 2+ WEEKS
		7422	1. Yes
		6146	2. No
		185	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2466-2466	S4AQ4A6		WOKE UP TOO EARLY NEARLY EVERY DAY FOR 2+ WEEKS
		5783	1. Yes
		7675	2. No
		295	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care

Tape Location	Source Code	Frequency	Item value and description
2467-2467	S4AQ4A7		SLEPT MORE THAN USUAL NEARLY EVERY DAY FOR 2+ WEEKS
		4619	1. Yes
		8934	2. No
		200	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2468-2468	S4AQ4A8		FELT TIRED/EASILY TIRED NEARLY EVERY DAY FOR 2+ WEEKS, WHEN NOT DOING MORE THAN USUAL
		8501	1. Yes
		5003	2. No
		249	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2469-2469	S4AQ4A9		MOVED/TALKED MUCH MORE SLOWLY THAN USUAL MOST DAYS FOR 2+ WEEKS
		3752	1. Yes
		9390	2. No
		611	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2470-2470	S4AQ4A10		FIDGETED/PACED MOST OF THE TIME FOR 2+ WEEKS
		3629	1. Yes
		9840	2. No
		284	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2471-2471	S4AQ4A11		BECAME SO RESTLESS THAT FELT UNCOMFORTABLE FOR 2+ WEEKS
		4579	1. Yes
		8917	2. No
		257	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2472-2472	S4AQ4A12		FELT WORTHLESS MOST OF THE TIME FOR 2+ WEEKS
		5798	1. Yes
		7782	2. No
		173	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care

Tape Location	Source Code	Frequency	Item value and description
2473-2473	S4AQ4A13		FELT GUILTY ABOUT THINGS WOULDND'T NORMALLY FEEL GUILTY ABOUT 2+ WEEKS
		5592	1. Yes
		7928	2. No
		233	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2474-2474	S4AQ4A14		HAD TROUBLE CONCENTRATING/KEEPING MIND ON THINGS MOST DAYS FOR 2+ WEEKS
		8755	1. Yes
		4820	2. No
		178	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2475-2475	S4AQ4A15		FOUND IT HARDER TO MAKE DECISIONS MOST OF THE TIME FOR 2+ WEEKS
		7530	1. Yes
		6009	2. No
		214	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2476-2476	S4AQ4A16		ATTEMPTED SUICIDE
		1074	1. Yes
		12596	2. No
		83	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2477-2477	S4AQ4A17		THOUGHT ABOUT COMMITTING SUICIDE
		3566	1. Yes
		10098	2. No
		89	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2478-2478	S4AQ4A18		FELT LIKE WANTED TO DIE
		4468	1. Yes
		9163	2. No
		122	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care

Tape Location	Source Code	Frequency	Item value and description
2479-2479	S4AQ4A19		THOUGHT A LOT ABOUT OWN DEATH
		3487	1. Yes
		10147	2. No
		119	9. Unknown
		29340	BL. NA, never or unknown if ever had period of low mood/when didn't care
2480-2480	S4AQ51		FELT UNCOMFORTABLE OR UPSET BY LOW MOOD OR THESE OTHER EXPERIENCES
		6768	1. Yes
		1956	2. No
		93	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2481-2481	S4AQ52		HAD ARGUMENTS/FRICTION WITH FAMILY, FRIENDS, PEOPLE AT WORK, OR ANYONE ELSE
		4194	1. Yes
		4597	2. No
		26	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2482-2482	S4AQ53		FELT TROUBLED BECAUSE OF WAY YOU FELT/OFTEN WISHED COULD GET BETTER
		7096	1. Yes
		1632	2. No
		89	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2483-2483	S4AQ54		HAD TROUBLE DOING THINGS SUPPOSED TO DO--LIKE WORKING, DOING SCHOOLWORK, OR TAKING CARE OF HOME/FAMILY
		5683	1. Yes
		3104	2. No
		30	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2484-2484	S4AQ55		SPENT MORE TIME THAN USUAL ALONE BECAUSE DIDN'T WANT TO BE AROUND PEOPLE
		6378	1. Yes
		2399	2. No
		40	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression

Tape Location	Source Code	Frequency	Item value and description
2485-2485	S4AQ56		COULDN'T DO THINGS USUALLY DID/WANTED TO DO
		5838	1. Yes
		2920	2. No
		59	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2486-2486	S4AQ57		DID A LOT LESS THAN USUAL OR WERE LESS ACTIVE
		7079	1. Yes
		1682	2. No
		56	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2487-2487	S4AQ58		DEPENDENT LOT MORE ON PEOPLE TO TAKE CARE OF EVERYDAY THINGS/GIVE YOU ATTENTION
		3075	1. Yes
		5688	2. No
		54	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2488-2489	S4AQ6A		AGE AT ONSET OF FIRST EPISODE
		8707	5-97. Age
		110	99. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2490-2490	S4AQ6B		WAS ONSET OF FIRST EPISODE IN LAST 12 MONTHS
		876	1. Yes
		7919	2. No
		22	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2491-2492	S4AQ7		NUMBER OF EPISODES
		8283	1-98. Separate times lasting at least 2 weeks
		534	99. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2493-2494	S4AQ8AR		AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON S4AQ6A IF ONLY 1 EPISODE)
		8688	5-98. Age
		129	99. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression

Tape Location	Source Code	Frequency	Item value and description
2495-2495	S4AQ8BR		DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON S4AQ6B IF ONLY 1 EPISODE)
		2510	1. Yes
		6274	2. No
		33	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2496-2499	S4AQ9AR		DURATION (WEEKS) OF ONLY/MOST RECENT EPISODE (BASED ON S4AQ9E IF ONLY 1 EPISODE)
		8598	2-3653. Weeks
		11	9997. Unknown, but less than 2 months
		35	9998. Unknown, but 2 months or longer
		173	9999. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2500-2500	S4AQ9BR		WAS THERE 2+ MONTH PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON S4AQ9F IF ONLY 1 EPISODE)
		7359	1. Yes
		1385	2. No
		73	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2501-2501	S4AQ9CR		WAS REMISSION OF ONLY/MOST RECENT EPISODE IN LAST 12 MONTHS (BASED ON S4AQ9G IF ONLY 1 EPISODE)
		2437	1. Yes
		6300	2. No
		80	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2502-2505	S4AQ9DR		DURATION (WEEKS) OF ONLY/LONGEST EPISODE (BASED ON S4AQ9E IF ONLY 1 EPISODE)
		8565	2-3653. Weeks
		51	9997. Unknown, but less than 2 months
		152	9998. Unknown, but 2 months or longer
		49	9999. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression

Tape Location	Source Code	Frequency	Item value and description
2506-2506	S4AQ10BR		ONLY/ALL EPISODE(S) LASTED FOR AT LEAST 2 MONTHS (BASED ON S4AQ9E IF ONLY 1 EPISODE)
		5008	1. Yes
		3636	2. No
		173	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2507-2507	S4AQ10CR		ONLY/ANY EPISODE OF <2 MONTHS IN LAST 12 MONTHS HAPPENED AFTER SOMEONE CLOSE DIED (BASED ON S4AQ10A & S4AQ9E IF ONLY 1 EPISODE)
		43	0. No episode lasting less than 2 months in the past 12 months
		534	1. Yes
		1118	2. No
		22	9. Unknown
		41376	BL. NA, worst period did not meet symptom criteria for major depression; no episode in last 12 months; only/all episode(s) lasted at least 2 months
2508-2508	S4AQ10DR		ONLY/ALL EPISODE(S) OF <2 MONTHS IN LAST 12 MONTHS HAPPENED AFTER SOMEONE CLOSE DIED (BASED ON S4AQ10A & S4AQ9E IF ONLY 1 EPISODE)
		43	0. No episode lasting less than 2 months in the past 12 months
		292	1. Yes
		1360	2. No
		22	9. Unknown
		41376	BL. NA, worst period did not meet symptom criteria for major depression; no episode in last 12 months; only/all episode(s) lasted at least 2 months
2509-2509	S4AQ10ER		ONLY/ANY EPISODE OF <2 MONTHS PRIOR TO LAST 12 MONTHS HAPPENED AFTER SOMEONE CLOSE DIED (BASED ON S4AQ10A & S4AQ9E IF ONLY 1 EPISODE)
		51	0. No episode lasting less than 2 months prior to the past 12 months
		1262	1. Yes
		2033	2. No
		49	9. Unknown
		39698	BL. NA, worst period did not meet symptom criteria for major depression; no episode prior to last 12 months; only/all episode(s) lasted at least 2 months

Tape Location	Source Code	Frequency	Item value and description
2510-2510	S4AQ10FR		ONLY/ALL EPISODE(S) OF <2 MONTHS PRIOR TO LAST 12 MONTHS HAPPENED AFTER SOMEONE CLOSE DIED (BASED ON S4AQ10A & S4AQ9E IF ONLY 1 EPISODE)
		51	0. No episode lasting less than 2 months prior to the past 12 months
		733	1. Yes
		2560	2. No
		51	9. Unknown
		39698	BL. NA, worst period did not meet symptom criteria for major depression; no episode prior to last 12 months; only/all episode(s) lasted at least 2 months
2511-2511	S4AQ11		ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL
		585	1. Yes
		8190	2. No
		42	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2512-2512	S4AQ12		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING
		383	1. Yes
		8386	2. No
		48	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2513-2513	S4AQ13		ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG
		530	1. Yes
		8236	2. No
		51	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2514-2514	S4AQ14		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG
		410	1. Yes
		8348	2. No
		59	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2515-2515	S4AQ15CR		ONLY/ANY EPISODE IN LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S4AQ11-S4AQ14 IF ONLY 1 EPISODE)
		264	1. Yes
		3550	2. No
		22	9. Unknown
		39257	BL. NA, worst period did not meet symptom criteria for major depression; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
2516-2516	S4AQ15DR		ONLY/ALL EPISODE(S) IN LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S4AQ11-S4AQ14 IF ONLY 1 EPISODE)
		190	1. Yes
		3623	2. No
		23	9. Unknown
		39257	BL. NA, worst period did not meet symptom criteria for major depression; had no episode in last 12 months
2517-2517	S4AQ15ER		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON S4AQ15A IF ONLY 1 EPISODE)
		146	1. Yes
		3666	2. No
		24	9. Unknown
		39257	BL. NA, worst period did not meet symptom criteria for major depression; had no episode in last 12 months
2518-2518	S4AQ15FR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON S4AQ15A IF ONLY 1 EPISODE)
		124	1. Yes
		3688	2. No
		24	9. Unknown
		39257	BL. NA, worst period did not meet symptom criteria for major depression; had no episode in last 12 months
2519-2519	S4AQ15GR		CONTINUED TO FEEL SAD FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON S4AQ15B IF ONLY 1 EPISODE)
		77	1. Yes
		3733	2. No
		26	9. Unknown
		39257	BL. NA, worst period did not meet symptom criteria for major depression; had no episode in last 12 months
2520-2520	S4AQ15HR		CONTINUED TO FEEL SAD FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON S4AQ15B IF ONLY 1 EPISODE)
		69	1. Yes
		3739	2. No
		28	9. Unknown
		39257	BL. NA, worst period did not meet symptom criteria for major depression; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
2521-2521	S4AQ15IR		ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S4AQ11-S4AQ14 IF ONLY 1 EPISODE)
		626	1. Yes
		7247	2. No
		68	9. Unknown
		35152	BL. NA, worst period did not meet symptom criteria for major depression; had no episode prior to last 12 months
2522-2522	S4AQ15JR		ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S4AQ11-S4AQ14 IF ONLY 1 EPISODE)
		448	1. Yes
		7423	2. No
		70	9. Unknown
		35152	BL. NA, worst period did not meet symptom criteria for major depression; had no episode prior to last 12 months
2523-2523	S4AQ15KR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON S4AQ15A IF ONLY 1 EPISODE)
		340	1. Yes
		7525	2. No
		76	9. Unknown
		35152	BL. NA, worst period did not meet symptom criteria for major depression; had no episode prior to last 12 months
2524-2524	S4AQ15LR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON S4AQ15A IF ONLY 1 EPISODE)
		270	1. Yes
		7595	2. No
		76	9. Unknown
		35152	BL. NA, worst period did not meet symptom criteria for major depression; had no episode prior to last 12 months
2525-2525	S4AQ15MR		CONTINUED TO FEEL SAD FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON S4AQ15B IF ONLY 1 EPISODE)
		198	1. Yes
		7663	2. No
		80	9. Unknown
		35152	BL. NA, worst period did not meet symptom criteria for major depression; had no episode prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2526-2526	S4AQ15NR		CONTINUED TO FEEL SAD FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON S4AQ15B IF ONLY 1 EPISODE)
		156	1. Yes
		7703	2. No
		82	9. Unknown
		35152	BL. NA, worst period did not meet symptom criteria for major depression; had no episode prior to last 12 months
2527-2527	S4AQ16		WENT TO COUNSELOR/THERAPIST/DOCTOR/OTHER PERSON FOR HELP TO IMPROVE MOOD
		4551	1. Yes
		4243	2. No
		23	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2528-2528	S4AQ17A		STAYED OVERNIGHT IN HOSPITAL BECAUSE OF DEPRESSION
		1097	1. Yes
		7695	2. No
		25	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2529-2529	S4AQ17B		WENT TO EMERGENCY ROOM FOR HELP BECAUSE OF DEPRESSION
		906	1. Yes
		7883	2. No
		28	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2530-2530	S4AQ18		DOCTOR PRESCRIBED MEDICINE/DRUG TO IMPROVE MOOD/MAKE YOU FEEL BETTER
		3847	1. Yes
		4939	2. No
		31	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2531-2532	S4AQ19A		AGE AT FIRST TIME SOUGHT HELP
		5104	5-89. Age
		69	99. Unknown
		37920	BL. NA, worst period did not meet symptom criteria for major depression; did not seek or unknown if sought help for major depression

Tape Location	Source Code	Frequency	Item value and description
2533-2534	S4AQ19B		AGE AT ONLY/MOST RECENT TIME SOUGHT HELP
		5108	5-90. Age
		65	99. Unknown
		37920	BL. NA, worst period did not meet symptom criteria for major depression; did not seek or unknown if sought help for major depression
2535-2535	S4AQ20A		EVER DRANK ALCOHOL TO IMPROVE LOW MOOD/MAKE SELF FEEL BETTER
		1697	1. Yes
		7094	2. No
		26	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2536-2536	S4AQ20B		DRANK ALCOHOL TO IMPROVE MOOD IN LAST 12 MONTHS
		608	1. Yes
		8183	2. No
		26	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2537-2537	S4AQ20C		DRANK ALCOHOL TO IMPROVE MOOD PRIOR TO LAST 12 MONTHS
		1557	1. Yes
		7234	2. No
		26	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2538-2538	S4AQ21A		EVER USED MEDICINE/DRUG ON OWN TO IMPROVE LOW MOOD/MAKE SELF FEEL BETTER
		583	1. Yes
		8222	2. No
		12	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2539-2539	S4AQ21B		USED MEDICINE/DRUG ON OWN TO IMPROVE LOW MOOD IN LAST 12 MONTHS
		122	1. Yes
		8568	2. No
		127	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression

Tape Location	Source Code	Frequency	Item value and description
2540-2540	S4AQ21C		USED MEDICINE/DRUG ON OWN TO IMPROVE LOW MOOD PRIOR TO LAST 12 MONTHS
		437	1. Yes
		8253	2. No
		127	9. Unknown
		34276	BL. NA, worst period did not meet symptom criteria for major depression
2541-2541	S4AQ22CR		ONLY/ANY EPISODE IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S4AQ22A IF ONLY 1 EPISODE)
		882	1. Yes
		2932	2. No
		22	9. Unknown
		39257	BL. NA, worst period did not meet symptom criteria for major depression; had no episode in last 12 months
2542-2542	S4AQ22DR		ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S4AQ22A IF ONLY 1 EPISODE)
		537	1. Yes
		3276	2. No
		23	9. Unknown
		39257	BL. NA, worst period did not meet symptom criteria for major depression; had no episode in last 12 months
2543-2543	S4AQ22ER		DOCTOR SAID ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S4AQ22B IF ONLY 1 EPISODE)
		351	1. Yes
		3460	2. No
		25	9. Unknown
		39257	BL. NA, worst period did not meet symptom criteria for major depression; had no episode in last 12 months
2544-2544	S4AQ22FR		DOCTOR SAID ONLY/ANY EPISODE IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S4AQ22B IF ONLY 1 EPISODE)
		540	1. Yes
		3269	2. No
		27	9. Unknown
		39257	BL. NA, worst period did not meet symptom criteria for major depression; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
2545-2545	S4AQ22GR		ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S4AQ22A IF ONLY 1 EPISODE)
		1376	1. Yes
		6492	2. No
		73	9. Unknown
		35152	BL. NA, worst period did not meet symptom criteria for major depression; had no episode prior to last 12 months
2546-2546	S4AQ22HR		ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S4AQ22A IF ONLY 1 EPISODE)
		843	1. Yes
		7024	2. No
		74	9. Unknown
		35152	BL. NA, worst period did not meet symptom criteria for major depression; had no episode prior to last 12 months
2547-2547	S4AQ22IR		DOCTOR SAID ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S4AQ22B IF ONLY 1 EPISODE)
		563	1. Yes
		7301	2. No
		77	9. Unknown
		35152	BL. NA, worst period did not meet symptom criteria for major depression; had no episode prior to last 12 months
2548-2548	S4AQ22JR		DOCTOR SAID ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S4AQ22B IF ONLY 1 EPISODE)
		866	1. Yes
		6996	2. No
		79	9. Unknown
		35152	BL. NA, worst period did not meet symptom criteria for major depression; had no episode prior to last 12 months
SECTION 4B: FAMILY HISTORY (III) OF MAJOR DEPRESSION			
2549-2549	S4BQ1		BLOOD/NATURAL FATHER EVER DEPRESSED
		4126	1. Yes
		32192	2. No
		6775	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
2550-2550	S4BQ2		BLOOD/NATURAL MOTHER EVER DEPRESSED
		7134	1. Yes
		31448	2. No
		4511	9. Unknown
2551-2552	S4BQ3B		NUMBER OF FULL BROTHERS WHO WERE EVER DEPRESSED
		39146	0-9. Full brother(s)
		3947	99. Unknown
2553-2553	S4BQ3C		ANY FULL BROTHERS EVER DEPRESSED
		3903	1. Yes
		35778	2. No
		3412	9. Unknown
2554-2555	S4BQ4B		NUMBER OF FULL SISTERS WHO WERE EVER DEPRESSED
		39607	0-12. Full sister(s)
		3486	99. Unknown
2556-2556	S4BQ4C		ANY FULL SISTERS EVER DEPRESSED
		4751	1. Yes
		35266	2. No
		3076	9. Unknown
2557-2558	S4BQ5B		NUMBER OF NATURAL SONS WHO WERE EVER DEPRESSED
		41324	0-5. Natural son(s)
		1769	99. Unknown
2559-2559	S4BQ5C		ANY NATURAL SONS EVER DEPRESSED
		1873	1. Yes
		39702	2. No
		1518	9. Unknown
2560-2561	S4BQ6B		NUMBER OF NATURAL DAUGHTERS WHO WERE EVER DEPRESSED
		41412	0-8. Natural daughter(s)
		1681	99. Unknown

Tape Location	Source Code	Frequency	Item value and description
2562-2562	S4BQ6C		ANY NATURAL DAUGHTERS EVER DEPRESSED
		2141	1. Yes
		39488	2. No
		1464	9. Unknown
2563-2564	S4BQ7B		NUMBER OF NATURAL FATHER'S FULL BROTHERS WHO WERE EVER DEPRESSED
		30806	0-15. Father's full brother(s)
		12287	99. Unknown
2565-2565	S4BQ7C		ANY OF NATURAL FATHER'S FULL BROTHERS EVER DEPRESSED
		1771	1. Yes
		31737	2. No
		9585	9. Unknown
2566-2567	S4BQ8B		NUMBER OF NATURAL FATHER'S FULL SISTERS WHO WERE EVER DEPRESSED
		31894	0-11. Father's full sister(s)
		11199	99. Unknown
2568-2568	S4BQ8C		ANY OF NATURAL FATHER'S FULL SISTERS EVER DEPRESSED
		1975	1. Yes
		32152	2. No
		8966	9. Unknown
2569-2570	S4BQ9B		NUMBER OF NATURAL MOTHER'S FULL BROTHERS WHO WERE EVER DEPRESSED
		33736	0-13. Mother's full brother(s)
		9357	99. Unknown
2571-2571	S4BQ9C		ANY OF NATURAL MOTHER'S FULL BROTHERS EVER DEPRESSED
		2352	1. Yes
		33091	2. No
		7650	9. Unknown
2572-2573	S4BQ10B		NUMBER OF NATURAL MOTHER'S FULL SISTERS WHO WERE EVER DEPRESSED
		34692	0-12. Mother's full sister(s)
		8401	99. Unknown

Tape Location	Source Code	Frequency	Item value and description
2574-2574	S4BQ10C		ANY OF NATURAL MOTHER'S FULL SISTERS EVER DEPRESSED
		3113	1. Yes
		33008	2. No
		6972	9. Unknown
2575-2575	S4BQ11		NATURAL GRANDFATHER ON YOUR FATHER'S SIDE EVER DEPRESSED
		883	1. Yes
		28421	2. No
		13789	9. Unknown
2576-2576	S4BQ12		NATURAL GRANDMOTHER ON YOUR FATHER'S SIDE EVER DEPRESSED
		1222	1. Yes
		28891	2. No
		12980	9. Unknown
2577-2577	S4BQ13		NATURAL GRANDFATHER ON YOUR MOTHER'S SIDE EVER DEPRESSED
		1072	1. Yes
		29873	2. No
		12148	9. Unknown
2578-2578	S4BQ14		NATURAL GRANDMOTHER ON YOUR MOTHER'S SIDE EVER DEPRESSED
		1893	1. Yes
		30004	2. No
		11196	9. Unknown
SECTION 4C: DYSTHYMIA (LOW MOOD II)			
2579-2579	S4CQ1		HAD 2+ YEARS PERIOD WHEN MOOD WAS LOW, SAD OR DEPRESSED MOST OF DAY, MORE THAN HALF THE TIME
		2339	1. Yes
		39510	2. No
		1244	9. Unknown
2580-2580	S4CQ3A1		OFTEN LOST APPETITE
		1292	1. Yes
		1013	2. No
		34	9. Unknown
		40754	BL. NA, never or unknown if ever had 2+ years period of low mood

Tape Location	Source Code	Frequency	Item value and description
2581-2581	S4CQ3A2		OFTEN FOUND WANTED TO EAT LOT MORE THAN USUAL FOR NO SPECIAL REASON
		805	1. Yes
		1505	2. No
		29	9. Unknown
		40754	BL. NA, never or unknown if ever had 2+ years period of low mood
2582-2582	S4CQ3A3		OFTEN HAD TROUBLE FALLING ASLEEP, STAYING ASLEEP, OR WAKING UP TOO EARLY
		1613	1. Yes
		701	2. No
		25	9. Unknown
		40754	BL. NA, never or unknown if ever had 2+ years period of low mood
2583-2583	S4CQ3A4		OFTEN SLEPT MORE THAN USUAL
		1177	1. Yes
		1134	2. No
		28	9. Unknown
		40754	BL. NA, never or unknown if ever had 2+ years period of low mood
2584-2584	S4CQ3A5		OFTEN FELT TIRED/FELT DIDN'T HAVE MUCH ENERGY
		1947	1. Yes
		363	2. No
		29	9. Unknown
		40754	BL. NA, never or unknown if ever had 2+ years period of low mood
2585-2585	S4CQ3A6		OFTEN HAD TROUBLE CONCENTRATING/KEEPING MIND ON THINGS
		1832	1. Yes
		486	2. No
		21	9. Unknown
		40754	BL. NA, never or unknown if ever had 2+ years period of low mood
2586-2586	S4CQ3A7		OFTEN FOUND IT HARDER TO MAKE DECISIONS
		1720	1. Yes
		594	2. No
		25	9. Unknown
		40754	BL. NA, never or unknown if ever had 2+ years period of low mood

Tape Location	Source Code	Frequency	Item value and description
2587-2587	S4CQ3A8		OFTEN FELT THAT YOU WEREN'T AS GOOD AS OTHER PEOPLE
		1522	1. Yes
		790	2. No
		27	9. Unknown
		40754	BL. NA, never or unknown if ever had 2+ years period of low mood
2588-2588	S4CQ3A9		OFTEN FELT DOWN ON SELF
		1826	1. Yes
		490	2. No
		23	9. Unknown
		40754	BL. NA, never or unknown if ever had 2+ years period of low mood
2589-2589	S4CQ3A10		OFTEN FELT THAT THINGS WERE BAD AND WOULD NEVER GET BETTER
		1738	1. Yes
		580	2. No
		21	9. Unknown
		40754	BL. NA, never or unknown if ever had 2+ years period of low mood
2590-2590	S4CQ3A11		OFTEN FELT HOPELESS
		1739	1. Yes
		582	2. No
		18	9. Unknown
		40754	BL. NA, never or unknown if ever had 2+ years period of low mood
2591-2591	S4CQ41		FELT UNCOMFORTABLE OR UPSET BY LOW MOOD OR THESE OTHER EXPERIENCES
		1866	1. Yes
		329	2. No
		10	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2592-2592	S4CQ42		WISHED YOU COULD GET BETTER
		2083	1. Yes
		108	2. No
		14	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia

Tape Location	Source Code	Frequency	Item value and description
2593-2593	S4CQ43		HAD ARGUMENTS/FRICTION WITH FAMILY, FRIENDS, PEOPLE AT WORK, OR ANYONE ELSE
		1307	1. Yes
		891	2. No
		7	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2594-2594	S4CQ44		HAD TROUBLE DOING THINGS SUPPOSED TO DO-LIKE WORKING, DOING SCHOOLWORK, OR TAKING CARE OF HOME/FAMILY
		1526	1. Yes
		673	2. No
		6	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2595-2595	S4CQ45		DWELLED ON THE PAST/BROODED ABOUT PAST
		1580	1. Yes
		605	2. No
		20	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2596-2596	S4CQ46		FOUND SELF DOING LOT LESS THAN USUAL/BEING LESS ACTIVE
		1700	1. Yes
		486	2. No
		19	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2597-2597	S4CQ47		SPENT MORE TIME BY SELF BECAUSE DIDN'T WANT TO BE AROUND OTHER PEOPLE
		1678	1. Yes
		512	2. No
		15	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2598-2598	S4CQ48		ASKED PEOPLE FOR HELP SO MUCH THAT IT CAUSED PROBLEMS GETTING ALONG WITH THEM
		383	1. Yes
		1811	2. No
		11	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia

Tape Location	Source Code	Frequency	Item value and description
2599-2600	S4CQ5		AGE AT ONSET OF FIRST EPISODE
		2136	5-84. Age
		69	99. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2601-2602	S4CQ6A		NUMBER OF EPISODES
		2004	1-29. Separate times lasting at least 2 years
		201	99. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2603-2604	S4CQ7AR		AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON S4CQ5 IF ONLY 1 EPISODE)
		2107	5-96. Age
		98	99. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2605-2606	S4CQ7BR		DURATION (YEARS) OF ONLY/MOST RECENT EPISODE (BASED ON S4CQ8B IF ONLY 1 EPISODE)
		2121	2-66. Years
		84	99. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2607-2607	S4CQ7CR		WAS THERE 2+ MONTHS PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON S4CQ8C IF ONLY 1 EPISODE)
		1592	1. Yes
		563	2. No
		50	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2608-2608	S4CQ7DR		WAS REMISSION OF ONLY/MOST RECENT EPISODE IN LAST 12 MONTHS (BASED ON S4CQ8D IF ONLY 1 EPISODE)
		431	1. Yes
		1721	2. No
		53	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2609-2610	S4CQ8AR		DURATION (YEARS) OF ONLY/LONGEST EPISODE (BASED ON S4CQ8B IF ONLY 1 EPISODE)
		2125	2-66. Years
		80	99. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia

Tape Location	Source Code	Frequency	Item value and description
2611-2611	S4CQ9		ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL
		153	1. Yes
		2020	2. No
		32	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2612-2612	S4CQ10		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING
		118	1. Yes
		2054	2. No
		33	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2613-2613	S4CQ11		ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG
		174	1. Yes
		1997	2. No
		34	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2614-2614	S4CQ12		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG
		132	1. Yes
		2037	2. No
		36	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2615-2615	S4CQ13CR		ONLY/MOST RECENT EPISODE BEGAN AFTER DRINKING/DRUG USE OR WHEN EXPERIENCING AFTEREFFECTS (BASED ON S4CQ9-S4CQ12 IF ONLY 1 EPISODE)
		198	1. Yes
		1966	2. No
		41	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2616-2616	S4CQ13DR		STOPPED DRINKING/DRUGS 1+ MONTHS AFTER ONLY/MOST RECENT EPISODE (BASED ON S4CQ13A IF ONLY 1 EPISODE)
		111	1. Yes
		2050	2. No
		44	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia

Tape Location	Source Code	Frequency	Item value and description
2617-2617	S4CQ13ER		CONTINUED TO FEEL SAD FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/MOST RECENT EPISODE (BASED ON S4CQ13B IF ONLY 1 EPISODE)
		84	1. Yes
		2076	2. No
		45	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2618-2618	S4CQ13IR		ONLY/ANY EPISODE IN LIFE BEGAN AFTER DRINKING/DRUG USE (BASED ON S4CQ13CR IF ONLY ONE EPISODE, BASED ON S4CQ13CR & S4CQ13F IF ONLY 2 EPISODES)
		215	1. Yes
		1947	2. No
		43	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2619-2619	S4CQ13JR		ONLY/ALL EPISODE(S) IN LIFE BEGAN AFTER DRINKING/DRUG USE (BASED ON S4CQ13CR IF ONLY 1 EPISODE, BASED ON S4CQ13CR & S4CQ13F IF ONLY 2 EPISODES)
		171	1. Yes
		1992	2. No
		42	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2620-2620	S4CQ13KR		STOPPED DRINKING/DRUGS 1+ MONTHS AFTER ONLY/ANY EPISODE (BASED ON S4CQ13DR IF ONLY 1 EPISODE, BASED ON S4CQ13DR & S4CQ13G IF ONLY 2 EPISODES)
		126	1. Yes
		2034	2. No
		45	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2621-2621	S4CQ13LR		STOPPED DRINKING/DRUGS 1+ MONTHS AFTER ONLY/ALL EPISODE(S) (BASED ON S4CQ13DR IF ONLY 1 EPISODE, BASED ON S4CQ13DR & S4CQ13G IF ONLY 2 EPISODES)
		89	1. Yes
		2071	2. No
		45	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia

Tape Location	Source Code	Frequency	Item value and description
2622-2622	S4CQ13MR		CONTINUED TO FEEL SAD FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ANY EPISODE (BASED ON S4CQ13ER IF ONLY 1 EPISODE, BASED ON S4CQ13ER & S4CQ13H IF ONLY 2 EPISODES)
		99	1. Yes
		2060	2. No
		46	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2623-2623	S4CQ13NR		CONTINUED TO FEEL SAD FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ALL EPISODE(S) (BASED ON S4CQ13ER IF ONLY 1 EPISODE, BASED ON S4CQ13ER & S4CQ13H IF ONLY 2 EPISODES)
		74	1. Yes
		2086	2. No
		45	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2624-2624	S4CQ14		WENT TO COUNSELOR/THERAPIST/DOCTOR/OTHER PERSON FOR HELP TO IMPROVE MOOD
		1395	1. Yes
		789	2. No
		21	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2625-2625	S4CQ15A		STAYED OVERNIGHT IN HOSPITAL BECAUSE OF DYSTHYMIA
		446	1. Yes
		1735	2. No
		24	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2626-2626	S4CQ15B		WENT TO EMERGENCY ROOM FOR HELP BECAUSE OF DYSTHYMIA
		368	1. Yes
		1813	2. No
		24	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2627-2627	S4CQ16		DOCTOR PRESCRIBED MEDICINE/DRUG TO IMPROVE MOOD/MAKE YOU FEEL BETTER
		1244	1. Yes
		942	2. No
		19	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia

Tape Location	Source Code	Frequency	Item value and description
2628-2629	S4CQ17A		AGE AT FIRST TIME SOUGHT HELP
		1480	5-86. Age
		43	99. Unknown
		41570	BL. NA, worst period did not meet symptom criteria for dysthymia; did not seek or unknown if sought help for dysthymia
2630-2631	S4CQ17B		AGE AT MOST RECENT TIME SOUGHT HELP
		1480	5-86. Age
		43	99. Unknown
		41570	BL. NA, worst period did not meet symptom criteria for dysthymia; did not seek or unknown if sought help for dysthymia
2632-2632	S4CQ18A		OFTEN DRANK ALCOHOL TO IMPROVE MOOD/MAKE SELF FEEL BETTER
		383	1. Yes
		1797	2. No
		25	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2633-2633	S4CQ18B		DRANK ALCOHOL TO IMPROVE MOOD IN LAST 12 MONTHS
		110	1. Yes
		2069	2. No
		26	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2634-2634	S4CQ18C		DRANK ALCOHOL TO IMPROVE MOOD PRIOR TO LAST 12 MONTHS
		376	1. Yes
		1804	2. No
		25	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2635-2635	S4CQ19A		EVER USED MEDICINE/DRUG ON OWN TO IMPROVE MOOD/MAKE SELF FEEL BETTER
		213	1. Yes
		1987	2. No
		5	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia

Tape Location	Source Code	Frequency	Item value and description
2636-2636	S4CQ19B		USED MEDICINE/DRUG ON OWN TO IMPROVE MOOD IN LAST 12 MONTHS
		40	1. Yes
		2116	2. No
		49	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2637-2637	S4CQ19C		USED MEDICINE/DRUG ON OWN TO IMPROVE MOOD PRIOR TO LAST 12 MONTHS
		167	1. Yes
		1989	2. No
		49	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2638-2638	S4CQ20CR		ONLY/MOST RECENT EPISODE RELATED TO ILLNESS (BASED ON S4CQ20A IF ONLY 1 EPISODE)
		440	1. Yes
		1735	2. No
		30	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2639-2639	S4CQ20DR		DOCTOR SAID ONLY/MOST RECENT EPISODE RELATED TO ILLNESS (BASED ON S4CQ20B IF ONLY 1 EPISODE)
		303	1. Yes
		1865	2. No
		37	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2640-2640	S4CQ20GR		ONLY/ANY EPISODE RELATED TO ILLNESS (BASED ON S4CQ20A IF ONLY 1 EPISODE, BASED ON S4CQ20E & S4CQ20CR IF ONLY 2 EPISODES)
		464	1. Yes
		1708	2. No
		33	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2641-2641	S4CQ20HR		ONLY/ALL EPISODE(S) RELATED TO ILLNESS (BASED ON S4CQ20A IF ONLY 1 EPISODE, BASED ON S4CQ20E & S4CQ20CR IF ONLY 2 EPISODES)
		347	1. Yes
		1827	2. No
		31	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia

Tape Location	Source Code	Frequency	Item value and description
2642-2642	S4CQ20IR		DOCTOR SAID THAT ONLY/ALL EPISODE(S) RELATED TO ILLNESS (BASED ON S4CQ20B IF ONLY 1 EPISODE, BASED ON S4CQ20F & S4CQ20DR IF ONLY 2 EPISODES)
		239	1. Yes
		1931	2. No
		35	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
2643-2643	S4CQ20JR		DOCTOR SAID THAT ONLY/ANY EPISODE RELATED TO ILLNESS (BASED ON S4CQ20B IF ONLY 1 EPISODE, BASED ON S4CQ20F & S4CQ20DR IF ONLY 2 EPISODES)
		324	1. Yes
		1841	2. No
		40	9. Unknown
		40888	BL. NA, worst period did not meet symptom criteria for dysthymia
SECTION 5: MANIA OR HYPOMANIA (HIGH MOOD)			
2644-2644	S5Q1		HAD 1+ WEEK PERIOD OF EXCITEMENT/ELATION THAT SEEMED NOT NORMAL SELF
		2805	1. Yes
		39164	2. No
		1124	9. Unknown
2645-2645	S5Q2		HAD 1+ WEEK PERIOD OF EXCITEMENT/ELATION THAT MADE OTHERS CONCERNED ABOUT YOU
		1347	1. Yes
		40638	2. No
		1108	9. Unknown
2646-2646	S5Q3		HAD 1+ WEEK PERIOD IRRITABLE/EASILY ANNOYED THAT CAUSED YOU TO SHOUT/BREAK THINGS/START FIGHTS OR ARGUMENTS
		3402	1. Yes
		38620	2. No
		1071	9. Unknown
2647-2647	S5Q6A1		NEEDED MUCH LESS SLEEP THAN USUAL
		1994	1. Yes
		3005	2. No
		149	9. Unknown
		37945	BL. NA, never or unknown if ever had period of being excited/elated/irritable

Tape Location	Source Code	Frequency	Item value and description
2648-2648	S5Q6A2		FOUND SELF MORE TALKATIVE THAN USUAL
		2481	1. Yes
		2595	2. No
		72	9. Unknown
		37945	BL. NA, never or unknown if ever had period of being excited/elated/irritable
2649-2649	S5Q6A3		TALKED SO FAST PEOPLE HAD TROUBLE UNDERSTANDING/GETTING IN WORD EDGEWISE
		1335	1. Yes
		3754	2. No
		59	9. Unknown
		37945	BL. NA, never or unknown if ever had period of being excited/elated/irritable
2650-2650	S5Q6A4		HAD TROUBLE CONCENTRATING BECAUSE LITTLE THINGS GOT YOU EASILY OFF TRACK
		2454	1. Yes
		2649	2. No
		45	9. Unknown
		37945	BL. NA, never or unknown if ever had period of being excited/elated/irritable
2651-2651	S5Q6A5		THOUGHTS RACED SO FAST THAT YOU COULDN'T KEEP TRACK OF THEM
		2000	1. Yes
		3099	2. No
		49	9. Unknown
		37945	BL. NA, never or unknown if ever had period of being excited/elated/irritable
2652-2652	S5Q6A6		THOUGHTS RACED SO FAST THAT IT WAS HARD FOR YOU TO FOLLOW YOUR OWN THOUGHTS
		1687	1. Yes
		3402	2. No
		59	9. Unknown
		37945	BL. NA, never or unknown if ever had period of being excited/elated/irritable
2653-2653	S5Q6A7		FELT SO RESTLESS YOU FIDGETED, PACED, OR COULDN'T SIT STILL
		2386	1. Yes
		2716	2. No
		46	9. Unknown
		37945	BL. NA, never or unknown if ever had period of being excited/elated/irritable

Tape Location	Source Code	Frequency	Item value and description
2654-2654	S5Q6A8		BECAME MORE ACTIVE THAN USUAL AT WORK, HOME, PURSUING OTHER INTERESTS
		2451	1. Yes
		2639	2. No
		58	9. Unknown
		37945	BL. NA, never or unknown if ever had period of being excited/elated/irritable
2655-2655	S5Q6A9		BECAME MORE SEXUALLY ACTIVE/HAD SEX WITH PEOPLE WHO NORMALLY WOULD NOT INTEREST YOU
		671	1. Yes
		4399	2. No
		78	9. Unknown
		37945	BL. NA, never or unknown if ever had period of being excited/elated/irritable
2656-2656	S5Q6A10		BECAME SO PHYSICALLY RESTLESS THAT IT MADE YOU UNCOMFORTABLE
		1320	1. Yes
		3781	2. No
		47	9. Unknown
		37945	BL. NA, never or unknown if ever had period of being excited/elated/irritable
2657-2657	S5Q6A11		DID UNUSUAL THINGS THAT COULD GET YOU INTO TROUBLE--BUYING THINGS COULDN'T AFFORD/MAKING FOOLISH MONEY DECISIONS/DRIVING RECKLESSLY
		1240	1. Yes
		3880	2. No
		28	9. Unknown
		37945	BL. NA, never or unknown if ever had period of being excited/elated/irritable
2658-2658	S5Q6A12		DID THINGS LATER REGRETTED--SPENT TIME WITH PEOPLE NOT NORMALLY INTERESTED IN
		1202	1. Yes
		3918	2. No
		28	9. Unknown
		37945	BL. NA, never or unknown if ever had period of being excited/elated/irritable
2659-2659	S5Q6A13		FELT UNUSUALLY IMPORTANT, HAD SPECIAL GIFTS/POWERS/ABILITIES
		786	1. Yes
		4328	2. No
		34	9. Unknown
		37945	BL. NA, never or unknown if ever had period of being excited/elated/irritable

Tape Location	Source Code	Frequency	Item value and description
2660-2660	S5Q7A1		WAS UNCOMFORTABLE BECAUSE OF FEELING EXTREMELY EXCITED/ELATED/IRRITABLE/ EASILY ANNOYED
		1218	1. Yes
		1725	2. No
		37	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2661-2661	S5Q7A2		HAD SERIOUS PROBLEMS GETTING ALONG WITH PEOPLE--ARGUING WITH FRIENDS/OTHERS
		1083	1. Yes
		1884	2. No
		13	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2662-2662	S5Q7A3		HAD SERIOUS PROBLEMS WITH THINGS SUPPOSED TO DO--WORK, SCHOOLWORK, CARING FOR HOME/FAMILY
		862	1. Yes
		2103	2. No
		15	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2663-2663	S5Q7A4		HAD TROUBLE GETTING THINGS DONE
		1116	1. Yes
		1851	2. No
		13	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2664-2664	S5Q7A5		HAD LEGAL TROUBLE--GETTING ARRESTED, HELD AT POLICE STATION, IN JAIL
		237	1. Yes
		2735	2. No
		8	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2665-2666	S5Q8B		AGE AT ONSET OF FIRST EPISODE
		2835	5-90. Age
		145	99. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania

Tape Location	Source Code	Frequency	Item value and description
2667-2667	S5Q8C		WAS ONSET OF FIRST EPISODE IN LAST 12 MONTHS
		383	1. Yes
		2579	2. No
		18	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2668-2669	S5Q9		NUMBER OF EPISODES
		2620	1-98. Separate times lasting at least 1 week
		360	99. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2670-2671	S5Q10AR		AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON S5Q8B IF ONLY 1 EPISODE)
		2854	5-90. Age
		126	99. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2672-2672	S5Q10BR		DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON S5Q8C IF ONLY 1 EPISODE)
		1066	1. Yes
		1880	2. No
		34	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2673-2676	S5Q11AR		DURATION (WEEKS) OF ONLY/MOST RECENT EPISODE (BASED ON S5Q11E IF ONLY 1 EPISODE)
		2868	1-3339. Weeks
		112	9999. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2677-2677	S5Q11BR		WAS THERE 2+ MONTHS PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON S5Q11F IF ONLY 1 EPISODE)
		2378	1. Yes
		544	2. No
		58	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania

Tape Location	Source Code	Frequency	Item value and description
2678-2678	S5Q11CR		WAS REMISSION OF ONLY/MOST RECENT EPISODE IN LAST 12 MONTHS (BASED ON S5Q11G IF ONLY 1 EPISODE)
		916	1. Yes
		2002	2. No
		62	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2679-2682	S5Q11DR		DURATION (WEEKS) OF ONLY/LONGEST EPISODE (BASED ON S5Q11E IF ONLY 1 EPISODE)
		2831	1-3339. Weeks
		149	9999. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2683-2683	S5Q12		ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL
		249	1. Yes
		2697	2. No
		34	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2684-2684	S5Q13		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING
		123	1. Yes
		2817	2. No
		40	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2685-2685	S5Q14		ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG
		261	1. Yes
		2682	2. No
		37	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2686-2686	S5Q15		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG
		157	1. Yes
		2782	2. No
		41	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania

Tape Location	Source Code	Frequency	Item value and description
2687-2687	S5Q16CR		ONLY/ANY EPISODE IN LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S5Q12-S5Q15 IF ONLY 1 EPISODE)
		126	1. Yes
		1330	2. No
		12	9. Unknown
		41625	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode in last 12 months
2688-2688	S5Q16DR		ONLY/ALL EPISODE(S) IN LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S5Q12-S5Q15 IF ONLY 1 EPISODE)
		87	1. Yes
		1367	2. No
		14	9. Unknown
		41625	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode in last 12 months
2689-2689	S5Q16ER		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON S5Q16A IF ONLY 1 EPISODE)
		66	1. Yes
		1387	2. No
		15	9. Unknown
		41625	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode in last 12 months
2690-2690	S5Q16FR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON S5Q16A IF ONLY 1 EPISODE)
		54	1. Yes
		1398	2. No
		16	9. Unknown
		41625	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode in last 12 months
2691-2691	S5Q16GR		CONTINUED TO FEEL MANIC FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON S5Q16B IF ONLY 1 EPISODE)
		35	1. Yes
		1418	2. No
		15	9. Unknown
		41625	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
2692-2692	S5Q16HR		CONTINUED TO FEEL MANIC FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON S5Q16B IF ONLY 1 EPISODE)
		28	1. Yes
		1425	2. No
		15	9. Unknown
		41625	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode in last 12 months
2693-2693	S5Q16IR		ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S5Q12-S5Q15 IF ONLY 1 EPISODE)
		271	1. Yes
		2277	2. No
		49	9. Unknown
		40496	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode prior to last 12 months
2694-2694	S5Q16JR		ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S5Q12-S5Q15 IF ONLY 1 EPISODE)
		199	1. Yes
		2347	2. No
		51	9. Unknown
		40496	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode prior to last 12 months
2695-2695	S5Q16KR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON S5Q16A IF ONLY 1 EPISODE)
		150	1. Yes
		2393	2. No
		54	9. Unknown
		40496	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode prior to last 12 months
2696-2696	S5Q16LR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON S5Q16A IF ONLY 1 EPISODE)
		126	1. Yes
		2417	2. No
		54	9. Unknown
		40496	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2697-2697	S5Q16MR		CONTINUED TO FEEL MANIC FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON S5Q16B IF ONLY 1 EPISODE)
		72	1. Yes
		2470	2. No
		55	9. Unknown
		40496	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode prior to last 12 months
2698-2698	S5Q16NR		CONTINUED TO FEEL MANIC FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ALL EPISODES PRIOR TO LAST 12 MONTHS (BASED ON S5Q16B IF ONLY 1 EPISODE)
		62	1. Yes
		2478	2. No
		57	9. Unknown
		40496	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode prior to last 12 months
2699-2699	S5Q17		WENT TO COUNSELOR/THERAPIST/DOCTOR/OTHER PERSON FOR HELP TO CALM DOWN
		741	1. Yes
		2222	2. No
		17	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2700-2700	S5Q18A		STAYED OVERNIGHT IN HOSPITAL BECAUSE OF MANIA
		260	1. Yes
		2703	2. No
		17	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2701-2701	S5Q18B		WENT TO EMERGENCY ROOM FOR HELP BECAUSE OF MANIA
		214	1. Yes
		2752	2. No
		14	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2702-2702	S5Q19		DOCTOR PRESCRIBED MEDICINE/DRUG TO CALM YOU DOWN/MAKE YOU FEEL BETTER
		698	1. Yes
		2267	2. No
		15	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania

Tape Location	Source Code	Frequency	Item value and description
2703-2704	S5Q20A		AGE AT FIRST TIME SOUGHT HELP
		888	5-90. Age
		28	99. Unknown
		42177	BL. NA, worst period did not meet symptom criteria for mania/hypomania; did not seek or unknown if sought help for mania/hypomania
2705-2706	S5Q20B		AGE AT MOST RECENT TIME SOUGHT HELP
		887	5-90. Age
		29	99. Unknown
		42177	BL. NA, worst period did not meet symptom criteria for mania/hypomania; did not seek or unknown if sought help for mania/hypomania
2707-2707	S5Q21A		EVER DRANK ALCOHOL TO CALM DOWN/MAKE SELF FEEL BETTER
		514	1. Yes
		2448	2. No
		18	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2708-2708	S5Q21B		DRANK ALCOHOL TO CALM DOWN IN LAST 12 MONTHS
		220	1. Yes
		2742	2. No
		18	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2709-2709	S5Q21C		DRANK ALCOHOL TO CALM DOWN PRIOR TO LAST 12 MONTHS
		463	1. Yes
		2499	2. No
		18	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2710-2710	S5Q22A		EVER USED MEDICINE/DRUG ON OWN TO CALM DOWN/MAKE SELF FEEL BETTER
		240	1. Yes
		2730	2. No
		10	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2711-2711	S5Q22B		USED MEDICINE/DRUG ON OWN TO CALM DOWN IN LAST 12 MONTHS
		55	1. Yes
		2861	2. No
		64	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania

Tape Location	Source Code	Frequency	Item value and description
2712-2712	S5Q22C		USED MEDICINE/DRUG ON OWN TO CALM DOWN PRIOR TO LAST 12 MONTHS
		175	1. Yes
		2741	2. No
		64	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania
2713-2713	S5Q23CR		ONLY/ANY EPISODE IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S5Q23A IF ONLY 1 EPISODE)
		212	1. Yes
		1242	2. No
		14	9. Unknown
		41625	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode in last 12 months
2714-2714	S5Q23DR		ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S5Q23A IF ONLY 1 EPISODE)
		132	1. Yes
		1322	2. No
		14	9. Unknown
		41625	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode in last 12 months
2715-2715	S5Q23ER		DOCTOR SAID ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S5Q23B IF ONLY 1 EPISODE)
		80	1. Yes
		1372	2. No
		16	9. Unknown
		41625	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode in last 12 months
2716-2716	S5Q23FR		DOCTOR SAID ONLY/ANY EPISODE IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S5Q23B IF ONLY 1 EPISODE)
		120	1. Yes
		1333	2. No
		15	9. Unknown
		41625	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
2717-2717	S5Q23GR		ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S5Q23A IF ONLY 1 EPISODE)
		299	1. Yes
		2266	2. No
		32	9. Unknown
		40496	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode prior to last 12 months
2718-2718	S5Q23HR		ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S5Q23A IF ONLY 1 EPISODE)
		198	1. Yes
		2366	2. No
		33	9. Unknown
		40496	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode prior to last 12 months
2719-2719	S5Q23IR		DOCTOR SAID ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S5Q23B IF ONLY 1 EPISODE)
		124	1. Yes
		2438	2. No
		35	9. Unknown
		40496	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode prior to last 12 months
2720-2720	S5Q23JR		DOCTOR SAID ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S5Q23B IF ONLY 1 EPISODE)
		178	1. Yes
		2385	2. No
		34	9. Unknown
		40496	BL. NA, worst period did not meet symptom criteria for mania/hypomania; had no episode prior to last 12 months
2721-2721	S5Q24A		ONLY/ANY EPISODE HAD 1+ WEEK PERIOD(S) CYCLING BETWEEN DEPRESSION AND MANIA
		1124	1. Yes
		1798	2. No
		58	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania

Tape Location	Source Code	Frequency	Item value and description
2722-2722	S5Q24B		ONLY/ALL EPISODE(S) HAD 1+ WEEK PERIOD(S) CYCLING BETWEEN DEPRESSION AND MANIA
		993	1. Yes
		1927	2. No
		60	9. Unknown
		40113	BL. NA, worst period did not meet symptom criteria for mania/hypomania

SECTION 6: PANIC DISORDERS AND AGORAPHOBIA (ANXIETY)			

THE VARIABLES IN THIS SECTION REFER TO ONE OF THE FOLLOWING DISORDERS:			
1. PANIC DISORDER WITH AGORAPHOBIA (PDwA)			
2. PANIC DISORDER WITHOUT AGORAPHOBIA (PDw/oA)			
3. AGORAPHOBIA WITHOUT PANIC DISORDER (Aw/oPD)			

2723-2723	S6Q1		HAD PANIC ATTACK, SUDDENLY FELT FRIGHTENED/OVERWHELMED/NERVOUS AS IF IN GREAT DANGER BUT WERE NOT
		5278	1. Yes
		36429	2. No
		1386	9. Unknown

2724-2724	S6Q2		WAS SURPRISED BY PANIC ATTACK THAT HAPPENED OUT OF THE BLUE, FOR NO REAL REASON OR IN A SITUATION WHERE DIDN'T EXPECT TO BE FRIGHTENED/NERVOUS
		3624	1. Yes
		38060	2. No
		1409	9. Unknown

2725-2725	S6Q3		THOUGHT WAS HAVING HEART ATTACK, BUT DOCTOR SAID JUST NERVES OR PANIC ATTACK
		2263	1. Yes
		39442	2. No
		1388	9. Unknown

2726-2726	S6Q61		HAD TROUBLE CATCHING BREATH, FELT SHORT OF BREATH, FELT LIKE SMOTHERING
		3855	1. Yes
		1996	2. No
		62	9. Unknown
		37180	BL. NA, never or unknown if ever had panic attack

Tape Location	Source Code	Frequency	Item value and description
2727-2727	S6Q62		FELT HEART RACING, POUNDING, OR SKIPPING
		4846	1. Yes
		975	2. No
		92	9. Unknown
		37180	BL. NA, never or unknown if ever had panic attack
2728-2728	S6Q63		TREMbled OR SHOOK
		3129	1. Yes
		2614	2. No
		170	9. Unknown
		37180	BL. NA, never or unknown if ever had panic attack
2729-2729	S6Q64		PERSPIRED OR SWEATED
		3222	1. Yes
		2433	2. No
		258	9. Unknown
		37180	BL. NA, never or unknown if ever had panic attack
2730-2730	S6Q65		FELT AS IF CHOKING
		1466	1. Yes
		4351	2. No
		96	9. Unknown
		37180	BL. NA, never or unknown if ever had panic attack
2731-2731	S6Q66		FELT DIZZY, LIGHTHEADED, AS IF MIGHT FAINT
		3126	1. Yes
		2697	2. No
		90	9. Unknown
		37180	BL. NA, never or unknown if ever had panic attack
2732-2732	S6Q67		FELT THINGS AROUND SEEMED UNREAL/FELT DETACHED FROM THINGS AROUND
		2477	1. Yes
		3321	2. No
		115	9. Unknown
		37180	BL. NA, never or unknown if ever had panic attack

Tape Location	Source Code	Frequency	Item value and description
2733-2733	S6Q68		HAD TINGLING OR NUMBNESS IN ANY PART OF BODY
		1745	1. Yes
		3973	2. No
		195	9. Unknown
		37180	BL. NA, never or unknown if ever had panic attack
2734-2734	S6Q69		HAD FLUSHES, HOT FLASHES, OR CHILLS
		2520	1. Yes
		3217	2. No
		176	9. Unknown
		37180	BL. NA, never or unknown if ever had panic attack
2735-2735	S6Q610		FELT NAUSEOUS, HAD UPSET STOMACH, FELT MIGHT VOMIT OR HAVE DIARRHEA
		2218	1. Yes
		3590	2. No
		105	9. Unknown
		37180	BL. NA, never or unknown if ever had panic attack
2736-2736	S6Q611		HAD PAIN OR PRESSURE IN CHEST
		2391	1. Yes
		3413	2. No
		109	9. Unknown
		37180	BL. NA, never or unknown if ever had panic attack
2737-2737	S6Q612		FELT MIGHT GO CRAZY OR LOSE CONTROL
		2213	1. Yes
		3619	2. No
		81	9. Unknown
		37180	BL. NA, never or unknown if ever had panic attack
2738-2738	S6Q613		FELT MIGHT DIE
		2050	1. Yes
		3795	2. No
		68	9. Unknown
		37180	BL. NA, never or unknown if ever had panic attack

Tape Location	Source Code	Frequency	Item value and description
2739-2739	S6Q7		DURING WORST EPISODES AT LEAST 4 OF THE EXPERIENCES MENTIONED BEGAN SUDDENLY AND BECAME VERY INTENSE WITHIN 10 MINUTES OR LESS
		3310	1. Yes
		952	2. No
		75	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2740-2740	S6Q8		AFTER WORST EPISODES WORRIED FOR AT LEAST 1 MONTH WOULD HAVE ANOTHER
		1980	1. Yes
		2328	2. No
		29	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2741-2741	S6Q9		AFTER WORST EPISODES WORRIED FOR AT LEAST 1 MONTH ABOUT WHAT MIGHT HAPPEN IF HAD ANOTHER
		1733	1. Yes
		2578	2. No
		26	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2742-2742	S6Q10		MADE CHANGES IN EVERYDAY LIFE/USUAL ACTIVITIES/FUTURE PLANS AFTER EPISODES
		1781	1. Yes
		2531	2. No
		25	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2743-2743	S6Q111		WAS UNCOMFORTABLE OR UPSET BY EPISODES
		2653	1. Yes
		1663	2. No
		21	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2744-2744	S6Q112		HAD SERIOUS PROBLEMS GETTING ALONG WITH OTHER PEOPLE (ARGUING/AVOIDING MORE THAN USUAL)
		698	1. Yes
		3621	2. No
		18	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD

Tape Location	Source Code	Frequency	Item value and description
2745-2745	S6Q113		HAD SERIOUS PROBLEMS WITH THINGS SUPPOSED TO DO--WORK, SCHOOLWORK, CARING FOR HOME/FAMILY
		985	1. Yes
		3331	2. No
		21	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2746-2746	S6Q114		RESTRICTED USUAL ACTIVITIES IN ANY WAY BECAUSE OF EPISODES
		1286	1. Yes
		3031	2. No
		20	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2747-2747	S6Q115		WAS UNABLE TO DO SOMETHING BECAUSE OF EPISODES
		1155	1. Yes
		3156	2. No
		26	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2748-2749	S6Q12A		AGE AT ONSET OF FIRST EPISODE
		4212	5-93. Age
		125	99. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2750-2750	S6Q12B		WAS ONSET OF FIRST EPISODE IN LAST 12 MONTHS
		521	1. Yes
		3803	2. No
		13	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2751-2751	S6Q12C		WORRIED A LOT/MADE CHANGE IN LIFE AS RESULT OF PANIC ATTACKS
		1634	1. Yes
		2668	2. No
		35	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2752-2753	S6Q13		NUMBER OF EPISODES
		3939	1-98. Separate times
		398	99. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD

Tape Location	Source Code	Frequency	Item value and description
2754-2755	S6Q14AR		AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON S6Q12A IF ONLY 1 EPISODE)
		4205	5-93. Age
		132	99. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2756-2756	S6Q14BR		DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON S6Q12B IF ONLY 1 EPISODE)
		1214	1. Yes
		3102	2. No
		21	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2757-2757	S6Q14CR		MADE CHANGE IN LIFE/FUTURE PLANS BECAUSE OF EPISODE(S) (BASED ON S6Q12C IF ONLY 1 EPISODE)
		1034	1. Yes
		3271	2. No
		32	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2758-2762	S6Q15AR		DURATION (DAYS) OF ONLY/MOST RECENT EPISODE (BASED ON S6Q15E IF ONLY 1 EPISODE)
		4045	1-21184. Days
		292	99999. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2763-2763	S6Q15BR		WAS THERE 2+ MONTHS PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE(S) (BASED ON S6Q15F IF ONLY 1 EPISODE)
		3808	1. Yes
		469	2. No
		60	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2764-2764	S6Q15CR		WAS REMISSION OF ONLY/MOST RECENT EPISODE IN LAST 12 MONTHS (BASED ON S6Q15G IF ONLY 1 EPISODE)
		1215	1. Yes
		3045	2. No
		77	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD

Tape Location	Source Code	Frequency	Item value and description
2765-2769	S6Q15DR		DURATION (DAYS) OF ONLY/LONGEST EPISODE (BASED ON S6Q15E IF ONLY 1 EPISODE)
		3948	1-23741. Days
		389	99999. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2770-2770	S6Q16		ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL
		166	1. Yes
		4122	2. No
		49	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2771-2771	S6Q17		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING
		103	1. Yes
		4183	2. No
		51	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2772-2772	S6Q18		ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG
		245	1. Yes
		4037	2. No
		55	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2773-2773	S6Q19		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG
		168	1. Yes
		4110	2. No
		59	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2774-2774	S6Q20CR		ONLY/ANY EPISODE IN LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S6Q16-S6Q19 IF ONLY 1 EPISODE)
		105	1. Yes
		1570	2. No
		22	9. Unknown
		41396	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
2775-2775	S6Q20DR		ONLY/ALL EPISODE(S) IN LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S6Q16-S6Q19 IF ONLY 1 EPISODE)
		77	1. Yes
		1598	2. No
		22	9. Unknown
		41396	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode in last 12 months
2776-2776	S6Q20ER		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON S6Q20A IF ONLY 1 EPISODE)
		60	1. Yes
		1615	2. No
		22	9. Unknown
		41396	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode in last 12 months
2777-2777	S6Q20FR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON S6Q20A IF ONLY 1 EPISODE)
		52	1. Yes
		1623	2. No
		22	9. Unknown
		41396	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode in last 12 months
2778-2778	S6Q20GR		CONTINUED EPISODE FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON S6Q20B IF ONLY 1 EPISODE)
		31	1. Yes
		1644	2. No
		22	9. Unknown
		41396	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode in last 12 months
2779-2779	S6Q20HR		CONTINUED EPISODE(S) FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON S6Q20B IF ONLY 1 EPISODE)
		26	1. Yes
		1649	2. No
		22	9. Unknown
		41396	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
2780-2780	S6Q20IR		ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S6Q16-S6Q19 IF ONLY 1 EPISODE)
		257	1. Yes
		3492	2. No
		67	9. Unknown
		39277	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode prior to last 12 months
2781-2781	S6Q20JR		ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S6Q16-S6Q19 IF ONLY 1 EPISODE)
		198	1. Yes
		3551	2. No
		67	9. Unknown
		39277	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode prior to last 12 months
2782-2782	S6Q20KR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON S6Q20A IF ONLY 1 EPISODE)
		148	1. Yes
		3595	2. No
		73	9. Unknown
		39277	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode prior to last 12 months
2783-2783	S6Q20LR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON S6Q20A IF ONLY 1 EPISODE)
		128	1. Yes
		3614	2. No
		74	9. Unknown
		39277	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode prior to last 12 months
2784-2784	S6Q20MR		CONTINUED EPISODE FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON S6Q20B IF ONLY 1 EPISODE)
		55	1. Yes
		3685	2. No
		76	9. Unknown
		39277	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2785-2785	S6Q20NR		CONTINUED EPISODE(S) FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON S6Q20B IF ONLY 1 EPISODE)
		47	1. Yes
		3693	2. No
		76	9. Unknown
		39277	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode prior to last 12 months
2786-2786	S6Q21		WENT TO COUNSELOR/THERAPIST/DOCTOR/OTHER PERSON FOR HELP WITH PANIC ATTACKS
		1881	1. Yes
		2431	2. No
		25	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2787-2787	S6Q22		WENT TO EMERGENCY ROOM FOR HELP BECAUSE OF PANIC ATTACKS
		960	1. Yes
		3352	2. No
		25	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2788-2788	S6Q23		STAYED OVERNIGHT IN HOSPITAL BECAUSE OF PANIC ATTACKS
		423	1. Yes
		3896	2. No
		18	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2789-2789	S6Q24		DOCTOR PRESCRIBE MEDICINE/DRUG FOR PANIC ATTACKS
		1559	1. Yes
		2744	2. No
		34	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2790-2791	S6Q25A		AGE AT FIRST TIME SOUGHT HELP
		2253	5-89. Age
		52	99. Unknown
		40788	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; did not seek or unknown if sought help for PDwA, PDw/oA, Aw/oPD

Tape Location	Source Code	Frequency	Item value and description
2792-2793	S6Q25B		AGE AT MOST RECENT TIME SOUGHT HELP
		2222	5-89. Age
		83	99. Unknown
		40788	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; did not seek or unknown if sought help for PDwA, PDw/oA, Aw/oPD
2794-2794	S6Q26A		EVER DRANK ALCOHOL TO AVOID PANIC ATTACKS
		141	1. Yes
		4181	2. No
		15	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2795-2795	S6Q26B		DRANK ALCOHOL TO AVOID PANIC ATTACKS IN LAST 12 MONTHS
		50	1. Yes
		4272	2. No
		15	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2796-2796	S6Q26C		DRANK ALCOHOL TO AVOID PANIC ATTACKS PRIOR TO LAST 12 MONTHS
		124	1. Yes
		4198	2. No
		15	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2797-2797	S6Q27A		EVER USED MEDICINE/DRUG ON YOUR OWN TO AVOID PANIC ATTACKS
		95	1. Yes
		4232	2. No
		10	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2798-2798	S6Q27B		USED MEDICINE/DRUG ON OWN TO AVOID PANIC ATTACKS IN LAST 12 MONTHS
		21	1. Yes
		4277	2. No
		39	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD

Tape Location	Source Code	Frequency	Item value and description
2799-2799	S6Q27C		USED MEDICINE/DRUG ON OWN TO AVOID PANIC ATTACKS PRIOR TO LAST 12 MONTHS
		63	1. Yes
		4235	2. No
		39	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2800-2800	S6Q28CR		ONLY/ANY EPISODE IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S6Q28A IF ONLY 1 EPISODE)
		234	1. Yes
		1449	2. No
		14	9. Unknown
		41396	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode in last 12 months
2801-2801	S6Q28DR		ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S6Q28A IF ONLY 1 EPISODE)
		159	1. Yes
		1523	2. No
		15	9. Unknown
		41396	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode in last 12 months
2802-2802	S6Q28ER		DOCTOR SAID ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S6Q28B IF ONLY 1 EPISODE)
		97	1. Yes
		1584	2. No
		16	9. Unknown
		41396	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode in last 12 months
2803-2803	S6Q28FR		DOCTOR SAID ONLY/ANY EPISODE IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S6Q28B IF ONLY 1 EPISODE)
		131	1. Yes
		1551	2. No
		15	9. Unknown
		41396	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
2804-2804	S6Q28GR		ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S6Q28A IF ONLY 1 EPISODE)
		450	1. Yes
		3317	2. No
		49	9. Unknown
		39277	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode prior to last 12 months
2805-2805	S6Q28HR		ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S6Q28A IF ONLY 1 EPISODE)
		324	1. Yes
		3440	2. No
		52	9. Unknown
		39277	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode prior to last 12 months
2806-2806	S6Q28IR		DOCTOR SAID ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S6Q28B IF ONLY 1 EPISODE)
		210	1. Yes
		3551	2. No
		55	9. Unknown
		39277	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode prior to last 12 months
2807-2807	S6Q28JR		DOCTOR SAID ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S6Q28B IF ONLY 1 EPISODE)
		270	1. Yes
		3492	2. No
		54	9. Unknown
		39277	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD; had no episode prior to last 12 months
2808-2808	S6Q29A		ONLY/ANY EPISODE EVER BEGAN FROM REMEMBERING PAST STRESS
		893	1. Yes
		3386	2. No
		58	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD

Tape Location	Source Code	Frequency	Item value and description
2809-2809	S6Q29B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM REMEMBERING PAST STRESS
		465	1. Yes
		3809	2. No
		63	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2810-2810	S6Q30A		ONLY/ANY EPISODE EVER BEGAN FROM WORRY ABOUT BEING AWAY FROM HOME/FRIENDS
		760	1. Yes
		3527	2. No
		50	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2811-2811	S6Q30B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM WORRY ABOUT BEING AWAY FROM HOME/FRIENDS
		342	1. Yes
		3942	2. No
		53	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2812-2812	S6Q31A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF BEING CONTAMINATED BY GERMS
		85	1. Yes
		4222	2. No
		30	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2813-2813	S6Q31B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF BEING CONTAMINATED BY GERMS
		21	1. Yes
		4286	2. No
		30	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2814-2814	S6Q32A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF EMBARRASSMENT OVER COMPULSIVE BEHAVIORS
		207	1. Yes
		4088	2. No
		42	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD

Tape Location	Source Code	Frequency	Item value and description
2815-2815	S6Q32B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF EMBARRASSMENT OVER COMPULSIVE BEHAVIORS
		82	1. Yes
		4212	2. No
		43	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2816-2816	S6Q33A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF BEING UNABLE TO ENGAGE IN COMPULSIVE BEHAVIORS
		165	1. Yes
		4126	2. No
		46	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
2817-2817	S6Q33B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF BEING UNABLE TO ENGAGE IN COMPULSIVE BEHAVIORS
		77	1. Yes
		4214	2. No
		46	9. Unknown
		38756	BL. NA, worst time did not meet symptom criteria for PDwA, PDw/oA, Aw/oPD
SECTION 7: SOCIAL PHOBIA (SOCIAL SITUATIONS)			
2818-2818	S7Q1		EVER HAD STRONG FEAR OR AVOIDANCE OF SOCIAL SITUATION
		3854	1. Yes
		37784	2. No
		1455	9. Unknown
2819-2819	S7Q2		HAD FEAR/AVOIDANCE OF SOCIAL SITUATION DUE TO FEAR OF EMBARRASSMENT AT WHAT YOU MIGHT SAY/DO AROUND OTHERS
		3243	1. Yes
		38378	2. No
		1472	9. Unknown
2820-2820	S7Q3		HAD FEAR/AVOIDANCE OF SOCIAL SITUATION DUE TO FEAR OF BECOMING SPEECHLESS, HAVING NOTHING TO SAY OR SAYING SOMETHING FOOLISH
		3602	1. Yes
		38007	2. No
		1484	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
2821-2821	S7Q4A1		EVER HAD FEAR/AVOIDANCE OF TALKING IN FRONT OF OTHERS
		4173	1. Yes
		1226	2. No
		12	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2822-2822	S7Q4A2		EVER HAD FEAR/AVOIDANCE OF CONVERSATIONS WITH THOSE YOU DON'T KNOW WELL
		2341	1. Yes
		3056	2. No
		14	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2823-2823	S7Q4A3		EVER HAD FEAR/AVOIDANCE OF GOING TO PARTIES/OTHER SOCIAL GATHERINGS
		1902	1. Yes
		3494	2. No
		15	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2824-2824	S7Q4A4		EVER HAD FEAR/AVOIDANCE OF EATING OR DRINKING IN PUBLIC
		650	1. Yes
		4753	2. No
		8	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2825-2825	S7Q4A5		EVER HAD FEAR/AVOIDANCE OF WRITING WHILE SOMEONE ELSE WATCHES
		893	1. Yes
		4498	2. No
		20	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2826-2826	S7Q4A6		EVER HAD FEAR/AVOIDANCE OF DATING
		938	1. Yes
		4441	2. No
		32	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation

Tape Location	Source Code	Frequency	Item value and description
2827-2827	S7Q4A7		EVER HAD FEAR/AVOIDANCE OF BEING IN SMALL GROUP SITUATION
		630	1. Yes
		4759	2. No
		22	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2828-2828	S7Q4A8		EVER HAD FEAR/AVOIDANCE OF TAKING PART OR SPEAKING IN CLASS
		3400	1. Yes
		1985	2. No
		26	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2829-2829	S7Q4A9		EVER HAD FEAR/AVOIDANCE OF BEING INTERVIEWED
		1806	1. Yes
		3580	2. No
		25	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2830-2830	S7Q4A10		EVER HAD FEAR/AVOIDANCE OF TAKING PART OR SPEAKING IN A MEETING
		2955	1. Yes
		2415	2. No
		41	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2831-2831	S7Q4A11		EVER HAD FEAR/AVOIDANCE OF PERFORMING IN FRONT OF OTHERS
		3350	1. Yes
		2012	2. No
		49	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2832-2832	S7Q4A12		EVER HAD FEAR/AVOIDANCE OF TAKING AN IMPORTANT EXAM
		2269	1. Yes
		3108	2. No
		34	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation

Tape Location	Source Code	Frequency	Item value and description
2833-2833	S7Q4A13		EVER HAD FEAR/AVOIDANCE OF SPEAKING TO AUTHORITY FIGURE--TEACHER OR BOSS
		1794	1. Yes
		3588	2. No
		29	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2834-2834	S7Q4B		EVER HAD FEAR/AVOIDANCE OF ANY OTHER SOCIAL SITUATION
		1311	1. Yes
		4052	2. No
		48	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2835-2835	S7Q5		THINKING ABOUT THESE SOCIAL SITUATIONS ALMOST ALWAYS MADE YOU NERVOUS/ANXIOUS
		2374	1. Yes
		3000	2. No
		37	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2836-2836	S7Q6		USUALLY BECAME UPSET/ANXIOUS WHEN HAD TO BE IN THESE SOCIAL SITUATIONS
		3161	1. Yes
		2220	2. No
		30	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2837-2837	S7Q7		EVER REMAIN IN SOCIAL SITUATIONS BECAUSE HAD TO BE THERE, EVEN THOUGH IT MADE YOU VERY FRIGHTENED/NERVOUS/ANXIOUS
		3552	1. Yes
		1815	2. No
		44	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2838-2838	S7Q8		EVER AVOID ANY OF THESE SOCIAL SITUATIONS BECAUSE OF STRONG FEAR OF THEM
		2340	1. Yes
		3041	2. No
		30	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation

Tape Location	Source Code	Frequency	Item value and description
2839-2839	S7Q9		EVER THINK YOU WERE MORE FRIGHTENED/NERVOUS/ANXIOUS ABOUT THESE SOCIAL SITUATIONS THAN MOST PEOPLE
		2324	1. Yes
		2988	2. No
		99	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2840-2840	S7Q10		THOUGHT OWN FEAR/AVOIDANCE OF THESE SITUATIONS STRONGER THAN IT SHOULD BE
		2593	1. Yes
		2732	2. No
		86	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2841-2841	S7Q11		IN SOCIAL SITUATIONS THAT MADE YOU ANXIOUS, EVER HAVE A PANIC ATTACK
		457	1. Yes
		4945	2. No
		9	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2842-2842	S7Q12		PANIC ATTACK ONLY HAPPENED IN THESE SITUATIONS/WHEN THOUGHT HAD TO BE IN THEM
		206	1. Yes
		5195	2. No
		10	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2843-2843	S7Q13		FRIGHTENED OF SOCIAL SITUATIONS BECAUSE OF FEAR OF PANIC ATTACK
		374	1. Yes
		5024	2. No
		13	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2844-2844	S7Q14		REMAINED IN SOCIAL SITUATION BECAUSE HAD TO BE THERE EVEN THOUGH YOU WERE NERVOUS/ANXIOUS ABOUT HAVING A PANIC ATTACK
		577	1. Yes
		4826	2. No
		8	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation

Tape Location	Source Code	Frequency	Item value and description
2845-2845	S7Q15A		AVOIDED SOCIAL SITUATIONS BECAUSE OF FEAR OF HAVING PANIC ATTACK
		413	1. Yes
		4994	2. No
		4	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2846-2846	S7Q15B		WHEN HAD TO BE IN SOCIAL SITUATIONS OFTEN NEEDED TO BRING SOMEONE ALONG IN CASE HAD A PANIC ATTACK
		246	1. Yes
		5159	2. No
		6	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2847-2847	S7Q161		THINKING ABOUT/BEING IN/AVOIDING SOCIAL SITUATIONS UPSET YOU/MADE YOU UNCOMFORTABLE
		2762	1. Yes
		2595	2. No
		54	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2848-2848	S7Q162		THINKING ABOUT/BEING IN/AVOIDING SOCIAL SITUATIONS INTERFERED WITH RELATIONSHIPS
		1043	1. Yes
		4314	2. No
		54	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2849-2849	S7Q163		THINKING ABOUT/BEING IN/AVOIDING SOCIAL SITUATIONS INTERFERED WITH THINGS SUPPOSED TO DO--WORK, SCHOOLWORK, TAKING CARE OF FAMILY/HOME
		780	1. Yes
		4592	2. No
		39	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2850-2850	S7Q164		THINKING ABOUT/BEING IN/AVOIDING SOCIAL SITUATIONS RESTRICTED USUAL ACTIVITIES
		784	1. Yes
		4589	2. No
		38	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation

Tape Location	Source Code	Frequency	Item value and description
2851-2851	S7Q165		THINKING ABOUT/BEING IN/AVOIDING SOCIAL SITUATIONS KEPT FROM DOING THINGS WANTED TO DO
		1371	1. Yes
		3996	2. No
		44	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2852-2853	S7Q17A		AGE AT ONSET OF FIRST EPISODE
		4965	5-89. Age
		446	99. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2854-2854	S7Q17B		WAS ONSET OF FIRST EPISODE IN LAST 12 MONTHS
		87	1. Yes
		5258	2. No
		66	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2855-2856	S7Q17C		NUMBER OF EPISODES
		4513	1-98. Separate times
		898	99. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2857-2858	S7Q18AR		AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON S7Q17A IF ONLY 1 EPISODE)
		4818	5-92. Age
		593	99. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2859-2859	S7Q18BR		DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON S7Q17B IF ONLY 1 EPISODE)
		642	1. Yes
		4624	2. No
		145	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2860-2863	S7Q19AR		DURATION (WEEKS) OF ONLY/MOST RECENT EPISODE (BASED ON S7Q20A IF ONLY 1 EPISODE)
		4719	1-4435. Weeks
		692	9999. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation

Tape Location	Source Code	Frequency	Item value and description
2864-2864	S7Q19BR		WAS THERE 2+ MONTHS PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON S7Q20B IF ONLY 1 EPISODE)
		3362	1. Yes
		1780	2. No
		269	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2865-2865	S7Q19CR		WAS REMISSION OF ONLY/MOST RECENT EPISODE IN LAST 12 MONTHS (BASED ON S7Q20C IF ONLY 1 EPISODE)
		632	1. Yes
		4487	2. No
		292	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2866-2869	S7Q19DR		DURATION (WEEKS) OF ONLY/LONGEST EPISODE (BASED ON S7Q20A IF ONLY 1 EPISODE)
		4641	1-4435. Weeks
		770	9999. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2870-2870	S7Q21		ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL
		91	1. Yes
		5196	2. No
		124	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2871-2871	S7Q22		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING
		53	1. Yes
		5232	2. No
		126	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2872-2872	S7Q23		ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG
		92	1. Yes
		5188	2. No
		131	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation

Tape Location	Source Code	Frequency	Item value and description
2873-2873	S7Q24		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG
		57	1. Yes
		5221	2. No
		133	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2874-2874	S7Q25CR		ONLY/ANY EPISODE IN LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S7Q21-S7Q24 & s7Q25C)
		52	1. Yes
		2360	2. No
		24	9. Unknown
		40657	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode in last 12 months
2875-2875	S7Q25DR		ONLY/ALL EPISODE(S) IN LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S7Q21-S7Q24 IF ONLY 1 EPISODE)
		40	1. Yes
		2372	2. No
		24	9. Unknown
		40657	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode in last 12 months
2876-2876	S7Q25ER		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON S7Q25A IF ONLY 1 EPISODE)
		28	1. Yes
		2383	2. No
		25	9. Unknown
		40657	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode in last 12 months
2877-2877	S7Q25FR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON S7Q25A IF ONLY 1 EPISODE)
		24	1. Yes
		2387	2. No
		25	9. Unknown
		40657	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
2878-2878	S7Q25GR		CONTINUED EPISODE FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON S7Q25B IF ONLY 1 EPISODE)
		20	1. Yes
		2390	2. No
		26	9. Unknown
		40657	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode in last 12 months
2879-2879	S7Q25HR		CONTINUED EPISODE(S) FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON S7Q25B IF ONLY 1 EPISODE)
		17	1. Yes
		2393	2. No
		26	9. Unknown
		40657	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode in last 12 months
2880-2880	S7Q25IR		ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S7Q21-S7Q24 IF ONLY 1 EPISODE)
		111	1. Yes
		5058	2. No
		155	9. Unknown
		37769	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode prior to last 12 months
2881-2881	S7Q25JR		ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S7Q21-S7Q24 IF ONLY 1 EPISODE)
		83	1. Yes
		5086	2. No
		155	9. Unknown
		37769	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode prior to last 12 months
2882-2882	S7Q25KR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON S7Q25A IF ONLY 1 EPISODE)
		54	1. Yes
		5112	2. No
		158	9. Unknown
		37769	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2883-2883	S7Q25LR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON S7Q25A IF ONLY 1 EPISODE)
		43	1. Yes
		5123	2. No
		158	9. Unknown
		37769	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode prior to last 12 months
2884-2884	S7Q25MR		CONTINUED EPISODE FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON S7Q25B IF ONLY 1 EPISODE)
		37	1. Yes
		5125	2. No
		162	9. Unknown
		37769	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode prior to last 12 months
2885-2885	S7Q25NR		CONTINUED EPISODE(S) FOR 1+ MONTHS AFTER STOPPED DRINKING/DRUG USE AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON S7Q25B IF ONLY 1 EPISODE)
		33	1. Yes
		5128	2. No
		163	9. Unknown
		37769	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode prior to last 12 months
2886-2886	S7Q26		EVER GO TO COUNSELOR/THERAPIST/DOCTOR/OTHER PERSON FOR HELP WITH SOCIAL PHOBIA
		494	1. Yes
		4851	2. No
		66	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2887-2887	S7Q27		EVER GO TO EMERGENCY ROOM FOR HELP WITH SOCIAL PHOBIA
		74	1. Yes
		5283	2. No
		54	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation

Tape Location	Source Code	Frequency	Item value and description
2888-2888	S7Q28		EVER STAYED OVERNIGHT IN HOSPITAL BECAUSE OF SOCIAL PHOBIA
		71	1. Yes
		5291	2. No
		49	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2889-2889	S7Q29		DOCTOR EVER PRESCRIBE MEDICINE/DRUG FOR SOCIAL PHOBIA
		337	1. Yes
		5027	2. No
		47	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2890-2891	S7Q30A		AGE AT FIRST TIME SOUGHT HELP
		542	5-85. Age
		24	99. Unknown
		42527	BL. NA, never or unknown if ever had fear/avoidance of social situation; did not seek help for fear/avoidance of social situation
2892-2893	S7Q30B		AGE AT MOST RECENT TIME SOUGHT HELP
		543	5-85. Age
		23	99. Unknown
		42527	BL. NA, never or unknown if ever had fear/avoidance of social situation; did not seek help for fear/avoidance of social situation
2894-2894	S7Q31A		EVER DRANK ALCOHOL TO AVOID SOCIAL PHOBIA
		580	1. Yes
		4791	2. No
		40	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2895-2895	S7Q31B		DRANK ALCOHOL TO AVOID SOCIAL PHOBIA IN LAST 12 MONTHS
		148	1. Yes
		5223	2. No
		40	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation

Tape Location	Source Code	Frequency	Item value and description
2896-2896	S7Q31C		DRANK ALCOHOL TO AVOID SOCIAL PHOBIA PRIOR TO LAST 12 MONTHS
		567	1. Yes
		4804	2. No
		40	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2897-2897	S7Q32A		EVER USED MEDICINE/DRUG ON YOUR OWN TO AVOID SOCIAL PHOBIA
		161	1. Yes
		5234	2. No
		16	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2898-2898	S7Q32B		USED MEDICINE/DRUG ON OWN TO AVOID SOCIAL PHOBIA IN LAST 12 MONTHS
		26	1. Yes
		5319	2. No
		66	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2899-2899	S7Q32C		USED MEDICINE/DRUG ON OWN TO AVOID SOCIAL PHOBIA PRIOR TO LAST 12 MONTHS
		108	1. Yes
		5237	2. No
		66	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2900-2900	S7Q33CR		ONLY/ANY EPISODE IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S7Q33A IF ONLY 1 EPISODE)
		108	1. Yes
		2213	2. No
		115	9. Unknown
		40657	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode in last 12 months
2901-2901	S7Q33DR		ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S7Q33A IF ONLY 1 EPISODE)
		71	1. Yes
		2249	2. No
		116	9. Unknown
		40657	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
2902-2902	S7Q33ER		DOCTOR SAID ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S7Q33B IF ONLY 1 EPISODE)
		29	1. Yes
		2291	2. No
		116	9. Unknown
		40657	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode in last 12 months
2903-2903	S7Q33FR		DOCTOR SAID ONLY/ANY EPISODE IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S7Q33B IF ONLY 1 EPISODE)
		44	1. Yes
		2277	2. No
		115	9. Unknown
		40657	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode in last 12 months
2904-2904	S7Q33GR		ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S7Q33A IF ONLY 1 EPISODE)
		185	1. Yes
		5060	2. No
		79	9. Unknown
		37769	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode prior to last 12 months
2905-2905	S7Q33HR		ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S7Q33A IF ONLY 1 EPISODE)
		134	1. Yes
		5110	2. No
		80	9. Unknown
		37769	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode prior to last 12 months
2906-2906	S7Q33IR		DOCTOR SAID ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S7Q33B IF ONLY 1 EPISODE)
		63	1. Yes
		5180	2. No
		81	9. Unknown
		37769	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2907-2907	S7Q33JR		DOCTOR SAID ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S7Q33B IF ONLY 1 EPISODE)
		83	1. Yes
		5158	2. No
		83	9. Unknown
		37769	BL. NA, never or unknown if ever had fear/avoidance of social situation; had no episode prior to last 12 months
2908-2908	S7Q34A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF EMBARRASSMENT OVER PHYSICAL PROBLEM
		390	1. Yes
		4961	2. No
		60	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2909-2909	S7Q34B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF EMBARRASSMENT OVER PHYSICAL PROBLEM
		226	1. Yes
		5122	2. No
		63	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2910-2910	S7Q35A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF EMBARRASSMENT OVER EATING HABITS
		221	1. Yes
		5127	2. No
		63	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2911-2911	S7Q35B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF EMBARRASSMENT OVER EATING HABITS
		78	1. Yes
		5269	2. No
		64	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2912-2912	S7Q36A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF EMBARRASSMENT OVER PHYSICAL ILLNESS/PROBLEM/APPEARANCE
		453	1. Yes
		4888	2. No
		70	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation

Tape Location	Source Code	Frequency	Item value and description
2913-2913	S7Q36B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF EMBARRASSMENT OVER PHYSICAL ILLNESS/PROBLEM/APPEARANCE
		236	1. Yes
		5101	2. No
		74	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2914-2914	S7Q37A		ONLY/ANY EPISODE EVER BEGAN FROM REMEMBERING PAST STRESS
		354	1. Yes
		4985	2. No
		72	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2915-2915	S7Q37B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM REMEMBERING PAST STRESS
		144	1. Yes
		5193	2. No
		74	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2916-2916	S7Q38A		ONLY/ANY EPISODE EVER BEGAN FROM WORRY ABOUT BEING AWAY FROM HOME/FRIENDS
		535	1. Yes
		4799	2. No
		77	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2917-2917	S7Q38B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM WORRY ABOUT BEING AWAY FROM HOME/FRIENDS
		208	1. Yes
		5125	2. No
		78	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2918-2918	S7Q39A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF BEING CONTAMINATED BY GERMS
		114	1. Yes
		5235	2. No
		62	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation

Tape Location	Source Code	Frequency	Item value and description
2919-2919	S7Q39B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF BEING CONTAMINATED BY GERMS
		43	1. Yes
		5305	2. No
		63	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2920-2920	S7Q40A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF EMBARRASSMENT OVER COMPULSIVE BEHAVIORS
		268	1. Yes
		5073	2. No
		70	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2921-2921	S7Q40B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF EMBARRASSMENT OVER COMPULSIVE BEHAVIORS
		140	1. Yes
		5200	2. No
		71	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2922-2922	S7Q41A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF BEING UNABLE TO ENGAGE IN COMPULSIVE BEHAVIORS
		206	1. Yes
		5126	2. No
		79	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
2923-2923	S7Q41B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF BEING UNABLE TO ENGAGE IN COMPULSIVE BEHAVIORS
		112	1. Yes
		5218	2. No
		81	9. Unknown
		37682	BL. NA, never or unknown if ever had fear/avoidance of social situation
SECTION 8: SPECIFIC PHOBIA (SPECIFIC SITUATIONS)			
2924-2924	S8Q1A1		EVER HAD FEAR/AVOIDANCE OF INSECTS, SNAKES, BIRDS, OTHER ANIMALS
		9093	1. Yes
		32585	2. No
		1415	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
2925-2925	S8Q1A2		EVER HAD FEAR/AVOIDANCE OF HEIGHTS
		8368	1. Yes
		33288	2. No
		1437	9. Unknown
2926-2926	S8Q1A3		EVER HAD FEAR/AVOIDANCE OF STORMS, THUNDER, LIGHTNING
		3878	1. Yes
		37794	2. No
		1421	9. Unknown
2927-2927	S8Q1A4		EVER HAD FEAR/AVOIDANCE OF BEING IN/ON THE WATER
		4805	1. Yes
		36826	2. No
		1462	9. Unknown
2928-2928	S8Q1A5		EVER HAD FEAR/AVOIDANCE OF FLYING
		5371	1. Yes
		36069	2. No
		1653	9. Unknown
2929-2929	S8Q1A6		EVER HAD FEAR/AVOIDANCE OF BEING IN CROWD/STANDING IN LINE
		1705	1. Yes
		39944	2. No
		1444	9. Unknown
2930-2930	S8Q1A7		EVER HAD FEAR/AVOIDANCE OF BEING IN CLOSED SPACES
		4982	1. Yes
		36651	2. No
		1460	9. Unknown
2931-2931	S8Q1A8		EVER HAD FEAR/AVOIDANCE OF SEEING BLOOD/GETTING AN INJECTION
		3250	1. Yes
		38396	2. No
		1447	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
2932-2932	S8Q1A9		EVER HAD FEAR/AVOIDANCE OF TRAVELING IN BUSES/CARS/TRAINS
		657	1. Yes
		40991	2. No
		1445	9. Unknown
2933-2933	S8Q1A10		EVER HAD FEAR/AVOIDANCE OF GOING TO THE DENTIST
		3803	1. Yes
		37839	2. No
		1451	9. Unknown
2934-2934	S8Q1A11		EVER HAD FEAR/AVOIDANCE OF VISITING OR BEING IN A HOSPITAL
		1965	1. Yes
		39669	2. No
		1459	9. Unknown
2935-2935	S8Q1A12		EVER HAD FEAR/AVOIDANCE OF BEING OUTSIDE YOUR HOME ALONE
		647	1. Yes
		40997	2. No
		1449	9. Unknown
2936-2936	S8Q1B		EVER HAD FEAR/AVOIDANCE OF ANY OTHER SPECIFIC OBJECT OR SITUATION
		947	1. Yes
		40652	2. No
		1494	9. Unknown
2937-2937	S8Q2		BEING NEAR THESE SPECIFIC SITUATIONS USUALLY MADE YOU NERVOUS/ANXIOUS
		9422	1. Yes
		9890	2. No
		93	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2938-2938	S8Q3		THINKING ABOUT THESE SPECIFIC SITUATIONS ALMOST ALWAYS MADE YOU NERVOUS/ ANXIOUS
		6142	1. Yes
		13179	2. No
		84	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object

Tape Location	Source Code	Frequency	Item value and description
2939-2939	S8Q4		WENT NEAR THESE OBJECTS/SITUATIONS BECAUSE HAD TO BE THERE, EVEN THOUGH IT MADE YOU VERY FRIGHTENED/NERVOUS/ANXIOUS
		8627	1. Yes
		10681	2. No
		97	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2940-2940	S8Q5		EVER AVOID ANY OF THESE SPECIFIC OBJECTS/SITUATIONS BECAUSE OF STRONG FEAR OF THEM
		8599	1. Yes
		10714	2. No
		92	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2941-2941	S8Q6		EVER THINK YOU WERE MORE FRIGHTENED/NERVOUS/ANXIOUS ABOUT THESE SPECIFIC OBJECTS/SITUATIONS THAN MOST PEOPLE
		5707	1. Yes
		13345	2. No
		353	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2942-2942	S8Q7		THOUGHT YOUR FEAR/AVOIDANCE OF THESE OBJECTS/SITUATIONS STRONGER THAN IT SHOULD BE
		5533	1. Yes
		13595	2. No
		277	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2943-2943	S8Q8A		IN SPECIFIC OBJECTS/SITUATIONS THAT MADE YOU ANXIOUS, EVER HAVE A PANIC ATTACK
		779	1. Yes
		18610	2. No
		16	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2944-2944	S8Q8B		PANIC ATTACK ONLY HAPPENED IN THESE SITUATIONS/WHEN THOUGHT HAD TO BE IN THEM
		377	1. Yes
		19012	2. No
		16	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object

Tape Location	Source Code	Frequency	Item value and description
2945-2945	S8Q9		FRIGHTENED OF SPECIFIC OBJECTS/SITUATIONS BECAUSE OF FEAR OF PANIC ATTACK
		441	1. Yes
		18946	2. No
		18	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2946-2946	S8Q10		AVOIDED SPECIFIC OBJECTS/SITUATIONS BECAUSE OF FEAR OF HAVING PANIC ATTACK
		558	1. Yes
		18825	2. No
		22	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2947-2947	S8Q11		APPROACHED OBJECT/SPECIFIC SITUATION BECAUSE HAD TO EVEN THOUGH YOU WERE WORRIED ABOUT HAVING A PANIC ATTACK
		743	1. Yes
		18642	2. No
		20	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2948-2948	S8Q12		WHEN HAD TO BE IN SPECIFIC SITUATIONS OFTEN NEEDED TO BRING SOMEONE ALONG IN CASE HAD A PANIC ATTACK
		441	1. Yes
		18941	2. No
		23	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2949-2949	S8Q131		THINKING ABOUT/BEING IN/AVOIDING SPECIFIC SITUATIONS UPSET YOU/MADE YOU UNCOMFORTABLE
		6649	1. Yes
		12622	2. No
		134	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2950-2950	S8Q132		THINKING ABOUT/BEING IN/AVOIDING SPEC. SITUATIONS INTERFERED W. RELATIONSHIPS
		845	1. Yes
		18437	2. No
		123	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object

Tape Location	Source Code	Frequency	Item value and description
2951-2951	S8Q133		THINKING ABOUT/BEING IN/AVOIDING SPECIFIC SITUATIONS INTERFERED W. THINGS SUPPOSED TO DO: WORK, SCHOOLWORK, TAKING CARE OF FAMILY/HOME
		855	1. Yes
		18433	2. No
		117	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2952-2952	S8Q134		THINKING ABOUT/BEING IN/AVOIDING SPEC. SITUATIONS RESTRICTED USUAL ACTIVITIES
		1146	1. Yes
		18146	2. No
		113	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2953-2953	S8Q135		THINKING ABOUT/BEING IN/AVOIDING SPECIFIC SITUATIONS INTERFERED WITH THINGS YOU WANTED TO DO
		1934	1. Yes
		17350	2. No
		121	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2954-2955	S8Q14A		AGE AT ONSET OF FIRST EPISODE
		17519	5-93. Age
		1886	99. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2956-2956	S8Q14B		WAS ONSET OF FIRST EPISODE IN LAST 12 MONTHS
		356	1. Yes
		18796	2. No
		253	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2957-2958	S8Q14C		NUMBER OF EPISODES
		16824	1-98. Separate times
		2581	99. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2959-2960	S8Q15AR		AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON S8Q14A IF ONLY 1 EPISODE)
		17204	5-97. Age
		2201	99. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object

Tape Location	Source Code	Frequency	Item value and description
2961-2961	S8Q15BR		DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON S8Q14B IF ONLY 1 EPISODE)
		1670	1. Yes
		17192	2. No
		543	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2962-2965	S8Q16AR		DURATION (WEEKS) OF ONLY/MOST RECENT EPISODE (BASED ON S8Q17A IF ONLY 1 EPISODE)
		16856	1-5009. Weeks
		2549	9999. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2966-2966	S8Q16BR		WAS 2+ MONTHS PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON S8Q17B IF ONLY 1 EPISODE)
		7500	1. Yes
		10930	2. No
		975	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2967-2967	S8Q16CR		WAS REMISSION OF ONLY/MOST RECENT EPISODE IN LAST 12 MONTHS (BASED ON S8Q17C IF ONLY 1 EPISODE)
		1207	1. Yes
		17174	2. No
		1024	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2968-2971	S8Q16DR		DURATION (WEEKS) OF ONLY/LONGEST EPISODE (BASED ON S8Q17A IF ONLY 1 EPISODE)
		16690	1-5009. Weeks
		2715	9999. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2972-2972	S8Q18		ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL
		95	1. Yes
		18776	2. No
		534	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object

Tape Location	Source Code	Frequency	Item value and description
2973-2973	S8Q19		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING
		53	1. Yes
		18818	2. No
		534	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2974-2974	S8Q20		ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG
		78	1. Yes
		18743	2. No
		584	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2975-2975	S8Q21		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG
		50	1. Yes
		18770	2. No
		585	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2976-2976	S8Q22CR		ONLY/ANY EPISODE IN LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S8Q18-S8Q21 IF ONLY 1 EPISODE)
		55	1. Yes
		12020	2. No
		107	9. Unknown
		30911	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode in last 12 months
2977-2977	S8Q22DR		ONLY/ALL EPISODE(S) IN LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S8Q18-S8Q21 IF ONLY 1 EPISODE)
		45	1. Yes
		12030	2. No
		107	9. Unknown
		30911	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode in last 12 months
2978-2978	S8Q22ER		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON S8Q22A IF ONLY 1 EPISODE)
		24	1. Yes
		12051	2. No
		107	9. Unknown
		30911	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
2979-2979	S8Q22FR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON S8Q22A IF ONLY 1 EPISODE)
		22	1. Yes
		12053	2. No
		107	9. Unknown
		30911	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode in last 12 months
2980-2980	S8Q22GR		CONTINUED FEAR/AVOIDANCE AFTER ONLY/ANY EPISODE WHEN STOPPED DRINKING/DRUG USE IN LAST 12 MONTHS (BASED ON S8Q22B IF ONLY 1 EPISODE)
		16	1. Yes
		12059	2. No
		107	9. Unknown
		30911	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode in last 12 months
2981-2981	S8Q22HR		CONTINUED FEAR/AVOIDANCE AFTER ONLY/ALL EPISODE WHEN STOPPED DRINKING/DRUG USE IN LAST 12 MONTHS (BASED ON S8Q22B IF ONLY 1 EPISODE)
		16	1. Yes
		12059	2. No
		107	9. Unknown
		30911	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode in last 12 months
2982-2982	S8Q22IR		ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S8Q18-S8Q21 IF ONLY 1 EPISODE)
		93	1. Yes
		18293	2. No
		663	9. Unknown
		24044	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode prior to last 12 months
2983-2983	S8Q22JR		ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S8Q18-S8Q21 IF ONLY 1 EPISODE)
		80	1. Yes
		18306	2. No
		663	9. Unknown
		24044	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
2984-2984	S8Q22KR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ANY EPISODE CAUSED BY DRINKING/DRUG USE PRIOR TO LAST 12 MONTHS (BASED ON S8Q22A IF ONLY 1 EPISODE)
		42	1. Yes
		18344	2. No
		663	9. Unknown
		24044	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode prior to last 12 months
2985-2985	S8Q22LR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ALL EPISODE(S) CAUSED BY DRINKING/DRUG USE PRIOR TO LAST 12 MONTHS (BASED ON S8Q22A IF ONLY 1 EPISODE)
		39	1. Yes
		18347	2. No
		663	9. Unknown
		24044	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode prior to last 12 months
2986-2986	S8Q22MR		CONTINUED FEAR/AVOIDANCE AFTER ONLY/ANY EPISODE WHEN STOPPED DRINKING/DRUG USE PRIOR TO LAST 12 MONTHS (BASED ON S8Q22B IF ONLY 1 EPISODE)
		31	1. Yes
		18354	2. No
		664	9. Unknown
		24044	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode prior to last 12 months
2987-2987	S8Q22NR		CONTINUED FEAR/AVOIDANCE AFTER ONLY/ALL EPISODE(S) WHEN STOPPED DRINKING/DRUG USE PRIOR TO LAST 12 MONTHS (BASED ON S8Q22B IF ONLY 1 EPISODE)
		31	1. Yes
		18354	2. No
		664	9. Unknown
		24044	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode prior to last 12 months
2988-2988	S8Q23		EVER GO TO COUNSELOR/THERAPIST/DOCTOR/OTHER PERSON FOR HELP WITH SPECIFIC PHOBIA
		449	1. Yes
		18577	2. No
		379	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object

Tape Location	Source Code	Frequency	Item value and description
2989-2989	S8Q24A		EVER GO TO EMERGENCY ROOM FOR HELP WITH SPECIFIC PHOBIA
		86	1. Yes
		18987	2. No
		332	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2990-2990	S8Q24B		EVER STAYED OVERNIGHT IN HOSPITAL BECAUSE OF SPECIFIC PHOBIA
		72	1. Yes
		19024	2. No
		309	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2991-2991	S8Q25		DOCTOR EVER PRESCRIBE MEDICINE/DRUG FOR SPECIFIC PHOBIA
		370	1. Yes
		18729	2. No
		306	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2992-2993	S8Q26A		AGE AT FIRST TIME SOUGHT HELP
		569	5-87. Age
		28	99. Unknown
		42496	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; did not seek or unknown if sought help for fear/avoidance of specific situation/object
2994-2995	S8Q26B		AGE AT MOST RECENT TIME SOUGHT HELP
		562	5-91. Age
		35	99. Unknown
		42496	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; did not seek or unknown if sought help for fear/avoidance of specific situation/object
2996-2996	S8Q27A		EVER DRANK ALCOHOL TO AVOID SPECIFIC PHOBIA
		359	1. Yes
		18806	2. No
		240	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object

Tape Location	Source Code	Frequency	Item value and description
2997-2997	S8Q27B		DRANK ALCOHOL TO AVOID SPECIFIC PHOBIA IN LAST 12 MONTHS
		108	1. Yes
		19057	2. No
		240	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2998-2998	S8Q27C		DRANK ALCOHOL TO AVOID SPECIFIC PHOBIA PRIOR TO LAST 12 MONTHS
		344	1. Yes
		18819	2. No
		242	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
2999-2999	S8Q28A		EVER USED MEDICINE/DRUG ON YOUR OWN TO AVOID SPECIFIC PHOBIA
		95	1. Yes
		19234	2. No
		76	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
3000-3000	S8Q28B		USED MEDICINE/DRUG ON OWN TO AVOID SPECIFIC PHOBIA IN LAST 12 MONTHS
		23	1. Yes
		19281	2. No
		101	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
3001-3001	S8Q28C		USED MEDICINE/DRUG ON OWN TO AVOID SPECIFIC PHOBIA PRIOR TO LAST 12 MONTHS
		64	1. Yes
		19240	2. No
		101	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
3002-3002	S8Q30AR		ONLY/ANY EPISODE IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S8Q29A IF ONLY 1 EPISODE)
		210	1. Yes
		11927	2. No
		45	9. Unknown
		30911	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
3003-3003	S8Q30BR		ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S8Q29A IF ONLY 1 EPISODE)
		178	1. Yes
		11959	2. No
		45	9. Unknown
		30911	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode in last 12 months
3004-3004	S8Q30CR		DOCTOR SAID ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S8Q29B IF ONLY 1 EPISODE)
		59	1. Yes
		12075	2. No
		48	9. Unknown
		30911	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode in last 12 months
3005-3005	S8Q30DR		DOCTOR SAID ONLY/ANY EPISODE IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S8Q29B IF ONLY 1 EPISODE)
		68	1. Yes
		12066	2. No
		48	9. Unknown
		30911	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode in last 12 months
3006-3006	S8Q30ER		ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S8Q29A IF ONLY 1 EPISODE)
		302	1. Yes
		18405	2. No
		342	9. Unknown
		24044	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode prior to last 12 months
3007-3007	S8Q30FR		ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S8Q29A IF ONLY 1 EPISODE)
		247	1. Yes
		18460	2. No
		342	9. Unknown
		24044	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
3008-3008	S8Q30GR		DOCTOR SAID ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S8Q29B IF ONLY 1 EPISODE)
		90	1. Yes
		18613	2. No
		346	9. Unknown
		24044	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode prior to last 12 months
3009-3009	S8Q30HR		DOCTOR SAID ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S8Q29B IF ONLY 1 EPISODE)
		114	1. Yes
		18588	2. No
		347	9. Unknown
		24044	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object; had no episode prior to last 12 months
3010-3010	S8Q31A		ONLY/ANY EPISODE EVER BEGAN FROM REMEMBERING PAST STRESS
		667	1. Yes
		18387	2. No
		351	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
3011-3011	S8Q31B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM REMEMBERING PAST STRESS
		285	1. Yes
		18763	2. No
		357	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
3012-3012	S8Q32A		ONLY/ANY EPISODE EVER BEGAN FROM WORRYING ABOUT BEING AWAY FROM HOME/FRIENDS
		544	1. Yes
		18524	2. No
		337	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
3013-3013	S8Q32B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM WORRYING ABOUT BEING AWAY FROM HOME/FRIENDS
		232	1. Yes
		18832	2. No
		341	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object

Tape Location	Source Code	Frequency	Item value and description
3014-3014	S8Q33A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF BEING CONTAMINATED BY GERMS
		182	1. Yes
		18898	2. No
		325	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
3015-3015	S8Q33B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF BEING CONTAMINATED BY GERMS
		91	1. Yes
		18988	2. No
		326	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
3016-3016	S8Q34A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF EMBARRASSMENT OVER COMPULSIVE BEHAVIORS
		200	1. Yes
		18859	2. No
		346	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
3017-3017	S8Q34B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF EMBARRASSMENT OVER COMPULSIVE BEHAVIORS
		81	1. Yes
		18977	2. No
		347	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
3018-3018	S8Q35A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF BEING UNABLE TO ENGAGE IN COMPULSIVE BEHAVIORS
		161	1. Yes
		18876	2. No
		368	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object
3019-3019	S8Q35B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF BEING UNABLE TO ENGAGE IN COMPULSIVE BEHAVIORS
		86	1. Yes
		18947	2. No
		372	9. Unknown
		23688	BL. NA, never or unknown if ever had fear/avoid. of specif. situation/object

Tape Location	Source Code	Frequency	Item value and description
SECTION 9: GENERALIZED ANXIETY (GENERAL ANXIETY)			
3020-3020	S9Q1A		EVER HAD 6+ MONTH PERIOD FELT TENSE/NERVOUS/WORRIED MOST OF TIME
		3128	1. Yes
		38225	2. No
		1740	9. Unknown
3021-3021	S9Q1B		EVER HAD 6+ MONTH PERIOD FELT VERY TENSE/NERVOUS/WORRIED MOST OF TIME ABOUT EVERYDAY PROBLEMS
		358	1. Yes
		37867	2. No
		1740	9. Unknown
		3128	BL. NA, had 6+ month period feeling tense/nervous/worried most of the time
3022-3022	S9Q31		IN WORST PERIOD, EVER WORRY A LOT ABOUT THINGS YOU USUALLY DIDN'T WORRY ABOUT
		2336	1. Yes
		1115	2. No
		35	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3023-3023	S9Q32		IN WORST PERIOD, EVER WORRY ABOUT MORE THAN ONE THING
		2644	1. Yes
		808	2. No
		34	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3024-3024	S9Q33		IN WORST PERIOD, EVER FIND IT DIFFICULT TO STOP BEING TENSE/NERVOUS/WORRIED
		2715	1. Yes
		742	2. No
		29	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3025-3025	S9Q34		IN WORST PERIOD, EVER WORRY ABOUT THINGS THAT WERE VERY UNLIKELY TO HAPPEN
		1418	1. Yes
		2019	2. No
		49	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried

Tape Location	Source Code	Frequency	Item value and description
3026-3026	S9Q35		IN WORST PERIOD, EVER THINK YOUR WORRYING WAS EXCESSIVE
		1624	1. Yes
		1819	2. No
		43	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3027-3027	S9Q36		IN WORST PERIOD, EVER WORRY ABOUT THINGS THAT WEREN'T REALLY SERIOUS
		1285	1. Yes
		2165	2. No
		36	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3028-3028	S9Q37		IN WORST PERIOD, EVER WORRY ABOUT WHAT OTHER PEOPLE MIGHT DO OR WHAT WOULD HAPPEN TO THEM
		1947	1. Yes
		1509	2. No
		30	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3029-3029	S9Q41		IN WORST PERIOD, OFTEN GOT TIRED EASILY
		2272	1. Yes
		1155	2. No
		59	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3030-3030	S9Q42		IN WORST PERIOD, OFTEN BECAME STARTLED EASILY
		1316	1. Yes
		2113	2. No
		57	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3031-3031	S9Q43		IN WORST PERIOD, OFTEN HAD TENSE, SORE, OR ACHING MUSCLES
		1678	1. Yes
		1732	2. No
		76	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried

Tape Location	Source Code	Frequency	Item value and description
3032-3032	S9Q44		IN WORST PERIOD, OFTEN BECAME SO RESTLESS YOU FIDGETED, OFTEN PACED, OR COULDN'T SIT STILL
		1561	1. Yes
		1888	2. No
		37	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3033-3033	S9Q45		IN WORST PERIOD, OFTEN FELT KEYED UP OR ON EDGE
		2178	1. Yes
		1263	2. No
		45	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3034-3034	S9Q46		IN WORST PERIOD, OFTEN HAD TROUBLE CONCENTRATING/KEEPING MIND ON THINGS
		2209	1. Yes
		1243	2. No
		34	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3035-3035	S9Q47		IN WORST PERIOD, OFTEN FELT IRRITABLE
		2190	1. Yes
		1261	2. No
		35	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3036-3036	S9Q48		IN WORST PERIOD, OFTEN HAD TROUBLE FALLING/STAYING ASLEEP
		2207	1. Yes
		1243	2. No
		36	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3037-3037	S9Q49		IN WORST PERIOD, OFTEN HAD TIMES WHEN FORGOT WHAT TALKING ABOUT/MIND WENT BLANK
		1765	1. Yes
		1675	2. No
		46	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried

Tape Location	Source Code	Frequency	Item value and description
3038-3038	S9Q410		IN WORST PERIOD, OFTEN FELT HEART RACING, SKIPPING, OR POUNDING IN CHEST
		1256	1. Yes
		2178	2. No
		52	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3039-3039	S9Q411		IN WORST PERIOD, OFTEN PERSPIRED/SWEATED
		1036	1. Yes
		2397	2. No
		53	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3040-3040	S9Q412		IN WORST PERIOD, OFTEN HAD COLD AND CLAMMY HANDS
		885	1. Yes
		2461	2. No
		140	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3041-3041	S9Q413		IN WORST PERIOD, OFTEN HAD DRY MOUTH
		1105	1. Yes
		2262	2. No
		119	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3042-3042	S9Q414		IN WORST PERIOD, OFTEN FELT DIZZY/LIGHTHEADED/LIKE MIGHT FAINT
		972	1. Yes
		2461	2. No
		53	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3043-3043	S9Q415		IN WORST PERIOD, OFTEN FELT NAUSEOUS, OFTEN HAD UPSET STOMACH, OR FELT LIKE MIGHT VOMIT OR HAVE DIARRHEA
		1208	1. Yes
		2232	2. No
		46	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried

Tape Location	Source Code	Frequency	Item value and description
3044-3044	S9Q416		IN WORST PERIOD, OFTEN URINATED FREQUENTLY
		860	1. Yes
		2540	2. No
		86	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3045-3045	S9Q417		IN WORST PERIOD, OFTEN HAD TROUBLE SWALLOWING/FELT LIKE LUMP IN THROAT
		788	1. Yes
		2640	2. No
		58	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3046-3046	S9Q418		IN WORST PERIOD, OFTEN HAD PAIN OR PRESSURE IN CHEST
		788	1. Yes
		2651	2. No
		47	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3047-3047	S9Q419		IN WORST PERIOD, OFTEN FOUND SELF TREMBLING OR SHAKING
		898	1. Yes
		2543	2. No
		45	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3048-3048	S9Q420		IN WORST PERIOD, OFTEN HAD TROUBLE CATCHING BREATH/FELT LIKE SMOTHERING
		868	1. Yes
		2568	2. No
		50	9. Unknown
		39607	BL. NA, never or unkn. if ever had 6+ month pd. being tense/nervous/worried
3049-3049	S9Q51		IN WORST PERIOD, FELT UNCOMFORTABLE ABOUT FEELING NERVOUS/ANXIOUS OR BY ANY OF THOSE THINGS GOING ON AT SAME TIME
		1687	1. Yes
		1177	2. No
		40	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety

Tape Location	Source Code	Frequency	Item value and description
3050-3050	S9Q52		IN WORST PERIOD, HAD ARGUMENTS/FRICTION WITH FAMILY, FRIENDS, PEOPLE AT WORK, OR ANYONE ELSE
		1268	1. Yes
		1616	2. No
		20	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3051-3051	S9Q53		IN WORST PERIOD, HAD DIFFICULTY DOING THINGS SUPPOSED TO DO--WORKING, SCHOOLWORK, TAKING CARE OF HOUSE/FAMILY
		1355	1. Yes
		1530	2. No
		19	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3052-3052	S9Q54		IN WORST PERIOD, RESTRICTED USUAL ACTIVITIES IN ANY WAY
		1327	1. Yes
		1552	2. No
		25	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3053-3053	S9Q55		IN WORST PERIOD, FOUND WAS UNABLE TO DO SOMETHING WANTED TO DO
		1478	1. Yes
		1395	2. No
		31	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3054-3055	S9Q6A		AGE AT ONSET OF FIRST EPISODE
		2788	5-89. Age
		116	99. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3056-3056	S9Q6B		WAS ONSET OF FIRST EPISODE IN LAST 12 MONTHS
		451	1. Yes
		2422	2. No
		31	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety

Tape Location	Source Code	Frequency	Item value and description
3057-3058	S9Q7		NUMBER OF EPISODES
		2590	1-98. Separate times lasting at least 6 months
		314	99. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3059-3060	S9Q8AR		AGE WHEN ONLY/MOST RECENT EPISODE BEGAN (BASED ON S9Q6A IF ONLY 1 EPISODE)
		2771	5-94. Age
		133	99. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3061-3061	S9Q8BR		DID ONLY/MOST RECENT EPISODE BEGIN IN LAST 12 MONTHS (BASED ON S9Q6B IF ONLY 1 EPISODE)
		754	1. Yes
		2100	2. No
		50	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3062-3065	S9Q9AR		DURATION (MONTHS) OF ONLY/MOST RECENT EPISODE (BASED ON S9Q9E IF ONLY 1 EPISODE)
		2709	6-852. Months
		195	9999. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3066-3066	S9Q9BR		WAS THERE 2+ MONTHS PERIOD OF REMISSION OF ONLY/MOST RECENT EPISODE (BASED ON S9Q9F IF ONLY 1 EPISODE)
		1983	1. Yes
		839	2. No
		82	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3067-3067	S9Q9CR		WAS REMISSION OF ONLY/MOST RECENT EPISODE IN LAST 12 MONTHS (BASED ON S9Q9G IF ONLY 1 EPISODE)
		582	1. Yes
		2231	2. No
		91	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety

Tape Location	Source Code	Frequency	Item value and description
3068-3071	S9Q9DR		DURATION (MONTHS) OF ONLY/LONGEST EPISODE (BASED ON S9Q9E IF ONLY 1 EPISODE)
		2708	6-852. Months
		196	9999. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3072-3072	S9Q10		ANY EPISODE BEGAN AFTER DRINKING HEAVILY/MORE THAN USUAL
		100	1. Yes
		2740	2. No
		64	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3073-3073	S9Q11		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF DRINKING
		71	1. Yes
		2768	2. No
		65	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3074-3074	S9Q12		ANY EPISODE BEGAN AFTER USING MEDICINE OR DRUG
		95	1. Yes
		2742	2. No
		67	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3075-3075	S9Q13		ANY EPISODE BEGAN WHEN EXPERIENCING BAD AFTEREFFECTS OF MEDICINE OR DRUG
		65	1. Yes
		2772	2. No
		67	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3076-3076	S9Q14CR		ONLY/ANY EPISODE IN LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S9Q10-S9Q13 IF ONLY 1 EPISODE)
		60	1. Yes
		1358	2. No
		15	9. Unknown
		41660	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
3077-3077	S9Q14DR		ONLY/ALL EPISODE(S) IN LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S9Q10-S9Q13 IF ONLY 1 EPISODE)
		51	1. Yes
		1364	2. No
		18	9. Unknown
		41660	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode in last 12 months
3078-3078	S9Q14ER		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ANY EPISODE IN LAST 12 MONTHS (BASED ON S9Q14A IF ONLY 1 EPISODE)
		31	1. Yes
		1385	2. No
		17	9. Unknown
		41660	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode in last 12 months
3079-3079	S9Q14FR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ALL EPISODE(S) IN LAST 12 MONTHS (BASED ON S9Q14A IF ONLY 1 EPISODE)
		26	1. Yes
		1390	2. No
		17	9. Unknown
		41660	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode in last 12 months
3080-3080	S9Q14GR		CONTINUED TENSE/NERVOUS AFTER ONLY/ANY EPISODE WHEN STOPPED DRINKING/DRUG USE IN LAST 12 MONTHS (BASED ON S9Q14B IF ONLY 1 EPISODE)
		23	1. Yes
		1393	2. No
		17	9. Unknown
		41660	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode in last 12 months
3081-3081	S9Q14HR		CONTINUED TENSE/NERVOUS AFTER ONLY/ALL EPISODE(S) WHEN STOPPED DRINKING/DRUG USE IN LAST 12 MONTHS (BASED ON S9Q14B IF ONLY 1 EPISODE)
		23	1. Yes
		1393	2. No
		17	9. Unknown
		41660	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
3082-3082	S9Q14IR		ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S9Q10-S9Q13 ONLY 1 EPISODE)
		117	1. Yes
		2263	2. No
		73	9. Unknown
		40640	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode prior to last 12 months
3083-3083	S9Q14JR		ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS BEGAN AFTER DRINKING/DRUG USE (BASED ON S9Q10-S9Q13 IF ONLY 1 EPISODE)
		94	1. Yes
		2286	2. No
		73	9. Unknown
		40640	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode prior to last 12 months
3084-3084	S9Q14KR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS (BASED ON S9Q14A IF ONLY 1 EPISODE)
		57	1. Yes
		2320	2. No
		76	9. Unknown
		40640	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode prior to last 12 months
3085-3085	S9Q14LR		STOPPED DRINKING/DRUG USE 1+ MONTHS AFTER ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS (BASED ON S9Q14A IF ONLY 1 EPISODE)
		49	1. Yes
		2328	2. No
		76	9. Unknown
		40640	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode prior to last 12 months
3086-3086	S9Q14MR		CONTINUED TO FEEL TENSE/NERVOUS AFTER ONLY/ANY EPISODE WHEN STOPPED DRINKING/DRUG USE PRIOR TO LAST 12 MONTHS (BASED ON S9Q14B IF ONLY 1 EPISODE)
		38	1. Yes
		2339	2. No
		76	9. Unknown
		40640	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode prior to last 12 months

Tape Location	Source Code	Frequency	Item value and description
3087-3087	S9Q14NR		CONTINUED TENSE/NERVOUS AFTER ONLY/ALL EPISODE(S) WHEN STOPPED DRINKING/DRUG USE PRIOR TO LAST 12 MONTHS (BASED ON S9Q14B IF ONLY 1 EPISODE)
		34	1. Yes
		2343	2. No
		76	9. Unknown
		40640	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode prior to last 12 months
3088-3088	S9Q15		EVER GO TO COUNSELOR/THERAPIST/DOCTOR/OTHER PERSON FOR HELP WITH GENERAL ANXIETY
		965	1. Yes
		1887	2. No
		52	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3089-3089	S9Q16A		EVER GO TO EMERGENCY ROOM FOR HELP WITH GENERALIZED ANXIETY
		189	1. Yes
		2672	2. No
		43	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3090-3090	S9Q16B		EVER STAYED OVERNIGHT IN HOSPITAL BECAUSE OF GENERALIZED ANXIETY
		200	1. Yes
		2663	2. No
		41	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3091-3091	S9Q17		DOCTOR EVER PRESCRIBE MEDICINE/DRUG FOR GENERALIZED ANXIETY
		914	1. Yes
		1948	2. No
		42	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3092-3093	S9Q18A		AGE AT FIRST TIME SOUGHT HELP
		1174	5-89. Age
		40	99. Unknown
		41879	BL. NA, worst time did not meet symptom criteria for generalized anxiety; did not seek or unknown if sought help for generalized anxiety

Tape Location	Source Code	Frequency	Item value and description
3094-3095	S9Q18B		AGE AT MOST RECENT TIME SOUGHT HELP
		1173	5-90. Age
		41	99. Unknown
		41879	BL. NA, worst time did not meet symptom criteria for generalized anxiety; did not seek or unknown if sought help for generalized anxiety
3096-3096	S9Q19A		EVER DRANK ALCOHOL TO AVOID GENERALIZED ANXIETY
		427	1. Yes
		2442	2. No
		35	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3097-3097	S9Q19B		DRANK ALCOHOL TO AVOID GENERALIZED ANXIETY IN LAST 12 MONTHS
		173	1. Yes
		2696	2. No
		35	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3098-3098	S9Q19C		DRANK ALCOHOL TO AVOID GENERALIZED ANXIETY PRIOR TO LAST 12 MONTHS
		394	1. Yes
		2475	2. No
		35	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3099-3099	S9Q20A		EVER USED MEDICINE/DRUG ON OWN TO AVOID GENERALIZED ANXIETY
		170	1. Yes
		2719	2. No
		15	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3100-3100	S9Q20B		USED MEDICINE/DRUG ON OWN TO AVOID GENERALIZED ANXIETY IN LAST 12 MONTHS
		51	1. Yes
		2798	2. No
		55	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety

Tape Location	Source Code	Frequency	Item value and description
3101-3101	S9Q20C		USED MEDICINE/DRUG ON OWN TO AVOID GENERALIZED ANXIETY PRIOR TO LAST 12 MONTHS
		118	1. Yes
		2730	2. No
		56	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3102-3102	S9Q21CR		ONLY/ANY EPISODE IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S9Q21A IF ONLY 1 EPISODE)
		225	1. Yes
		1201	2. No
		7	9. Unknown
		41660	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode in last 12 months
3103-3103	S9Q21DR		ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S9Q21A IF ONLY 1 EPISODE)
		175	1. Yes
		1250	2. No
		8	9. Unknown
		41660	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode in last 12 months
3104-3104	S9Q21ER		DOCTOR SAID ONLY/ALL EPISODE(S) IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S9Q21B IF ONLY 1 EPISODE)
		124	1. Yes
		1299	2. No
		10	9. Unknown
		41660	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode in last 12 months
3105-3105	S9Q21FR		DOCTOR SAID ONLY/ANY EPISODE IN LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S9Q21B IF ONLY 1 EPISODE)
		148	1. Yes
		1276	2. No
		9	9. Unknown
		41660	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode in last 12 months

Tape Location	Source Code	Frequency	Item value and description
3106-3106	S9Q21GR		ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S9Q21A IF ONLY 1 EPISODE)
		350	1. Yes
		2047	2. No
		56	9. Unknown
		40640	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode prior to last 12 months
3107-3107	S9Q21HR		ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S9Q21A IF ONLY 1 EPISODE)
		282	1. Yes
		2111	2. No
		60	9. Unknown
		40640	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode prior to last 12 months
3108-3108	S9Q21IR		DOCTOR SAID ONLY/ALL EPISODE(S) PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S9Q21B IF ONLY 1 EPISODE)
		211	1. Yes
		2176	2. No
		66	9. Unknown
		40640	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode prior to last 12 months
3109-3109	S9Q21JR		DOCTOR SAID ONLY/ANY EPISODE PRIOR TO LAST 12 MONTHS RELATED TO ILLNESS (BASED ON S9Q21B IF ONLY 1 EPISODE)
		252	1. Yes
		2139	2. No
		62	9. Unknown
		40640	BL. NA, worst time did not meet symptom criteria for generalized anxiety; had no episode prior to last 12 months
3110-3110	S9Q22A		ONLY/ANY EPISODE EVER BEGAN WHEN THINKING ABOUT STRESSFUL SITUATION
		499	1. Yes
		2355	2. No
		50	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety

Tape Location	Source Code	Frequency	Item value and description
3111-3111	S9Q22B		ONLY/ALL EPISODE(S) ONLY BEGAN WHEN THINKING ABOUT STRESSFUL SITUATION
		387	1. Yes
		2464	2. No
		53	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3112-3112	S9Q23A		ONLY/ANY EPISODE EVER BEGAN FROM WORRYING ABOUT BEING AWAY FROM HOME/FRIENDS
		407	1. Yes
		2440	2. No
		57	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3113-3113	S9Q23B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM WORRYING ABOUT BEING AWAY FROM HOME/FRIENDS
		303	1. Yes
		2543	2. No
		58	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3114-3114	S9Q24A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF BEING CONTAMINATED BY GERMS
		45	1. Yes
		2804	2. No
		55	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3115-3115	S9Q24B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF BEING CONTAMINATED BY GERMS
		33	1. Yes
		2816	2. No
		55	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3116-3116	S9Q25A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF EMBARRASSMENT OVER COMPULSIVE BEHAVIORS
		90	1. Yes
		2758	2. No
		56	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety

Tape Location	Source Code	Frequency	Item value and description
3117-3117	S9Q25B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF EMBARRASSMENT OVER COMPULSIVE BEHAVIORS
		72	1. Yes
		2776	2. No
		56	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3118-3118	S9Q26A		ONLY/ANY EPISODE EVER BEGAN FROM FEAR OF BEING UNABLE TO ENGAGE IN COMPULSIVE BEHAVIORS
		127	1. Yes
		2717	2. No
		60	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3119-3119	S9Q26B		ONLY/ALL EPISODE(S) ONLY BEGAN FROM FEAR OF BEING UNABLE TO ENGAGE IN COMPULSIVE BEHAVIORS
		103	1. Yes
		2739	2. No
		62	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3120-3120	S9Q27A		ONLY/ANY EPISODE EVER BEGAN OVER WORRY ABOUT WEIGHT
		301	1. Yes
		2547	2. No
		56	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3121-3121	S9Q27B		ONLY/ALL EPISODE(S) ONLY BEGAN OVER WORRY ABOUT WEIGHT
		184	1. Yes
		2663	2. No
		57	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3122-3122	S9Q28A		ONLY/ANY EPISODE EVER BEGAN OVER FEAR OF ILLNESS EVEN THOUGH DOCTOR SAID NO
		200	1. Yes
		2641	2. No
		63	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety

Tape Location	Source Code	Frequency	Item value and description
3123-3123	S9Q28B		ONLY/ALL EPISODE(S) ONLY BEGAN OVER FEAR OF ILLNESS EVEN THOUGH DOCTOR SAID NO
		131	1. Yes
		2707	2. No
		66	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3124-3124	S9Q29A		ONLY/ANY EPISODE EVER BEGAN WHEN EXPERIENCING SYMPTOMS A DOCTOR COULDN'T EXPLAIN
		290	1. Yes
		2547	2. No
		67	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3125-3125	S9Q29B		ONLY/ALL EPISODE(S) ONLY BEGAN WHEN HAD SYMPTOMS A DOCTOR COULDN'T EXPLAIN
		184	1. Yes
		2651	2. No
		69	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3126-3126	S9Q30A		ONLY/ANY EPISODE EVER BEGAN WHEN AFRAID OF HAVING A PANIC ATTACK
		222	1. Yes
		2649	2. No
		33	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3127-3127	S9Q30B		ONLY/ALL EPISODE(S) ONLY BEGAN WHEN AFRAID OF HAVING A PANIC ATTACK
		136	1. Yes
		2735	2. No
		33	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3128-3128	S9Q31A		ONLY/ANY EPISODE ONLY BEGAN DURING PERIOD OF LOW MOOD 1
		1054	1. Yes
		1782	2. No
		68	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety

Tape Location	Source Code	Frequency	Item value and description
3129-3129	S9Q31B		ONLY/ALL EPISODE(S) ONLY BEGAN DURING PERIOD OF LOW MOOD 1
		860	1. Yes
		1971	2. No
		73	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3130-3130	S9Q32A		ONLY/ANY EPISODE ONLY BEGAN DURING PERIOD OF HIGH MOOD
		293	1. Yes
		2576	2. No
		35	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3131-3131	S9Q32B		ONLY/ALL EPISODE(S) ONLY BEGAN DURING PERIOD OF HIGH MOOD
		206	1. Yes
		2663	2. No
		35	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3132-3132	S9Q33A		ONLY/ANY EPISODE ONLY BEGAN DURING PERIOD OF FEAR/AVOIDANCE OF SOCIAL SITUATIONS
		333	1. Yes
		2536	2. No
		35	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
3133-3133	S9Q33B		ONLY/ALL EPISODE(S) ONLY BEGAN DURING PERIOD OF FEAR/AVOIDANCE OF SOCIAL SITUATIONS
		225	1. Yes
		2642	2. No
		37	9. Unknown
		40189	BL. NA, worst time did not meet symptom criteria for generalized anxiety
SECTION 10: PERSONALITY DISORDERS (USUAL FEELINGS AND ACTIONS)			
3134-3134	S10Q1A1		AVOID JOBS OR TASKS THAT DEAL WITH A LOT OF PEOPLE
		2134	1. Yes
		39657	2. No
		1302	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3135-3135	S10Q1B1		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		524	1. Yes
		41257	2. No
		1312	9. Unknown
3136-3136	S10Q1A2		AVOID GETTING INVOLVED WITH PEOPLE UNLESS CERTAIN THEY WILL LIKE YOU
		2098	1. Yes
		39605	2. No
		1390	9. Unknown
3137-3137	S10Q1B2		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		492	1. Yes
		41205	2. No
		1396	9. Unknown
3138-3138	S10Q1A3		FIND IT HARD TO BE "OPEN" EVEN WITH PEOPLE YOU ARE CLOSE TO
		4502	1. Yes
		37182	2. No
		1409	9. Unknown
3139-3139	S10Q1B3		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1230	1. Yes
		40442	2. No
		1421	9. Unknown
3140-3140	S10Q1A4		OFTEN WORRY ABOUT BEING CRITICIZED OR REJECTED IN SOCIAL SITUATIONS
		3842	1. Yes
		37870	2. No
		1381	9. Unknown
3141-3141	S10Q1B4		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1173	1. Yes
		40530	2. No
		1390	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3142-3142	S10Q1A5		BELIEVE THAT YOU ARE NOT AS GOOD, AS SMART, OR AS ATTRACTIVE AS MOST PEOPLE
		3505	1. Yes
		38128	2. No
		1460	9. Unknown
3143-3143	S10Q1B5		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		954	1. Yes
		40668	2. No
		1471	9. Unknown
3144-3144	S10Q1A6		USUALLY QUIET OR HAVE VERY LITTLE TO SAY WHEN MEET NEW PEOPLE BECAUSE YOU BELIEVE THEY ARE BETTER THAN YOU ARE
		2373	1. Yes
		39285	2. No
		1435	9. Unknown
3145-3145	S10Q1B6		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		492	1. Yes
		41158	2. No
		1443	9. Unknown
3146-3146	S10Q1A7		AFRAID OF TRYING NEW THINGS OR DOING THINGS OUTSIDE USUAL ROUTINE BECAUSE AFRAID OF BEING EMBARRASSED
		2734	1. Yes
		38890	2. No
		1469	9. Unknown
3147-3147	S10Q1B7		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		781	1. Yes
		40836	2. No
		1476	9. Unknown
3148-3148	S10Q1A8		NEED A LOT OF REASSURANCE FROM OTHERS BEFORE MAKING EVERY DAY DECISIONS
		788	1. Yes
		40894	2. No
		1411	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3149-3149	S10Q1B8		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		257	1. Yes
		41423	2. No
		1413	9. Unknown
3150-3150	S10Q1A9		DEPEND ON OTHERS TO HANDLE IMPORTANT AREAS IN LIFE
		2248	1. Yes
		39443	2. No
		1402	9. Unknown
3151-3151	S10Q1B9		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		320	1. Yes
		41362	2. No
		1411	9. Unknown
3152-3152	S10Q1A10		FIND IT HARD TO DISAGREE WITH PEOPLE EVEN WHEN THINK THEY ARE WRONG, BECAUSE FEAR LOSING THEIR SUPPORT OR APPROVAL
		2045	1. Yes
		39561	2. No
		1487	9. Unknown
3153-3153	S10Q1B10		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		693	1. Yes
		40908	2. No
		1492	9. Unknown
3154-3154	S10Q1A11		FIND IT HARD TO START OR WORK ON TASKS WHEN THERE IS NO ONE TO HELP
		1449	1. Yes
		40203	2. No
		1441	9. Unknown
3155-3155	S10Q1B11		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		418	1. Yes
		41230	2. No
		1445	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3156-3156	S10Q1A12		EVER VOLUNTEERED TO DO UNPLEASANT THINGS TO GET OTHER PEOPLE TO LIKE YOU
		1954	1. Yes
		39673	2. No
		1466	9. Unknown
3157-3157	S10Q1B12		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		407	1. Yes
		41212	2. No
		1474	9. Unknown
3158-3158	S10Q1A13		USUALLY FEEL UNCOMFORTABLE WHEN ALONE BECAUSE AFRAID CAN'T TAKE CARE OF SELF
		709	1. Yes
		40947	2. No
		1437	9. Unknown
3159-3159	S10Q1B13		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		219	1. Yes
		41434	2. No
		1440	9. Unknown
3160-3160	S10Q1A14		WHEN CLOSE RELATIONSHIP ENDS, FEEL YOU HAVE TO IMMEDIATELY FIND SOMEONE ELSE TO TAKE CARE OF YOU
		587	1. Yes
		40871	2. No
		1635	9. Unknown
3161-3161	S10Q1B14		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		189	1. Yes
		41266	2. No
		1638	9. Unknown
3162-3162	S10Q1A15		WORRY A LOT ABOUT BEING LEFT ALONE TO TAKE CARE OF SELF
		1417	1. Yes
		40238	2. No
		1438	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3163-3163	S10Q1B15		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		353	1. Yes
		41293	2. No
		1447	9. Unknown
3164-3164	S10Q1A16		THE KIND OF PERSON WHO FOCUSES ON DETAILS/ORDER/ORGANIZATION OR LIKES TO MAKE LISTS AND SCHEDULES
		16221	1. Yes
		25345	2. No
		1527	9. Unknown
3165-3165	S10Q1B16		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		977	1. Yes
		40581	2. No
		1535	9. Unknown
3166-3166	S10Q1A17		SOMETIMES GET SO CAUGHT UP WITH DETAILS/SCHEDULES/ORGANIZATION THAT YOU LOSE SIGHT OF WHAT WANTED TO ACCOMPLISH
		2940	1. Yes
		38659	2. No
		1494	9. Unknown
3167-3167	S10Q1B17		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		777	1. Yes
		40820	2. No
		1496	9. Unknown
3168-3168	S10Q1A18		HAVE TROUBLE FINISHING JOBS BECAUSE SPEND SO MUCH TIME TRYING TO GET THINGS EXACTLY RIGHT
		3417	1. Yes
		38189	2. No
		1487	9. Unknown
3169-3169	S10Q1B18		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		992	1. Yes
		40611	2. No
		1490	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3170-3170	S10Q1A19		YOU OR OTHERS FEEL YOU ARE SO DEVOTED TO WORK/SCHOOL YOU HAVE NO TIME LEFT FOR ANYONE ELSE OR JUST HAVING FUN
		3440	1. Yes
		38125	2. No
		1528	9. Unknown
3171-3171	S10Q1B19		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1380	1. Yes
		40178	2. No
		1535	9. Unknown
3172-3172	S10Q1A20		OTHERS THINK YOU HAVE UNREASONABLY HIGH STANDARDS/MORALS/IDEAS ABOUT RIGHT AND WRONG
		7893	1. Yes
		32887	2. No
		2313	9. Unknown
3173-3173	S10Q1B20		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1624	1. Yes
		39144	2. No
		2325	9. Unknown
3174-3174	S10Q1A21		HAVE TROUBLE THROWING OUT WORN-OUT/WORTHLESS THINGS EVEN IF HAVE NO SENTIMENTAL VALUE
		8331	1. Yes
		33258	2. No
		1504	9. Unknown
3175-3175	S10Q1B21		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1283	1. Yes
		40301	2. No
		1509	9. Unknown
3176-3176	S10Q1A22		HARD TO LET OTHERS HELP IF THEY DON'T AGREE TO DO THINGS EXACTLY THE WAY YOU WANT
		7006	1. Yes
		34527	2. No
		1560	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3177-3177	S10Q1B22		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1976	1. Yes
		39548	2. No
		1569	9. Unknown
3178-3178	S10Q1A23		HARD TO SPEND MONEY ON SELF/OTHERS EVEN WHEN HAVE ENOUGH
		4198	1. Yes
		37369	2. No
		1526	9. Unknown
3179-3179	S10Q1B23		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		642	1. Yes
		40919	2. No
		1532	9. Unknown
3180-3180	S10Q1A24		OFTEN SO SURE YOU ARE RIGHT THAT DOESN'T MATTER WHAT OTHERS SAY
		7137	1. Yes
		34323	2. No
		1633	9. Unknown
3181-3181	S10Q1B24		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1788	1. Yes
		39659	2. No
		1646	9. Unknown
3182-3182	S10Q1A25		HAVE OTHERS TOLD YOU THAT YOU ARE STUBBORN OR RIGID
		14962	1. Yes
		26617	2. No
		1514	9. Unknown
3183-3183	S10Q1B25		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		2494	1. Yes
		39059	2. No
		1540	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3184-3184	S10Q1A26		OFTEN HAVE TO KEEP AN EYE OUT TO KEEP PEOPLE FROM USING/HURTING/LYING TO YOU
		7064	1. Yes
		34494	2. No
		1535	9. Unknown
3185-3185	S10Q1B26		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		2293	1. Yes
		39254	2. No
		1546	9. Unknown
3186-3186	S10Q1A27		SPEND A LOT OF TIME WONDERING IF CAN TRUST FRIENDS/PEOPLE YOU WORK WITH
		3235	1. Yes
		38357	2. No
		1501	9. Unknown
3187-3187	S10Q1B27		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1197	1. Yes
		40389	2. No
		1507	9. Unknown
3188-3188	S10Q1A28		FIND IT IS BEST NOT TO LET OTHERS KNOW MUCH ABOUT YOU BECAUSE THEY WILL USE IT AGAINST YOU
		5234	1. Yes
		36267	2. No
		1592	9. Unknown
3189-3189	S10Q1B28		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1139	1. Yes
		40353	2. No
		1601	9. Unknown
3190-3190	S10Q1A29		DETECT HIDDEN THREATS OR INSULTS IN THINGS PEOPLE SAY OR DO
		2937	1. Yes
		38602	2. No
		1554	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3191-3191	S10Q1B29		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1066	1. Yes
		40465	2. No
		1562	9. Unknown
3192-3192	S10Q1A30		THE KIND OF PERSON WHO TAKES A LONG TIME TO FORGIVE PEOPLE WHO HAVE INSULTED/ SLIGHTED YOU
		7298	1. Yes
		34203	2. No
		1592	9. Unknown
3193-3193	S10Q1B30		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1985	1. Yes
		39494	2. No
		1614	9. Unknown
3194-3194	S10Q1A31		MANY PEOPLE YOU CAN'T FORGIVE BECAUSE THEY SAID/DID SOMETHING LONG AGO
		3768	1. Yes
		37761	2. No
		1564	9. Unknown
3195-3195	S10Q1B31		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1266	1. Yes
		40257	2. No
		1570	9. Unknown
3196-3196	S10Q1A32		OFTEN GET ANGRY OR LASH OUT WHEN SOMEONE CRITICIZES OR INSULTS YOU
		4056	1. Yes
		37505	2. No
		1532	9. Unknown
3197-3197	S10Q1B32		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1417	1. Yes
		40136	2. No
		1540	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3198-3198	S10Q1A33		OFTEN SUSPECTED THAT YOUR SPOUSE OR PARTNER HAS BEEN UNFAITHFUL
		3439	1. Yes
		37965	2. No
		1689	9. Unknown
3199-3199	S10Q1B33		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1930	1. Yes
		39471	2. No
		1692	9. Unknown
3200-3200	S10Q1A35		WHEN AROUND PEOPLE, OFTEN FEEL THAT YOU ARE BEING WATCHED OR STARED AT
		2843	1. Yes
		38724	2. No
		1526	9. Unknown
3201-3201	S10Q1B35		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		697	1. Yes
		40864	2. No
		1532	9. Unknown
3202-3202	S10Q1A43		ARE THERE VERY FEW PEOPLE YOU'RE REALLY CLOSE TO OUTSIDE OF IMMEDIATE FAMILY
		13954	1. Yes
		27585	2. No
		1554	9. Unknown
3203-3203	S10Q1B43		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		617	1. Yes
		40914	2. No
		1562	9. Unknown
3204-3204	S10Q1A45		WOULD BE JUST HAPPY WITHOUT HAVING ANY CLOSE RELATIONSHIP
		7375	1. Yes
		33846	2. No
		1872	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3205-3205	S10Q1B45		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		296	1. Yes
		40913	2. No
		1884	9. Unknown
3206-3206	S10Q1A46		TAKE LITTLE PLEASURE IN BEING WITH OTHERS
		3580	1. Yes
		37791	2. No
		1722	9. Unknown
3207-3207	S10Q1B46		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		309	1. Yes
		41058	2. No
		1726	9. Unknown
3208-3208	S10Q1A47		HAVE ALMOST ALWAYS PREFERRED TO DO THINGS ALONE RATHER THAN WITH OTHERS
		6701	1. Yes
		34597	2. No
		1795	9. Unknown
3209-3209	S10Q1B47		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		645	1. Yes
		40646	2. No
		1802	9. Unknown
3210-3210	S10Q1A48		COULD BE CONTENT WITHOUT EVER BEING SEXUALLY INVOLVED WITH ANYONE
		13790	1. Yes
		26607	2. No
		2696	9. Unknown
3211-3211	S10Q1B48		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		481	1. Yes
		39892	2. No
		2720	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3212-3212	S10Q1A49		RARELY SHOW MUCH EMOTION
		7493	1. Yes
		33803	2. No
		1797	9. Unknown
3213-3213	S10Q1B49		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		864	1. Yes
		40413	2. No
		1816	9. Unknown
3214-3214	S10Q1A50		VERY FEW THINGS THAT GIVE YOU PLEASURE
		3520	1. Yes
		37850	2. No
		1723	9. Unknown
3215-3215	S10Q1B50		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		448	1. Yes
		40914	2. No
		1731	9. Unknown
3216-3216	S10Q1A51		RARELY REACT TO PRAISE OR CRITICISM
		5639	1. Yes
		35573	2. No
		1881	9. Unknown
3217-3217	S10Q1B51		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		383	1. Yes
		40822	2. No
		1888	9. Unknown
3218-3218	S10Q1A52		THE SORT OF PERSON WHO DOESN'T CARE ABOUT WHAT PEOPLE THINK OF YOU
		13986	1. Yes
		27313	2. No
		1794	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3219-3219	S10Q1B52		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		777	1. Yes
		40504	2. No
		1812	9. Unknown
3220-3220	S10Q1A53		FIND NOTHING MAKES YOU VERY HAPPY OR SAD
		2422	1. Yes
		38774	2. No
		1897	9. Unknown
3221-3221	S10Q1B53		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		303	1. Yes
		40886	2. No
		1904	9. Unknown
3222-3222	S10Q1A54		LIKE TO BE THE CENTER OF ATTENTION
		4940	1. Yes
		36537	2. No
		1616	9. Unknown
3223-3223	S10Q1B54		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		505	1. Yes
		40968	2. No
		1620	9. Unknown
3224-3224	S10Q1A55		FEELINGS OFTEN CHANGE VERY SUDDENLY/UNEXPECTEDLY, SOMETIMES FOR NO REASON
		4265	1. Yes
		37202	2. No
		1626	9. Unknown
3225-3225	S10Q1B55		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		1355	1. Yes
		40097	2. No
		1641	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3226-3226	S10Q1A56		FEEL UNCOMFORTABLE IF NOT CENTER OF ATTENTION
		610	1. Yes
		40933	2. No
		1550	9. Unknown
3227-3227	S10Q1B56		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		120	1. Yes
		41419	2. No
		1554	9. Unknown
3228-3228	S10Q1A57		EVER DISCOVERED THAT PEOPLE AREN'T AS CLOSE AS YOU THOUGHT THEY WERE
		11070	1. Yes
		30266	2. No
		1757	9. Unknown
3229-3229	S10Q1B57		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		2672	1. Yes
		38649	2. No
		1772	9. Unknown
3230-3230	S10Q1A58		FLIRT A LOT
		5854	1. Yes
		35606	2. No
		1633	9. Unknown
3231-3231	S10Q1B58		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		761	1. Yes
		40693	2. No
		1639	9. Unknown
3232-3232	S10Q1A59		DISPLAY EMOTIONS IN OBVIOUS/DRAMATIC WAYS SO PEOPLE ALWAYS KNOW HOW YOU FEEL
		5697	1. Yes
		35679	2. No
		1717	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3233-3233	S10Q1B59		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		802	1. Yes
		40568	2. No
		1723	9. Unknown
3234-3234	S10Q1A60		OFTEN FIND YOURSELF "COMING ON" TO PEOPLE
		1269	1. Yes
		40142	2. No
		1682	9. Unknown
3235-3235	S10Q1B60		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		221	1. Yes
		41189	2. No
		1683	9. Unknown
3236-3236	S10Q1A61		TRY TO DRAW ATTENTION TO YOURSELF BY WAY YOU DRESS OR LOOK
		1869	1. Yes
		39649	2. No
		1575	9. Unknown
3237-3237	S10Q1B61		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		159	1. Yes
		41358	2. No
		1576	9. Unknown
3238-3238	S10Q1A62		OFTEN MAKE A POINT OF BEING DRAMATIC AND COLORFUL
		2119	1. Yes
		39364	2. No
		1610	9. Unknown
3239-3239	S10Q1B62		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		180	1. Yes
		41300	2. No
		1613	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3240-3240	S10Q1A63		CHANGE MIND ABOUT THINGS DEPENDING ON PEOPLE YOU'RE WITH OR WHAT READ OR SAW ON TV
		5854	1. Yes
		35487	2. No
		1752	9. Unknown
3241-3241	S10Q1B63		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		422	1. Yes
		40909	2. No
		1762	9. Unknown
3242-3242	S10Q1A64		OFTEN EXPRESS SELF USING GENERALITIES AND VERY LITTLE DETAIL
		6415	1. Yes
		34483	2. No
		2195	9. Unknown
3243-3243	S10Q1B64		EVER TROUBLE YOU OR CAUSE PROBLEMS AT WORK/SCHOOL OR WITH FAMILY/OTHER PEOPLE
		431	1. Yes
		40450	2. No
		2212	9. Unknown
SECTION 11A: ANTISOCIAL PERSONALITY DISORDER (BEHAVIOR)			
3244-3244	S11AQ1A1		OFTEN CUT CLASS, NOT GO TO CLASS OR GO TO SCHOOL AND LEAVE WITHOUT PERMISSION
		8896	1. Yes
		33035	2. No
		1162	9. Unknown
3245-3245	S11AQ1B1		HAPPEN BEFORE AGE 13
		1488	1. Yes
		40407	2. No
		1198	9. Unknown
3246-3246	S11AQ1C1		HAPPEN SINCE AGE 13
		8300	1. Yes
		33607	2. No
		1186	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3247-3247	S11AQ1A2		EVER STAY OUT LATE AT NIGHT EVEN THOUGH PARENTS TOLD YOU TO STAY HOME
		10155	1. Yes
		31756	2. No
		1182	9. Unknown
3248-3248	S11AQ1B2		HAPPEN BEFORE AGE 13
		1079	1. Yes
		40802	2. No
		1212	9. Unknown
3249-3249	S11AQ1C2		HAPPEN SINCE AGE 13
		9880	1. Yes
		32010	2. No
		1203	9. Unknown
3250-3250	S11AQ1A3		EVER HAVE TIME WHEN BULLIED OR PUSHED PEOPLE AROUND OR TRIED TO MAKE THEM AFRAID OF YOU
		2460	1. Yes
		39501	2. No
		1132	9. Unknown
3251-3251	S11AQ1B3		HAPPEN BEFORE AGE 15
		1618	1. Yes
		40327	2. No
		1148	9. Unknown
3252-3252	S11AQ1C3		HAPPEN SINCE AGE 15
		1478	1. Yes
		40473	2. No
		1142	9. Unknown
3253-3253	S11AQ1A4		EVER RUN AWAY FROM HOME AT LEAST TWICE OR RUN AWAY AND STAY AWAY FOR A LONGER TIME
		2173	1. Yes
		39791	2. No
		1129	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3254-3254	S11AQ1B4		HAPPEN BEFORE AGE 15
		1124	1. Yes
		40833	2. No
		1136	9. Unknown
3255-3255	S11AQ1C4		HAPPEN SINCE AGE 15
		1486	1. Yes
		40475	2. No
		1132	9. Unknown
3256-3256	S11AQ1A5		EVER HAVE A TIME WHEN OFTEN ABSENT FROM SCHOOL, OTHER THAN WHEN CARING FOR SOMEONE WHO WAS SICK
		2847	1. Yes
		39094	2. No
		1152	9. Unknown
3257-3257	S11AQ1B5		HAPPEN BEFORE AGE 15
		870	1. Yes
		41064	2. No
		1159	9. Unknown
3258-3258	S11AQ1C5		HAPPEN SINCE AGE 15
		2517	1. Yes
		39421	2. No
		1155	9. Unknown
3259-3259	S11AQ1A6		MORE THAN ONCE QUIT A JOB WITHOUT KNOWING WHERE WOULD FIND ANOTHER ONE
		4644	1. Yes
		37298	2. No
		1151	9. Unknown
3260-3260	S11AQ1B6		HAPPEN BEFORE AGE 15
		192	1. Yes
		41746	2. No
		1155	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3261-3261	S11AQ1C6		HAPPEN SINCE AGE 15
		4586	1. Yes
		37355	2. No
		1152	9. Unknown
3262-3262	S11AQ1A7		MORE THAN ONCE QUIT A SCHOOL PROGRAM WITHOUT KNOWING WHAT WOULD DO NEXT
		1618	1. Yes
		40318	2. No
		1157	9. Unknown
3263-3263	S11AQ1B7		HAPPEN BEFORE AGE 15
		292	1. Yes
		41639	2. No
		1162	9. Unknown
3264-3264	S11AQ1C7		HAPPEN SINCE AGE 15
		1468	1. Yes
		40465	2. No
		1160	9. Unknown
3265-3265	S11AQ1A8		TRAVEL FROM PLACE TO PLACE FOR 1+ MONTHS WITHOUT ADVANCE PLANS OR WITHOUT KNOWING HOW LONG WOULD BE GONE OR WHERE WOULD WORK
		1395	1. Yes
		40556	2. No
		1142	9. Unknown
3266-3266	S11AQ1B8		HAPPEN BEFORE AGE 15
		129	1. Yes
		41822	2. No
		1142	9. Unknown
3267-3267	S11AQ1C8		HAPPEN SINCE AGE 15
		1354	1. Yes
		40596	2. No
		1143	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3268-3268	S11AQ1A9		EVER HAVE TIME LASTING 1+ MONTHS WHEN HAD NO REGULAR PLACE TO LIVE
		1146	1. Yes
		40819	2. No
		1128	9. Unknown
3269-3269	S11AQ1B9		HAPPEN BEFORE AGE 15
		126	1. Yes
		41839	2. No
		1128	9. Unknown
3270-3270	S11AQ1C9		HAPPEN SINCE AGE 15
		1101	1. Yes
		40864	2. No
		1128	9. Unknown
3271-3271	S11AQ1A10		EVER HAVE TIME LASTING 1+ MONTHS WHEN LIVED WITH OTHERS BECAUSE DID NOT HAVE OWN PLACE TO LIVE
		4809	1. Yes
		37135	2. No
		1149	9. Unknown
3272-3272	S11AQ1B10		HAPPEN BEFORE AGE 15
		372	1. Yes
		41569	2. No
		1152	9. Unknown
3273-3273	S11AQ1C10		HAPPEN SINCE AGE 15
		4671	1. Yes
		37273	2. No
		1149	9. Unknown
3274-3274	S11AQ1A11		EVER TIME HAVE WHEN YOU LIED A LOT, OTHER THAN TO AVOID BEING HURT
		2162	1. Yes
		39730	2. No
		1201	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3275-3275	S11AQ1B11		HAPPEN BEFORE AGE 15
		1122	1. Yes
		40750	2. No
		1221	9. Unknown
3276-3276	S11AQ1C11		HAPPEN SINCE AGE 15
		1723	1. Yes
		40157	2. No
		1213	9. Unknown
3277-3277	S11AQ1A12		EVER USE A FALSE OR MADE-UP NAME OR ALIAS
		917	1. Yes
		41035	2. No
		1141	9. Unknown
3278-3278	S11AQ1B12		HAPPEN BEFORE AGE 15
		213	1. Yes
		41739	2. No
		1141	9. Unknown
3279-3279	S11AQ1C12		HAPPEN SINCE AGE 15
		839	1. Yes
		41113	2. No
		1141	9. Unknown
3280-3280	S11AQ1A13		EVER SCAM OR CON SOMEONE FOR MONEY, TO AVOID RESPONSIBILITY OR JUST FOR FUN
		623	1. Yes
		41333	2. No
		1137	9. Unknown
3281-3281	S11AQ1B13		HAPPEN BEFORE AGE 15
		171	1. Yes
		41783	2. No
		1139	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3282-3282	S11AQ1C13		HAPPEN SINCE AGE 15
		578	1. Yes
		41377	2. No
		1138	9. Unknown
3283-3283	S11AQ1A14		EVER DO THINGS THAT COULD EASILY HAVE HURT YOU OR SOMEONE ELSE, LIKE SPEEDING OR DRIVING AFTER HAVING TOO MUCH TO DRINK
		5141	1. Yes
		36790	2. No
		1162	9. Unknown
3284-3284	S11AQ1B14		HAPPEN BEFORE AGE 15
		264	1. Yes
		41662	2. No
		1167	9. Unknown
3285-3285	S11AQ1C14		HAPPEN SINCE AGE 15
		5108	1. Yes
		36822	2. No
		1163	9. Unknown
3286-3286	S11AQ1A15		EVER GET MORE THAN 3 TICKETS FOR RECKLESS/CARELESS DRIVING, SPEEDING, OR CAUSING AN ACCIDENT
		3250	1. Yes
		38684	2. No
		1159	9. Unknown
3287-3287	S11AQ1B15		HAPPEN BEFORE AGE 15
		26	1. Yes
		41907	2. No
		1160	9. Unknown
3288-3288	S11AQ1C15		HAPPEN SINCE AGE 15
		3242	1. Yes
		38692	2. No
		1159	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3289-3289	S11AQ1A16		EVER HAVE DRIVERS LICENSE SUSPENDED OR REVOKED FOR MOVING VIOLATIONS
		3166	1. Yes
		38790	2. No
		1137	9. Unknown
3290-3290	S11AQ1B16		HAPPEN BEFORE AGE 15
		32	1. Yes
		41924	2. No
		1137	9. Unknown
3291-3291	S11AQ1C16		HAPPEN SINCE AGE 15
		3154	1. Yes
		38802	2. No
		1137	9. Unknown
3292-3292	S11AQ1A17		EVER DESTROY/ BREAK/ VANDALIZE SOMEONE ELSE'S PROPERTY (CAR, HOME, ETC.)
		1358	1. Yes
		40591	2. No
		1144	9. Unknown
3293-3293	S11AQ1B17		HAPPEN BEFORE AGE 15
		600	1. Yes
		41344	2. No
		1149	9. Unknown
3294-3294	S11AQ1C17		HAPPEN SINCE AGE 15
		971	1. Yes
		40973	2. No
		1149	9. Unknown
3295-3295	S11AQ1A18		EVER START FIRE ON PURPOSE TO DESTROY SOMEONE ELSE'S PROPERTY OR JUST TO SEE IT BURN
		407	1. Yes
		41552	2. No
		1134	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3296-3296	S11AQ1B18		HAPPEN BEFORE AGE 15
		302	1. Yes
		41657	2. No
		1134	9. Unknown
3297-3297	S11AQ1C18		HAPPEN SINCE AGE 15
		152	1. Yes
		41807	2. No
		1134	9. Unknown
3298-3298	S11AQ1A19		EVER FAIL TO PAY OFF DEBTS -- LIKE MOVING TO AVOID RENT, NOT MAKING PAYMENTS ON LOAN OR MORTGAGE, FAILING TO PAY ALIMONY OR CHILD SUPPORT OR FILING BANKRUPTCY
		1758	1. Yes
		40182	2. No
		1153	9. Unknown
3299-3299	S11AQ1B19		HAPPEN BEFORE AGE 15
		41940	2. No
		1153	9. Unknown
3300-3300	S11AQ1C19		HAPPEN SINCE AGE 15
		1758	1. Yes
		40182	2. No
		1153	9. Unknown
3301-3301	S11AQ1A20		EVER STEAL SOMETHING FROM SOMEONE/SOMEPLACE WHEN NO ONE WAS AROUND
		3490	1. Yes
		38437	2. No
		1166	9. Unknown
3302-3302	S11AQ1B20		HAPPEN BEFORE AGE 15
		2494	1. Yes
		39420	2. No
		1179	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3303-3303	S11AQ1C20		HAPPEN SINCE AGE 15
		1745	1. Yes
		40169	2. No
		1179	9. Unknown
3304-3304	S11AQ1A21		EVER FORGE SOMEONE ELSE'S SIGNATURE, LIKE ON A LEGAL DOCUMENT OR CHECK
		828	1. Yes
		41129	2. No
		1136	9. Unknown
3305-3305	S11AQ1B21		HAPPEN BEFORE AGE 15
		241	1. Yes
		41713	2. No
		1139	9. Unknown
3306-3306	S11AQ1C21		HAPPEN SINCE AGE 15
		668	1. Yes
		41287	2. No
		1138	9. Unknown
3307-3307	S11AQ1A22		EVER SHOPLIFT
		4422	1. Yes
		37516	2. No
		1155	9. Unknown
3308-3308	S11AQ1B22		HAPPEN BEFORE AGE 15
		3407	1. Yes
		38516	2. No
		1170	9. Unknown
3309-3309	S11AQ1C22		HAPPEN SINCE AGE 15
		1619	1. Yes
		40302	2. No
		1172	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3310-3310	S11AQ1A23		EVER ROB OR MUG SOMEONE OR SNATCH A PURSE
		144	1. Yes
		41809	2. No
		1140	9. Unknown
3311-3311	S11AQ1B23		HAPPEN BEFORE AGE 15
		47	1. Yes
		41906	2. No
		1140	9. Unknown
3312-3312	S11AQ1C23		HAPPEN SINCE AGE 15
		120	1. Yes
		41833	2. No
		1140	9. Unknown
3313-3313	S11AQ1A24		EVER MAKE MONEY ILLEGALLY, LIKE SELLING STOLEN PROPERTY OR SELLING DRUGS
		1092	1. Yes
		40847	2. No
		1154	9. Unknown
3314-3314	S11AQ1B24		HAPPEN BEFORE AGE 15
		169	1. Yes
		41769	2. No
		1155	9. Unknown
3315-3315	S11AQ1C24		HAPPEN SINCE AGE 15
		1052	1. Yes
		40886	2. No
		1155	9. Unknown
3316-3316	S11AQ1A25		EVER DO SOMETHING YOU COULD HAVE BEEN ARRESTED FOR, REGARDLESS OF WHETHER YOU WERE CAUGHT OR NOT
		5806	1. Yes
		36058	2. No
		1229	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3317-3317	S11AQ1B25		HAPPEN BEFORE AGE 15
		1741	1. Yes
		40107	2. No
		1245	9. Unknown
3318-3318	S11AQ1C25		HAPPEN SINCE AGE 15
		5171	1. Yes
		36677	2. No
		1245	9. Unknown
3319-3319	S11AQ1A26		EVER FORCE SOMEONE TO HAVE SEX WITH YOU AGAINST THEIR WILL
		63	1. Yes
		41824	2. No
		1206	9. Unknown
3320-3320	S11AQ1B26		HAPPEN BEFORE AGE 15
		14	1. Yes
		41872	2. No
		1207	9. Unknown
3321-3321	S11AQ1C26		HAPPEN SINCE AGE 15
		54	1. Yes
		41832	2. No
		1207	9. Unknown
3322-3322	S11AQ1A27		EVER GET INTO A LOT OF FIGHTS THAT YOU STARTED
		1126	1. Yes
		40813	2. No
		1154	9. Unknown
3323-3323	S11AQ1B27		HAPPEN BEFORE AGE 15
		670	1. Yes
		41263	2. No
		1160	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3324-3324	S11AQ1C27		HAPPEN SINCE AGE 15
		843	1. Yes
		41095	2. No
		1155	9. Unknown
3325-3325	S11AQ1A28		EVER GET INTO A FIGHT THAT CAME TO SWAPPING BLOWS WITH SOMEONE LIKE A HUSBAND, WIFE, BOYFRIEND OR GIRLFRIEND
		3057	1. Yes
		38882	2. No
		1154	9. Unknown
3326-3326	S11AQ1B28		HAPPEN BEFORE AGE 15
		631	1. Yes
		41303	2. No
		1159	9. Unknown
3327-3327	S11AQ1C28		HAPPEN SINCE AGE 15
		2828	1. Yes
		39107	2. No
		1158	9. Unknown
3328-3328	S11AQ1A29		EVER USE A WEAPON LIKE A STICK, KNIFE OR GUN IN A FIGHT
		1195	1. Yes
		40739	2. No
		1159	9. Unknown
3329-3329	S11AQ1B29		HAPPEN BEFORE AGE 15
		363	1. Yes
		41569	2. No
		1161	9. Unknown
3330-3330	S11AQ1C29		HAPPEN SINCE AGE 15
		1016	1. Yes
		40914	2. No
		1163	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3331-3331	S11AQ1A30		EVER HIT SOMEONE SO HARD THAT YOU INJURED THEM OR THEY HAD TO SEE A DOCTOR
		2328	1. Yes
		39529	2. No
		1236	9. Unknown
3332-3332	S11AQ1B30		HAPPEN BEFORE AGE 15
		632	1. Yes
		41219	2. No
		1242	9. Unknown
3333-3333	S11AQ1C30		HAPPEN SINCE AGE 15
		1973	1. Yes
		39876	2. No
		1244	9. Unknown
3334-3334	S11AQ1A31		EVER HARASS, THREATEN OR BLACKMAIL SOMEONE
		671	1. Yes
		41257	2. No
		1165	9. Unknown
3335-3335	S11AQ1B31		HAPPEN BEFORE AGE 15
		207	1. Yes
		41720	2. No
		1166	9. Unknown
3336-3336	S11AQ1C31		HAPPEN SINCE AGE 15
		591	1. Yes
		41336	2. No
		1166	9. Unknown
3337-3337	S11AQ1A32		EVER PHYSICALLY HURT ANOTHER PERSON IN ANY WAY ON PURPOSE
		1959	1. Yes
		39956	2. No
		1178	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3338-3338	S11AQ1B32		HAPPEN BEFORE AGE 15
		776	1. Yes
		41136	2. No
		1181	9. Unknown
3339-3339	S11AQ1C32		HAPPEN SINCE AGE 15
		1578	1. Yes
		40334	2. No
		1181	9. Unknown
3340-3340	S11AQ1A33		EVER HURT AN ANIMAL OR PET ON PURPOSE
		728	1. Yes
		41203	2. No
		1162	9. Unknown
3341-3341	S11AQ1B33		HAPPEN BEFORE AGE 15
		510	1. Yes
		41414	2. No
		1169	9. Unknown
3342-3342	S11AQ1C33		HAPPEN SINCE AGE 15
		323	1. Yes
		41602	2. No
		1168	9. Unknown
3343-3344	S11AQ1D		AGE AT FIRST TIME SOME OF THESE EXPERIENCES BEGAN TO HAPPEN
		10286	5-75. Age
		875	99. Unknown
		31932	BL. NA, did not meet symptom criteria for conduct/antisocial personality disorder
3345-3345	S11AQ2		DID ANY OF EXPERIENCES BEFORE AGE 15 CAUSE PROBLEMS WITH FAMILY OR FRIENDS OR AT SCHOOL OR WITH THE LAW
		1217	1. Yes
		1508	2. No
		17	9. Unknown
		40351	BL. NA, did not report at least 3 experiences before age 15

Tape Location	Source Code	Frequency	Item value and description
3346-3346	S11AQ3		DID AT LEAST ONE EXPERIENCE HAPPEN BEFORE AGE 10
		824	1. Yes
		1895	2. No
		23	9. Unknown
		40351	BL. NA, did not report at least 3 experiences before age 15
3347-3347	S11AQ3A		DID AT LEAST 3 EXPERIENCES BEFORE AGE 15 HAPPEN AROUND THE SAME TIME OR WITHIN A ONE-YEAR PERIOD
		1590	1. Yes
		1071	2. No
		81	9. Unknown
		40351	BL. NA, did not report at least 3 experiences before age 15
3348-3348	S11AQ4A		DID ANY OF EXPERIENCES BEFORE AGE 15 HAPPEN WHILE OR AFTER DRINKING HEAVILY
		231	1. Yes
		2493	2. No
		18	9. Unknown
		40351	BL. NA, did not report at least 3 experiences before age 15
3349-3349	S11AQ4B		DID ALL EXPERIENCES BEFORE AGE 15 HAPPEN WHILE OR AFTER DRINKING HEAVILY
		79	1. Yes
		2644	2. No
		19	9. Unknown
		40351	BL. NA, did not report at least 3 experiences before age 15
3350-3350	S11AQ5A		DID ANY OF EXPERIENCES BEFORE AGE 15 HAPPEN WHILE OR AFTER USING A MEDICINE OR DRUG
		205	1. Yes
		2519	2. No
		18	9. Unknown
		40351	BL. NA, did not report at least 3 experiences before age 15
3351-3351	S11AQ5B		DID ALL EXPERIENCES BEFORE AGE 15 HAPPEN WHILE OR AFTER USING A MEDICINE OR DRUG
		73	1. Yes
		2649	2. No
		20	9. Unknown
		40351	BL. NA, did not report at least 3 experiences before age 15

Tape Location	Source Code	Frequency	Item value and description
3352-3352	S11AQ5C		DID ANY OF EXPERIENCES BEFORE AGE 15 HAPPEN DURING A PERIOD WHEN FELT EXTREMELY EXCITED/ELATED/HYPER OR IRRITABLE/EASILY ANNOYED
		84	1. Yes
		2642	2. No
		16	9. Unknown
		40351	BL. NA, did not report at least 3 experiences before age 15
3353-3353	S11AQ5D		DID ALL EXPERIENCES BEFORE AGE 15 HAPPEN DURING PERIODS WHEN FELT EXTREMELY EXCITED/ELATED/HYPER OR IRRITABLE/EASILY ANNOYED
		35	1. Yes
		2686	2. No
		21	9. Unknown
		40351	BL. NA, did not report at least 3 experiences before age 15
3354-3354	S11AQ6A		DID ANY OF EXPERIENCES SINCE AGE 15 HAPPEN WHILE OR AFTER DRINKING HEAVILY
		2218	1. Yes
		7481	2. No
		82	9. Unknown
		33312	BL. NA, did not report at least 3 experiences since age 15
3355-3355	S11AQ6B		DID ALL EXPERIENCES SINCE AGE 15 HAPPEN WHILE OR AFTER DRINKING HEAVILY
		985	1. Yes
		8702	2. No
		94	9. Unknown
		33312	BL. NA, did not report at least 3 experiences since age 15
3356-3356	S11AQ7A		DID ANY OF EXPERIENCES SINCE AGE 15 HAPPEN WHILE OR AFTER USING A MEDICINE OR DRUG
		1012	1. Yes
		8682	2. No
		87	9. Unknown
		33312	BL. NA, did not report at least 3 experiences since age 15
3357-3357	S11AQ7B		DID ALL EXPERIENCES SINCE AGE 15 HAPPEN WHILE OR AFTER USING A MEDICINE OR DRUG
		403	1. Yes
		9286	2. No
		92	9. Unknown
		33312	BL. NA, did not report at least 3 experiences since age 15

Tape Location	Source Code	Frequency	Item value and description
3358-3358	S11AQ7C		DID ANY OF EXPERIENCES SINCE AGE 15 HAPPEN DURING A PERIOD WHEN FELT EXTREMELY EXCITED/ELATED/HYPER OR IRRITABLE/EASILY ANNOYED
		436	1. Yes
		8825	2. No
		520	9. Unknown
		33312	BL. NA, did not report at least 3 experiences since age 15
3359-3359	S11AQ7D		DID ALL EXPERIENCES SINCE AGE 15 HAPPEN DURING PERIODS WHEN FELT EXTREMELY EXCITED/ELATED/HYPER OR IRRITABLE/EASILY ANNOYED
		163	1. Yes
		9097	2. No
		521	9. Unknown
		33312	BL. NA, did not report at least 3 experiences since age 15
3360-3360	S11AQ8A		SINCE TIME WHEN DESTROYED PROPERTY, STOLE SOMETHING OR MISTREATED/HARMED ANOTHER PERSON, HAVE YOU REGRETTED DOING THESE THINGS OR WISHED THEY NEVER HAPPENED
		4902	1. Yes
		2240	2. No
		205	9. Unknown
		35746	BL. NA, did not meet symptom criteria for conduct/antisocial personality disorder; did not report at least 1 experience when destroyed property, stole something or mistreated/harmed another person
3361-3361	S11AQ8B		DID YOU FEEL YOU HAD A RIGHT TO DO THESE THINGS (DESTROY PROPERTY, STEAL SOMETHING, MISTREAT/HARM ANOTHER PERSON)
		3168	1. Yes
		3905	2. No
		274	9. Unknown
		35746	BL. NA, did not meet symptom criteria for conduct/antisocial personality disorder; did not report at least 1 experience when destroyed property, stole something or mistreated/harmed another person
SECTION 11B: FAMILY HISTORY (IV) OF ANTISOCIAL PERSONALITY DISORDER			
3362-3362	S11BQ1		BLOOD/NATURAL FATHER EVER HAD BEHAVIOR PROBLEMS
		2850	1. Yes
		35570	2. No
		4673	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3363-3363	S11BQ2		BLOOD/NATURAL MOTHER EVER HAD BEHAVIOR PROBLEMS
		1128	1. Yes
		38859	2. No
		3106	9. Unknown
3364-3365	S11BQ3B		NUMBER OF FULL BROTHERS WHO EVER HAD BEHAVIOR PROBLEMS
		40367	0-10. Full brother(s)
		2726	99. Unknown
3366-3366	S11BQ3C		ANY FULL BROTHERS EVER HAD BEHAVIOR PROBLEMS
		3470	1. Yes
		37289	2. No
		2334	9. Unknown
3367-3368	S11BQ4B		NUMBER OF FULL SISTERS WHO EVER HAD BEHAVIOR PROBLEMS
		40589	0-7. Full sister(s)
		2504	99. Unknown
3369-3369	S11BQ4C		ANY FULL SISTERS EVER HAD BEHAVIOR PROBLEMS
		1884	1. Yes
		39018	2. No
		2191	9. Unknown
3370-3371	S11BQ5B		NUMBER OF NATURAL SONS WHO EVER HAD BEHAVIOR PROBLEMS
		41626	0-8. Natural son(s)
		1467	99. Unknown
3372-3372	S11BQ5C		ANY NATURAL SONS EVER HAD BEHAVIOR PROBLEMS
		1228	1. Yes
		40587	2. No
		1278	9. Unknown
3373-3374	S11BQ6B		NUMBER OF NATURAL DAUGHTERS WHO EVER HAD BEHAVIOR PROBLEMS
		41709	0-5. Natural daughter(s)
		1384	99. Unknown

Tape Location	Source Code	Frequency	Item value and description
3375-3375	S11BQ6C		ANY NATURAL DAUGHTERS EVER HAD BEHAVIOR PROBLEMS
		731	1. Yes
		41136	2. No
		1226	9. Unknown
3376-3377	S11BQ7B		NUMBER OF NATURAL FATHER'S FULL BROTHERS WHO EVER HAD BEHAVIOR PROBLEMS
		32694	0-15. Father's full brother(s)
		10399	99. Unknown
3378-3378	S11BQ7C		ANY OF NATURAL FATHER'S FULL BROTHERS EVER HAD BEHAVIOR PROBLEMS
		1944	1. Yes
		33390	2. No
		7759	9. Unknown
3379-3380	S11BQ8B		NUMBER OF NATURAL FATHER'S FULL SISTERS WHO EVER HAD BEHAVIOR PROBLEMS
		33580	0-13. Father's full sister(s)
		9513	99. Unknown
3381-3381	S11BQ8C		ANY OF NATURAL FATHER'S FULL SISTERS EVER HAD BEHAVIOR PROBLEMS
		953	1. Yes
		34840	2. No
		7300	9. Unknown
3382-3383	S11BQ9B		NUMBER OF NATURAL MOTHER'S FULL BROTHERS WHO EVER HAD BEHAVIOR PROBLEMS
		35623	0-16. Mother's full brother(s)
		7470	99. Unknown
3384-3384	S11BQ9C		ANY OF NATURAL MOTHER'S FULL BROTHERS EVER HAD BEHAVIOR PROBLEMS
		2233	1. Yes
		35003	2. No
		5857	9. Unknown
3385-3386	S11BQ10B		NUMBER OF NATURAL MOTHER'S FULL SISTERS WHO EVER HAD BEHAVIOR PROBLEMS
		36244	0-8. Mother's full sister(s)
		6849	99. Unknown

Tape Location	Source Code	Frequency	Item value and description
3387-3387	S11BQ10C		ANY OF NATURAL MOTHER'S FULL SISTERS EVER HAD BEHAVIOR PROBLEMS
		1268	1. Yes
		36386	2. No
		5439	9. Unknown
3388-3388	S11BQ11		NATURAL GRANDFATHER ON YOUR FATHER'S SIDE EVER HAD BEHAVIOR PROBLEMS
		753	1. Yes
		30562	2. No
		11778	9. Unknown
3389-3389	S11BQ12		NATURAL GRANDMOTHER ON YOUR FATHER'S SIDE EVER HAD BEHAVIOR PROBLEMS
		289	1. Yes
		31819	2. No
		10985	9. Unknown
3390-3390	S11BQ13		NATURAL GRANDFATHER ON YOUR MOTHER'S SIDE EVER HAD BEHAVIOR PROBLEMS
		759	1. Yes
		32197	2. No
		10137	9. Unknown
3391-3391	S11BQ14		NATURAL GRANDMOTHER ON YOUR MOTHER'S SIDE EVER HAD BEHAVIOR PROBLEMS
		365	1. Yes
		33459	2. No
		9269	9. Unknown
SECTION 12: PATHOLOGICAL GAMBLING (BETTING)			
3392-3392	S12Q1		EVER GAMBLED 5+ TIMES IN ANY ONE YEAR
		11153	1. Yes
		30885	2. No
		1055	9. Unknown
3393-3393	S12Q2A1		EVER GAMBLE TO GET OUT OF A BAD MOOD
		567	1. Yes
		10570	2. No
		16	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year

Tape Location	Source Code	Frequency	Item value and description
3394-3394	S12Q2B1		HAPPEN IN THE LAST 12 MONTHS
		324	1. Yes
		10811	2. No
		18	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3395-3395	S12Q2C1		HAPPEN BEFORE 12 MONTHS AGO
		513	1. Yes
		10621	2. No
		19	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3396-3396	S12Q2A2		EVER GAMBLE TO FORGET YOUR PROBLEMS
		377	1. Yes
		10762	2. No
		14	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3397-3397	S12Q2B2		HAPPEN IN THE LAST 12 MONTHS
		232	1. Yes
		10906	2. No
		15	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3398-3398	S12Q2C2		HAPPEN BEFORE 12 MONTHS AGO
		341	1. Yes
		10797	2. No
		15	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3399-3399	S12Q2A3		MORE THAN ONCE TRY TO QUIT OR CUT DOWN ON GAMBLING, BUT COULDN'T DO IT
		326	1. Yes
		10808	2. No
		19	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year

Tape Location	Source Code	Frequency	Item value and description
3400-3400	S12Q2B3		HAPPEN IN THE LAST 12 MONTHS
		165	1. Yes
		10969	2. No
		19	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3401-3401	S12Q2C3		HAPPEN BEFORE 12 MONTHS AGO
		280	1. Yes
		10853	2. No
		20	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3402-3402	S12Q2A4		EVER FIND THAT YOU HAD TO INCREASE THE AMOUNT OF MONEY YOU WOULD GAMBLE TO KEEP IT EXCITING
		714	1. Yes
		10417	2. No
		22	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3403-3403	S12Q2B4		HAPPEN IN THE LAST 12 MONTHS
		363	1. Yes
		10768	2. No
		22	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3404-3404	S12Q2C4		HAPPEN BEFORE 12 MONTHS AGO
		617	1. Yes
		10514	2. No
		22	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3405-3405	S12Q2A5		EVER SPENT A LOT OF TIME GAMBLING, PLANNING THE BETS, OR STUDYING THE ODDS
		765	1. Yes
		10371	2. No
		17	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year

Tape Location	Source Code	Frequency	Item value and description
3406-3406	S12Q2B5		HAPPEN IN THE LAST 12 MONTHS
		379	1. Yes
		10757	2. No
		17	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3407-3407	S12Q2C5		HAPPEN BEFORE 12 MONTHS AGO
		707	1. Yes
		10429	2. No
		17	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3408-3408	S12Q2A6		EVER SPENT A LOT OF TIME THINKING ABOUT GETTING MONEY TOGETHER TO GAMBLE
		295	1. Yes
		10842	2. No
		16	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3409-3409	S12Q2B6		HAPPEN IN THE LAST 12 MONTHS
		147	1. Yes
		10990	2. No
		16	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3410-3410	S12Q2C6		HAPPEN BEFORE 12 MONTHS AGO
		270	1. Yes
		10867	2. No
		16	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3411-3411	S12Q2A7		EVER SPENT A LOT OF TIME THINKING ABOUT THE TIMES WHEN YOU WON OR LOST
		863	1. Yes
		10271	2. No
		19	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year

Tape Location	Source Code	Frequency	Item value and description
3412-3412	S12Q2B7		HAPPEN IN THE LAST 12 MONTHS
		455	1. Yes
		10678	2. No
		20	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3413-3413	S12Q2C7		HAPPEN BEFORE 12 MONTHS AGO
		747	1. Yes
		10386	2. No
		20	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3414-3414	S12Q2A8		EVER HAVE JOB OR SCHOOL TROUBLE BECAUSE OF GAMBLING
		39	1. Yes
		11100	2. No
		14	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3415-3415	S12Q2B8		HAPPEN IN THE LAST 12 MONTHS
		11	1. Yes
		11128	2. No
		14	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3416-3416	S12Q2C8		HAPPEN BEFORE 12 MONTHS AGO
		37	1. Yes
		11102	2. No
		14	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3417-3417	S12Q2A8A		EVER BREAK UP OR NEARLY BREAK UP WITH ANYONE WHO WAS IMPORTANT TO YOU BECAUSE OF GAMBLING
		92	1. Yes
		11046	2. No
		15	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year

Tape Location	Source Code	Frequency	Item value and description
3418-3418	S12Q2B8A		HAPPEN IN THE LAST 12 MONTHS
		25	1. Yes
		11113	2. No
		15	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3419-3419	S12Q2C8A		HAPPEN BEFORE 12 MONTHS AGO
		83	1. Yes
		11055	2. No
		15	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3420-3420	S12Q2A9		EVER TRY TO KEEP YOUR FAMILY OR FRIENDS FROM KNOWING HOW MUCH YOU GAMBLED
		373	1. Yes
		10763	2. No
		17	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3421-3421	S12Q2B9		HAPPEN IN THE LAST 12 MONTHS
		180	1. Yes
		10956	2. No
		17	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3422-3422	S12Q2C9		HAPPEN BEFORE 12 MONTHS AGO
		329	1. Yes
		10807	2. No
		17	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3423-3423	S12Q2A10		EVER HAVE SUCH FINANCIAL TROUBLE THAT YOU HAD TO GET HELP WITH LIVING EXPENSES FROM FAMILY, FRIENDS, OR WELFARE
		145	1. Yes
		10989	2. No
		19	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year

Tape Location	Source Code	Frequency	Item value and description
3424-3424	S12Q2B10		HAPPEN IN THE LAST 12 MONTHS
		49	1. Yes
		11085	2. No
		19	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3425-3425	S12Q2C10		HAPPEN BEFORE 12 MONTHS AGO
		122	1. Yes
		11012	2. No
		19	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3426-3426	S12Q2A11		EVER BECOME RESTLESS, IRRITABLE OR ANXIOUS WHEN TRYING TO STOP/CUT DOWN ON GAMBLING
		135	1. Yes
		10998	2. No
		20	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3427-3427	S12Q2B11		HAPPEN IN THE LAST 12 MONTHS
		61	1. Yes
		11072	2. No
		20	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3428-3428	S12Q2C11		HAPPEN BEFORE 12 MONTHS AGO
		118	1. Yes
		11015	2. No
		20	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3429-3429	S12Q2A12		EVER RAISE GAMBLING MONEY BY WRITING A BAD CHECK, SIGNING SOMEONE ELSE'S NAME TO A CHECK, STEALING, CASHING SOMEONE ELSE'S CHECK OR IN SOME OTHER ILLEGAL WAY
		42	1. Yes
		11091	2. No
		20	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year

Tape Location	Source Code	Frequency	Item value and description
3430-3430	S12Q2B12		HAPPEN IN THE LAST 12 MONTHS
		11	1. Yes
		11122	2. No
		20	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3431-3431	S12Q2C12		HAPPEN BEFORE 12 MONTHS AGO
		37	1. Yes
		11096	2. No
		20	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3432-3432	S12Q2A13		EVER FIND THAT YOU HAD TO GAMBLE AGAIN AS SOON AS POSSIBLE AFTER LOSING IN ORDER TO WIN BACK LOSSES
		490	1. Yes
		10641	2. No
		22	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3433-3433	S12Q2B13		HAPPEN IN THE LAST 12 MONTHS
		236	1. Yes
		10895	2. No
		22	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3434-3434	S12Q2C13		HAPPEN BEFORE 12 MONTHS AGO
		417	1. Yes
		10712	2. No
		24	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3435-3435	S12Q2A14		EVER FIND THAT YOU HAD TO GAMBLE AGAIN AS SOON AS POSSIBLE AFTER WINNING IN ORDER TO WIN MORE
		588	1. Yes
		10539	2. No
		26	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year

Tape Location	Source Code	Frequency	Item value and description
3436-3436	S12Q2B14		HAPPEN IN THE LAST 12 MONTHS
		267	1. Yes
		10860	2. No
		26	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3437-3437	S12Q2C14		HAPPEN BEFORE 12 MONTHS AGO
		523	1. Yes
		10603	2. No
		27	9. Unknown
		31940	BL. NA, never or unknown if ever gambled 5+ times in any one year
3438-3438	S12Q3A		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WERE HAPPENING AROUND THE SAME TIME MOST DAYS FOR AT LEAST A MONTH
		93	1. Yes
		67	2. No
		35	9. Unknown
		42898	BL. NA, did not meet symptom criteria for lifetime pathological gambling
3439-3439	S12Q3B		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WERE HAPPENING OFF AND ON FOR A FEW MONTHS OR LONGER
		21	1. Yes
		46	2. No
		35	9. Unknown
		42991	BL. NA, did not meet symptom criteria for lifetime pathological gambling; had period when some of these experiences were happening most days for at least a month
3440-3440	S12Q3C		EVER A PERIOD WHEN SOME OF THESE EXPERIENCES WERE HAPPENING WITHIN THE SAME 1-YEAR PERIOD
		57	1. Yes
		23	2. No
		1	9. Unknown
		43012	BL. NA, did not meet symptom criteria for lifetime pathological gambling; had period when some of these experiences were happening most days for at least a month, or on and off for a few months or longer

Tape Location	Source Code	Frequency	Item value and description
3441-3442	S12Q3D		AGE AT ONSET OF PATHOLOGICAL GAMBLING
		166	5-98. Age
		5	99. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3443-3444	S12Q3E		NUMBER OF EPISODES OF PATHOLOGICAL GAMBLING
		155	1-98. Separate periods
		16	99. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3445-3448	S12Q3FR		DURATION (MONTHS) OF LONGEST/ONLY EPISODE OF PATHOLOGICAL GAMBLING (BASED ON S12Q3H IF ONLY 1 EPISODE)
		160	1-600. Months
		11	9999. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3449-3450	S12Q3GR		AGE WHEN ONLY/MOST RECENT EPISODE OF PATHOLOGICAL GAMBLING BEGAN (BASED ON S12Q3D IF ONLY 1 EPISODE)
		168	7-75. Age
		3	99. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3451-3452	S12Q3I		AGE AT FULL REMISSION ON PATHOLOGICAL GAMBLING
		58	5-98. Age
		16	99. Unknown
		43019	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling; had 1+ symptoms of pathological gambling in last 12 months
3453-3453	S12Q41		PLAYED CARD GAMES IN CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		62	1. Yes
		76	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago

Tape Location	Source Code	Frequency	Item value and description
3454-3454	S12Q42		PLAYED DICE GAMES IN CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		25	1. Yes
		113	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago
3455-3455	S12Q43		PLAYED ROULETTE IN CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		16	1. Yes
		122	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago
3456-3456	S12Q44		PLAYED SLOT/VIDEO MACHINES IN CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		77	1. Yes
		61	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago
3457-3457	S12Q45		PLAYED OTHER GAMES IN CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		15	1. Yes
		123	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago
3458-3458	S12Q46		PLAYED BINGO/KENO OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		17	1. Yes
		121	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago
3459-3459	S12Q47		PLAYED DICE GAMES OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		23	1. Yes
		115	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago

Tape Location	Source Code	Frequency	Item value and description
3460-3460	S12Q48		PLAYED DOG RACES/FIGHTS OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		12	1. Yes
		126	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago
3461-3461	S12Q49		PLAYED CARD GAMES OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		44	1. Yes
		94	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago
3462-3462	S12Q410		PLAYED GAMES OF SKILL OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		15	1. Yes
		123	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago
3463-3463	S12Q411		PLAYED HORSE RACES OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		28	1. Yes
		110	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago
3464-3464	S12Q412		PLAYED LOTTERY/NUMBERS OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		47	1. Yes
		91	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago
3465-3465	S12Q413		PLAYED SPORTS GAMES OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		36	1. Yes
		102	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago

Tape Location	Source Code	Frequency	Item value and description
3466-3466	S12Q414		PLAYED STOCK/COMMODITIES MARKET WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		8	1. Yes
		130	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago
3467-3467	S12Q415		ENGAGED IN OTHER GAMBLING OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING BEFORE 12 MONTHS AGO
		15	1. Yes
		123	2. No
		42955	BL. NA, did not meet symptom criteria for pathological gambling before 12 months ago
3468-3468	S12Q51		PLAYED CARD GAMES IN CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		21	1. Yes
		55	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months
3469-3469	S12Q52		PLAYED DICE GAMES IN CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		4	1. Yes
		72	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months
3470-3470	S12Q53		PLAYED ROULETTE IN CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		2	1. Yes
		74	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months

Tape Location	Source Code	Frequency	Item value and description
3471-3471	S12Q54		PLAYED SLOT/VIDEO MACHINES IN CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		34	1. Yes
		42	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months
3472-3472	S12Q55		PLAYED OTHER GAMES IN CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		6	1. Yes
		70	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months
3473-3473	S12Q56		PLAYED BINGO/KENO OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		10	1. Yes
		66	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months
3474-3474	S12Q57		PLAYED DICE GAMES OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		4	1. Yes
		72	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months
3475-3475	S12Q58		PLAYED DOG RACES/FIGHTS OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		7	1. Yes
		69	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months

Tape Location	Source Code	Frequency	Item value and description
3476-3476	S12Q59		PLAYED CARD GAMES OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		14	1. Yes
		62	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months
3477-3477	S12Q510		PLAYED GAMES OF SKILL OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		4	1. Yes
		72	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months
3478-3478	S12Q511		PLAYED HORSE RACES OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		8	1. Yes
		68	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months
3479-3479	S12Q512		PLAYED LOTTERY/NUMBERS OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		23	1. Yes
		53	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months
3480-3480	S12Q513		PLAYED SPORTS GAMES OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		7	1. Yes
		69	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months

Tape Location	Source Code	Frequency	Item value and description
3481-3481	S12Q514		PLAYED STOCK/COMMODITIES MARKET WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		1	1. Yes
		75	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months
3482-3482	S12Q515		ENGAGED IN OTHER GAMBLING OUTSIDE CASINO WHEN HAD SOME OF THESE EXPERIENCES WITH GAMBLING IN LAST 12 MONTHS
		5	1. Yes
		71	2. No
		3	9. Unknown
		43014	BL. NA, did not meet symptom criteria for pathological gambling in last 12 months
3483-3483	S12Q6A		EVER GO TO GAMBLERS ANONYMOUS
		16	1. Yes
		177	2. No
		2	9. Unknown
		42898	BL. NA, did not meet symptom criteria for lifetime pathological gambling
3484-3484	S12Q6B		HAPPEN IN THE LAST 12 MONTHS
		6	1. Yes
		187	2. No
		2	9. Unknown
		42898	BL. NA, did not meet symptom criteria for lifetime pathological gambling
3485-3485	S12Q6C		HAPPEN BEFORE 12 MONTHS AGO
		15	1. Yes
		178	2. No
		2	9. Unknown
		42898	BL. NA, did not meet symptom criteria for lifetime pathological gambling
3486-3486	S12Q7A		EVER GO TO ANY KIND OF COUNSELOR, THERAPIST, DOCTOR, PSYCHOLOGIST, OR ANY OTHER PROFESSIONAL FOR HELP
		12	1. Yes
		181	2. No
		2	9. Unknown
		42898	BL. NA, did not meet symptom criteria for lifetime pathological gambling

Tape Location	Source Code	Frequency	Item value and description
3487-3487	S12Q7B		HAPPEN IN THE LAST 12 MONTHS
		5	1. Yes
		188	2. No
		2	9. Unknown
		42898	BL. NA, did not meet symptom criteria for lifetime pathological gambling
3488-3488	S12Q7C		HAPPEN BEFORE 12 MONTHS AGO
		9	1. Yes
		184	2. No
		2	9. Unknown
		42898	BL. NA, did not meet symptom criteria for lifetime pathological gambling
3489-3489	S12Q8A		ANY OF THOSE TIMES WHEN GAMBLED HAPPEN DURING A PERIOD WHEN FELT EXTREMELY EXCITED, ELATED OR HYPER, OR EXTREMELY IRRITABLE OR EASILY ANNOYED
		25	1. Yes
		43	2. No
		1	9. Unknown
		43024	BL. NA, did not meet symptom criteria for lifetime pathological gambling; didn't have or unknown if had a period of high mood
3490-3490	S12Q8B		ALL OF THOSE TIMES WHEN GAMBLED HAPPEN DURING A PERIOD WHEN FELT EXTREMELY EXCITED, ELATED OR HYPER, OR EXTREMELY IRRITABLE OR EASILY ANNOYED
		7	1. Yes
		61	2. No
		1	9. Unknown
		43024	BL. NA, did not meet symptom criteria for lifetime pathological gambling; didn't have or unknown if had a period of high mood
3491-3491	S12TYP1		EVER PLAYED CARD GAMES IN CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		71	1. Yes
		98	2. No
		2	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling

Tape Location	Source Code	Frequency	Item value and description
3492-3492	S12TYP2		EVER PLAYED DICE GAMES IN CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		29	1. Yes
		139	2. No
		3	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3493-3493	S12TYP3		EVER PLAYED ROULETTE IN CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		18	1. Yes
		150	2. No
		3	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3494-3494	S12TYP4		EVER PLAYED SLOT/VIDEO MACHINES IN CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		93	1. Yes
		76	2. No
		2	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3495-3495	S12TYP5		EVER PLAYED OTHER GAMES IN CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		19	1. Yes
		150	2. No
		2	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3496-3496	S12TYP6		EVER PLAYED BINGO/KENO OUTSIDE CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		25	1. Yes
		144	2. No
		2	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling

Tape Location	Source Code	Frequency	Item value and description
3497-3497	S12TYP7		EVER PLAYED DICE GAMES OUTSIDE CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		24	1. Yes
		144	2. No
		3	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3498-3498	S12TYP8		EVER PLAYED DOG RACES/FIGHTS OUTSIDE CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		15	1. Yes
		153	2. No
		3	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3499-3499	S12TYP9		EVER PLAYED CARD GAMES OUTSIDE CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		49	1. Yes
		119	2. No
		3	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3500-3500	S12TYP10		EVER PLAYED GAMES OF SKILL OUTSIDE CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		17	1. Yes
		151	2. No
		3	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3501-3501	S12TYP11		EVER PLAYED HORSE RACES OUTSIDE CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		31	1. Yes
		137	2. No
		3	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling

Tape Location	Source Code	Frequency	Item value and description
3502-3502	S12TYP12		EVER PLAYED LOTTERY/NUMBERS OUTSIDE CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		59	1. Yes
		109	2. No
		3	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3503-3503	S12TYP13		EVER PLAYED SPORTS GAMES OUTSIDE CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		40	1. Yes
		128	2. No
		3	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3504-3504	S12TYP14		EVER PLAYED STOCK/COMMODITIES MARKET WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		8	1. Yes
		160	2. No
		3	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
3505-3505	S12TYP15		EVER ENGAGED IN OTHER GAMBLING OUTSIDE CASINO WHEN EXPERIENCING SYMPTOMS FOR LIFETIME PATHOLOGICAL GAMBLING
		17	1. Yes
		152	2. No
		2	9. Unknown
		42922	BL. NA, did not meet symptom and/or duration criteria for lifetime pathological gambling
SECTION 13: MEDICAL CONDITIONS/VICTIMIZATION			
3506-3507	S13Q1		NUMBER OF TIMES STAYED IN HOSPITAL OVERNIGHT IN LAST 12 MONTHS (EXCLUDING DELIVERY OF HEALTHY LIVEBORN INFANT)
		41992	0-98. Number of times
		1101	99. Unknown

Tape Location	Source Code	Frequency	Item value and description
3508-3510	S13Q2		NUMBER OF DAYS STAYED IN HOSPITAL IN LAST 12 MONTHS
		41946	0-324. Number of days
		1147	999. Unknown
3511-3512	S13Q3		NUMBER OF TIMES TREATED IN EMERGENCY ROOM IN LAST 12 MONTHS
		41961	0-98. Number of times
		1132	99. Unknown
3513-3514	S13Q4		NUMBER OF INJURIES IN LAST 12 MONTHS THAT CAUSED YOU TO SEEK MEDICAL HELP OR CUT DOWN USUAL ACTIVITIES FOR MORE THAN HALF A DAY
		41969	0-98. Number of injuries
		1124	99. Unknown
3515-3516	S13Q5		NUMBER OF TIMES PERSONALLY VICTIM OF A CRIME IN LAST 12 MONTHS
		42016	0-98. Number of times
		1077	99. Unknown
3517-3517	S13Q6A1		HAD HARDENING OF ARTERIES OR ARTERIOSCLEROSIS IN LAST 12 MONTHS
		911	1. Yes
		40917	2. No
		1265	9. Unknown
3518-3518	S13Q6B1		DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS
		750	1. Yes
		41076	2. No
		1267	9. Unknown
3519-3519	S13Q6A2		HAD HIGH BLOOD PRESSURE OR HYPERTENSION IN LAST 12 MONTHS
		9136	1. Yes
		32828	2. No
		1129	9. Unknown
3520-3520	S13Q6B2		DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS
		8844	1. Yes
		33114	2. No
		1135	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3521-3521	S13Q6A3		HAD CIRRHOSIS OF THE LIVER IN LAST 12 MONTHS
		112	1. Yes
		41888	2. No
		1093	9. Unknown
3522-3522	S13Q6B3		DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS
		96	1. Yes
		41903	2. No
		1094	9. Unknown
3523-3523	S13Q6A4		HAD ANY OTHER FORM OF LIVER DISEASE IN LAST 12 MONTHS
		277	1. Yes
		41727	2. No
		1089	9. Unknown
3524-3524	S13Q6B4		DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS
		252	1. Yes
		41751	2. No
		1090	9. Unknown
3525-3525	S13Q6A5		HAD CHEST PAIN OR ANGINA PECTORIS IN LAST 12 MONTHS
		2853	1. Yes
		39180	2. No
		1060	9. Unknown
3526-3526	S13Q6B5		DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS
		1779	1. Yes
		40248	2. No
		1066	9. Unknown
3527-3527	S13Q6A6		HAD RAPID HEARTBEAT OR TACHYCARDIA IN LAST 12 MONTHS
		2818	1. Yes
		39177	2. No
		1098	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3528-3528	S13Q6B6		DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS
		1857	1. Yes
		40132	2. No
		1104	9. Unknown
3529-3529	S13Q6A7		HAD HEART ATTACK OR MYOCARDIAL INFARCTION IN LAST 12 MONTHS
		470	1. Yes
		41557	2. No
		1066	9. Unknown
3530-3530	S13Q6B7		DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS
		442	1. Yes
		41585	2. No
		1066	9. Unknown
3531-3531	S13Q6A8		HAD ANY OTHER FORM OF HEART DISEASE IN LAST 12 MONTHS
		1319	1. Yes
		40687	2. No
		1087	9. Unknown
3532-3532	S13Q6B8		DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS
		1255	1. Yes
		40747	2. No
		1091	9. Unknown
3533-3533	S13Q6A9		HAD A STOMACH ULCER IN LAST 12 MONTHS
		1281	1. Yes
		40700	2. No
		1112	9. Unknown
3534-3534	S13Q6B9		DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS
		1101	1. Yes
		40880	2. No
		1112	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3535-3535	S13Q6A10		HAD GASTRITIS IN LAST 12 MONTHS
		2876	1. Yes
		39094	2. No
		1123	9. Unknown
3536-3536	S13Q6B10		DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS
		1994	1. Yes
		39967	2. No
		1132	9. Unknown
3537-3537	S13Q6A11		HAD ARTHRITIS IN LAST 12 MONTHS
		9675	1. Yes
		32321	2. No
		1097	9. Unknown
3538-3538	S13Q6B11		DID DOCTOR OR OTHER HEALTH PROFESSIONAL CONFIRM DIAGNOSIS
		7876	1. Yes
		34108	2. No
		1109	9. Unknown
3539-3539	S13Q6C		DID DOCTOR OR OTHER HEALTH PROFESSIONAL EVER DIAGNOSE SCHIZOPHRENIA OR PSYCHOTIC ILLNESS OR EPISODE
		386	1. Yes
		41652	2. No
		1055	9. Unknown
3540-3540	S13Q6D		HAPPEN IN LAST 12 MONTHS
		178	1. Yes
		41859	2. No
		1056	9. Unknown
3541-3541	S13Q6E		HAPPEN BEFORE 12 MONTHS AGO
		363	1. Yes
		41674	2. No
		1056	9. Unknown

Tape Location	Source Code	Frequency	Item value and description
3542-3542	S13Q7A		PREGNANT AT THIS TIME
		453	1. Yes
		15990	2. No
		418	9. Unknown
		26232	BL. NA, male, female age 56 or older
3543-3543	S13Q7B		PREGNANT AT ANY TIME IN LAST YEAR
		1524	1. Yes
		14950	2. No
		387	9. Unknown
		26232	BL. NA, male, female age 56 or older
3544-3544	S13Q7C		EXPERIENCED ANY COMPLICATIONS OF PREGNANCY
		440	1. Yes
		1084	2. No
		41569	BL. NA, male, female age 56 or older; not pregnant or unknown if pregnant in last year
3545-3545	S13Q8A		PERIOD TO WHICH EARLIER REPORTS OF PAST-YEAR CONSUMPTION REFERRED
		20	1. During pregnancy
		800	2. Not during pregnancy
		59	3. Averaged over both
		2	9. Unknown
		42212	BL. NA, male; female age 56 or older; lifetime abstainer or former drinker; not pregnant or unknown if pregnant in last year
3546-3546	S13Q8B		AMOUNT CONSUMED DURING PREGNANCY RELATIVE TO USUAL
		24	1. Drank about the same
		2	2. Drank more
		113	3. Drank less
		740	4. Didn't drink at all
		2	9. Unknown
		42212	BL. NA, male, female age 56 or older; lifetime abstainer or former drinker; not pregnant or unknown if pregnant in last year
SECTION 14: DSM-IV DIAGNOSES			
3547-3547	MAJORDEP12		MAJOR DEPRESSION IN LAST 12 MONTHS (NON-HIERARCHICAL)
		39608	0. No
		3485	1. Yes

Tape Location	Source Code	Frequency	Item value and description
3548-3548	MAJORDEPPI2		MAJOR DEPRESSION PRIOR TO THE LAST 12 MONTHS (NON-HIERARCHICAL)
		36042	0. No
		7051	1. Yes
3549-3549	MAJORDEPLIFE		MAJOR DEPRESSION - LIFETIME (NON-HIERARCHICAL)
		35254	0. No
		7839	1. Yes
3550-3550	DMAJORDEPSNI12		MAJOR DEPRESSION IN LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		39936	0. No
		3157	1. Yes
3551-3551	DMAJORDEPSNIP12		MAJOR DEPRESSION PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		36569	0. No
		6524	1. Yes
3552-3552	MAJORDEPSNS12		MAJOR DEPRESSION IN LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		39652	0. No
		3441	1. Yes
3553-3553	MAJORDEPSNSP12		MAJOR DEPRESSION PRIOR TO THE LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		36126	0. No
		6967	1. Yes
3554-3554	DMAJORDEPSNIS12		MAJOR DEPRESSION IN LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		39974	0. No
		3119	1. Yes
3555-3555	DMAJORDEPSNIS12		MAJOR DEPRESSION PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		36720	0. No
		6373	1. Yes
3556-3556	DYSDX12		DYSTHYMIA IN LAST 12 MONTHS (NON-HIERARCHICAL)
		42061	0. No
		1032	1. Yes

Tape Location	Source Code	Frequency	Item value and description
3557-3557	DYSDXP12		DYSTHYMIA PRIOR TO THE LAST 12 MONTHS (NON-HIERARCHICAL)
		40904	0. No
		2189	1. Yes
3558-3558	DYSLIFE		DYSTHYMIA - LIFETIME (NON-HIERARCHICAL)
		40904	0. No
		2189	1. Yes
3559-3559	DDYSSNI12		DYSTHYMIA IN LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		42241	0. No
		852	1. Yes
3560-3560	DDYSSNIP12		DYSTHYMIA PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		41170	0. No
		1923	1. Yes
3561-3561	DYSSNS12		DYSTHYMIA IN LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		42073	0. No
		1020	1. Yes
3562-3562	DYSSNSP12		DYSTHYMIA PRIOR TO THE LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		40921	0. No
		2172	1. Yes
3563-3563	DDYSSNIS12		DYSTHYMIA IN LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		42250	0. No
		843	1. Yes
3564-3564	DDYSSNISP12		DYSTHYMIA PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		41184	0. No
		1909	1. Yes
3565-3565	NMANDX12		MANIC DISORDER IN LAST 12 MONTHS (NON-HIERARCHICAL)
		42297	0. No
		796	1. Yes

Tape Location	Source Code	Frequency	Item value and description
3566-3566	NMANDXP12		MANIC DISORDER PRIOR TO THE LAST 12 MONTHS (NON-HIERARCHICAL)
		41730	0. No
		1363	1. Yes
3567-3567	NMANDXLIFE		MANIC DISORDER - LIFETIME (NON-HIERARCHICAL)
		41545	0. No
		1548	1. Yes
3568-3568	DNMANDXSNI12		MANIC DISORDER IN LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		42360	0. No
		733	1. Yes
3569-3569	DNMANDXSNIIP12		MANIC DISORDER PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		41823	0. No
		1270	1. Yes
3570-3570	NMANDXSNS12		MANIC DISORDER IN LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		42309	0. No
		784	1. Yes
3571-3571	NMANDXSNSP12		MANIC DISORDER PRIOR TO THE LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		41768	0. No
		1325	1. Yes
3572-3572	DNMANDXSNIS12		MANIC DISORDER IN LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		42369	0. No
		724	1. Yes
3573-3573	DNMANDXSNISIP12		MANIC DISORDER PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		41857	0. No
		1236	1. Yes
3574-3574	NHYPO12DX		HYPOMANIC DISORDER IN LAST 12 MONTHS (NON-HIERARCHICAL)
		42601	0. No
		492	1. Yes

Tape Location	Source Code	Frequency	Item value and description
3575-3575	NHYPOP12DX		HYPOMANIC DISORDER PRIOR TO THE LAST 12 MONTHS (NON-HIERARCHICAL)
		42208	0. No
		885	1. Yes
3576-3576	NHYPOMANLIFE		HYPOMANIC DISORDER - LIFETIME (NON-HIERARCHICAL)
		42060	0. No
		1033	1. Yes
3577-3577	DNHYPOSNI12		HYPOMANIC DISORDER IN LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		42609	0. No
		484	1. Yes
3578-3578	DNHYPOSNI12		HYPOMANIC DISORDER PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		42221	0. No
		872	1. Yes
3579-3579	NHYPOSNS12		HYPOMANIC DISORDER IN LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		42606	0. No
		487	1. Yes
3580-3580	NHYPOSNSP12		HYPOMANIC DISORDER PRIOR TO THE LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		42215	0. No
		878	1. Yes
3581-3581	DNHYPOSNIS12		HYPOMANIC DISORDER IN LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		42613	0. No
		480	1. Yes
3582-3582	DNHYPOSNIS12		HYPOMANIC DISORDER PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		42227	0. No
		866	1. Yes
3583-3583	PANDX12		PANIC DISORDER WITHOUT AGORAPHOBIA IN LAST 12 MONTHS (NON-HIERARCHICAL)
		42389	0. No
		704	1. Yes

Tape Location	Source Code	Frequency	Item value and description
3584-3584	PANDXP12		PANIC DISORDER WITHOUT AGORAPHOBIA PRIOR TO THE LAST 12 MONTHS (NON-HIERARCHICAL)
		41522	0. No
		1571	1. Yes
3585-3585	PANLIFE		PANIC DISORDER WITHOUT AGORAPHOBIA - LIFETIME (NON-HIERARCHICAL)
		41293	0. No
		1800	1. Yes
3586-3586	DPANDXSNI12		PANIC DISORDER WITHOUT AGORAPHOBIA IN LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		42429	0. No
		664	1. Yes
3587-3587	DPANDXSNI12		PANIC DISORDER WITHOUT AGORAPHOBIA PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		41628	0. No
		1465	1. Yes
3588-3588	PANSNS12		PANIC DISORDER WITHOUT AGORAPHOBIA IN LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		42402	0. No
		691	1. Yes
3589-3589	PANSNSP12		PANIC DISORDER WITHOUT AGORAPHOBIA PRIOR TO THE LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		41555	0. No
		1538	1. Yes
3590-3590	DPANDXSNIS12		PANIC DISORDER WITHOUT AGORAPHOBIA IN LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		42440	0. No
		653	1. Yes
3591-3591	DPANDXSNIS12		PANIC DISORDER WITHOUT AGORAPHOBIA PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		41656	0. No
		1437	1. Yes

Tape Location	Source Code	Frequency	Item value and description
3592-3592	APANDX12		PANIC DISORDER WITH AGORAPHOBIA IN LAST 12 MONTHS (NON-HIERARCHICAL)
		42821	0. No
		272	1. Yes
3593-3593	APANDXP12		PANIC DISORDER WITH AGORAPHOBIA PRIOR TO THE LAST 12 MONTHS (NON-HIERARCHICAL)
		42627	0. No
		466	1. Yes
3594-3594	APANLIFE		PANIC DISORDER WITH AGORAPHOBIA - LIFETIME (NON-HIERARCHICAL)
		42599	0. No
		494	1. Yes
3595-3595	DAPANDXSNI12		PANIC DISORDER WITH AGORAPHOBIA IN LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		42838	0. No
		255	1. Yes
3596-3596	DAPANDXSNI12		PANIC DISORDER WITH AGORAPHOBIA PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		42651	0. No
		442	1. Yes
3597-3597	APANSNS12		PANIC DISORDER WITH AGORAPHOBIA IN LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		42822	0. No
		271	1. Yes
3598-3598	APANSNSP12		PANIC DISORDER WITH AGORAPHOBIA PRIOR TO THE LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		42630	0. No
		463	1. Yes
3599-3599	DAPANDXSNIS12		PANIC DISORDER WITH AGORAPHOBIA IN LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		42839	0. No
		254	1. Yes

Tape Location	Source Code	Frequency	Item value and description
3600-3600	DAPANDXSNISP12		PANIC DISORDER WITH AGORAPHOBIA PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		42654	0. No
		439	1. Yes
3601-3601	GPANDX12		AGORAPHOBIA WITH NO HISTORY OF PANIC DISORDER IN LAST 12 MONTHS (NON-HIERARCHICAL)
		43068	0. No
		25	1. Yes
3602-3602	GPANDXP12		AGORAPHOBIA WITH NO HISTORY OF PANIC DISORDER PRIOR TO THE LAST 12 MONTHS (NON-HIERARCHICAL)
		43034	0. No
		59	1. Yes
3603-3603	GPANLIFE		AGORAPHOBIA WITH NO HISTORY OF PANIC DISORDER - LIFETIME (NON-HIERARCHICAL)
		43029	0. No
		64	1. Yes
3604-3604	DGPANDXSNI12		AGORAPHOBIA WITH NO HISTORY OF PANIC DISORDER IN LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		43071	0. No
		22	1. Yes
3605-3605	DGPANDXSNI12		AGORAPHOBIA WITH NO HISTORY OF PANIC DISORDER PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		43037	0. No
		56	1. Yes
3606-3606	GPANSNS12		AGORAPHOBIA WITH NO HISTORY OF PANIC DISORDER IN LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		43068	0. No
		25	1. Yes
3607-3607	GPANSNSP12		AGORAPHOBIA WITH NO HISTORY OF PANIC DISORDER PRIOR TO THE LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		43034	0. No
		59	1. Yes

Tape Location	Source Code	Frequency	Item value and description
3608-3608	DGPANDXSNIS12		AGORAPHOBIA WITH NO HISTORY OF PANIC DISORDER IN LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		43071 22	0. No 1. Yes
3609-3609	DGPANDXSNISP12		AGORAPHOBIA WITH NO HISTORY OF PANIC DISORDER PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		43037 56	0. No 1. Yes
3610-3610	SOCADX12		SOCIAL PHOBIA IN LAST 12 MONTHS (NON-HIERARCHICAL)
		41934 1159	0. No 1. Yes
3611-3611	SOCADXP12		SOCIAL PHOBIA PRIOR TO THE LAST 12 MONTHS (NON-HIERARCHICAL)
		41097 1996	0. No 1. Yes
3612-3612	SOCADLIFE		SOCIAL PHOBIA - LIFETIME (NON-HIERARCHICAL)
		41072 2021	0. No 1. Yes
3613-3613	DSOCADXSNIS12		SOCIAL PHOBIA IN LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		41951 1142	0. No 1. Yes
3614-3614	DSOCADXSNIP12		SOCIAL PHOBIA PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		41133 1960	0. No 1. Yes
3615-3615	SOCADXSNS12		SOCIAL PHOBIA IN LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		41936 1157	0. No 1. Yes
3616-3616	SOCADXSNSP12		SOCIAL PHOBIA PRIOR TO THE LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		41102 1991	0. No 1. Yes

Tape Location	Source Code	Frequency	Item value and description
3617-3617	DSOCPDXSNIS12		SOCIAL PHOBIA IN LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		41953	0. No
		1140	1. Yes
3618-3618	DSOCPDXSNISP12		SOCIAL PHOBIA PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		41137	0. No
		1956	1. Yes
3619-3619	SPHOBDX12		SPECIFIC PHOBIA IN LAST 12 MONTHS (NON-HIERARCHICAL)
		39988	0. No
		3105	1. Yes
3620-3620	SPHOBDXP12		SPECIFIC PHOBIA PRIOR TO THE LAST 12 MONTHS (NON-HIERARCHICAL)
		39078	0. No
		4015	1. Yes
3621-3621	SPHOBLIFE		SPECIFIC PHOBIA - LIFETIME (NON-HIERARCHICAL)
		39019	0. No
		4074	1. Yes
3622-3622	DSPHOBDXSNI12		SPECIFIC PHOBIA IN LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		40018	0. No
		3075	1. Yes
3623-3623	DSPHOBDXSNIP12		SPECIFIC PHOBIA PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		39117	0. No
		3976	1. Yes
3624-3624	SPHOBDXSNS12		SPECIFIC PHOBIA IN LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		39990	0. No
		3103	1. Yes
3625-3625	SPHOBDXSNSP12		SPECIFIC PHOBIA PRIOR TO THE LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		39079	0. No
		4014	1. Yes

Tape Location	Source Code	Frequency	Item value and description
3626-3626	DSPHOBDXSNIS12		SPECIFIC PHOBIA IN LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		40020	0. No
		3073	1. Yes
3627-3627	DSPHOBDXSNISP12		SPECIFIC PHOBIA PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		39118	0. No
		3975	1. Yes
3628-3628	GENAXDX12		GENERALIZED ANXIETY IN LAST 12 MONTHS (NON-HIERARCHICAL)
		42105	0. No
		988	1. Yes
3629-3629	GENAXDXP12		GENERALIZED ANXIETY IN LAST 12 MONTHS (NON-HIERARCHICAL)
		41422	0. No
		1671	1. Yes
3630-3630	GENAXLIFE		GENERALIZED ANXIETY DISORDER - LIFETIME (NON-HIERARCHICAL)
		41155	0. No
		1938	1. Yes
3631-3631	DGENAXDXSNI12		GENERALIZED ANXIETY IN LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		42195	0. No
		898	1. Yes
3632-3632	DGENAXDXSNIP12		GENERALIZED ANXIETY PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED RULED OUT)
		41583	0. No
		1510	1. Yes
3633-3633	GENAXDXSNS12		GENERALIZED ANXIETY IN LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		42110	0. No
		983	1. Yes
3634-3634	GENAXDXSNSP12		GENERALIZED ANXIETY PRIOR TO THE LAST 12 MONTHS (SUBSTANCE-INDUCED RULED OUT)
		41433	0. No
		1660	1. Yes

Tape Location	Source Code	Frequency	Item value and description
3635-3635	DGENAXDXSNIS12		GENERALIZED ANXIETY IN LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		42199 894	0. No 1. Yes
3636-3636	DGENAXDXSNISP12		GENERALIZED ANXIETY PRIOR TO THE LAST 12 MONTHS (ILLNESS-INDUCED AND SUBSTANCE-INDUCED RULED OUT)
		41591 1502	0. No 1. Yes
3637-3637	GAMB12DX		PATHOLOGICAL GAMBLING IN LAST 12 MONTHS
		43014 79	0. No 1. Yes
3638-3638	GAMP12DX		PATHOLOGICAL GAMBLING PRIOR TO THE LAST 12 MONTHS
		42920 173	0. No 1. Yes
3639-3639	GAMBEVDX		PATHOLOGICAL GAMBLING - LIFETIME
		42898 195	0. No 1. Yes
3640-3640	CONDUCTONLY		CONDUCT DISORDER (NO ANTISOCIAL PERSONALITY DISORDER)
		42678 415	0. No 1. Yes
3641-3641	ANTISOCX2		ANTISOCIAL PERSONALITY DISORDER (WITH CONDUCT DISORDER)
		41671 1422	0. No 1. Yes
3642-3642	AVOIDPDX2		AVOIDANT PERSONALITY DISORDER (LIFETIME DIAGNOSIS)
		42098 995	0. No 1. Yes
3643-3643	DEPPDDX2		DEPENDENT PERSONALITY DISORDER (LIFETIME DIAGNOSIS)
		42885 208	0. No 1. Yes

Tape Location	Source Code	Frequency	Item value and description
3644-3644	OBCOMDX2		OBSESSIVE-COMPULSIVE PERSONALITY DISORDER
		39832	0. No
		3261	1. Yes
3645-3645	PARADX2		PARANOID PERSONALITY DISORDER (LIFETIME DIAGNOSIS)
		40988	0. No
		2105	1. Yes
3646-3646	SCHIZDX2		SCHIZOID PERSONALITY DISORDER (LIFETIME DIAGNOSIS)
		41668	0. No
		1425	1. Yes
3647-3647	HISTDX2		HISTRIONIC PERSONALITY DISORDER (LIFETIME DIAGNOSIS)
		42285	0. No
		808	1. Yes
3648-3648	ALCABDEP12DX		ALCOHOL ABUSE/DEPENDENCE IN LAST 12 MONTHS
		39766	0. No alcohol diagnosis
		1843	1. Alcohol abuse only
		553	2. Alcohol dependence only
		931	3. Alcohol abuse and dependence
3649-3649	ALCABDEPP12DX		ALCOHOL ABUSE/DEPENDENCE PRIOR TO THE LAST 12 MONTHS
		31677	0. No alcohol diagnosis
		6994	1. Alcohol abuse only
		563	2. Alcohol dependence only
		3859	3. Alcohol abuse and dependence
3650-3650	TAB12MDX		NICOTINE DEPENDENCE IN THE LAST 12 MONTHS
		38131	0. No nicotine dependence
		4962	1. Nicotine dependence
3651-3651	TABP12MDX		NICOTINE DEPENDENCE PRIOR TO THE LAST 12 MONTHS
		36585	0. No nicotine dependence
		6508	1. Nicotine dependence

Tape Location	Source Code	Frequency	Item value and description
3652-3652	TABLIFEDX		NICOTINE DEPENDENCE - LIFETIME
		36156	0. No nicotine dependence
		6937	1. Nicotine dependence
3653-3653	STIM12ABDEP		AMPHETAMINE ABUSE/DEPENDENCE IN LAST 12 MONTHS
		43032	0. No amphetamine diagnosis
		34	1. Amphetamine abuse only
		3	2. Amphetamine dependence only
		24	3. Amphetamine abuse and dependence
3654-3654	STIMP12ABDEP		AMPHETAMINE ABUSE/DEPENDENCE PRIOR TO THE LAST 12 MONTHS
		42342	0. No amphetamine diagnosis
		530	1. Amphetamine abuse only
		25	2. Amphetamine dependence only
		196	3. Amphetamine abuse and dependence
3655-3655	PAN12ABDEP		OPIOID ABUSE/DEPENDENCE IN LAST 12 MONTHS
		42963	0. No opioid diagnosis
		89	1. Opioid abuse only
		14	2. Opioid dependence only
		27	3. Opioid abuse and dependence
3656-3656	PANP12ABDEP		OPIOID ABUSE/DEPENDENCE PRIOR TO LAST THE 12 MONTHS
		42609	0. No opioid diagnosis
		374	1. Opioid abuse only
		19	2. Opioid dependence only
		91	3. Opioid abuse and dependence
3657-3657	SED12ABDEP		SEDATIVE ABUSE/DEPENDENCE IN LAST 12 MONTHS
		43031	0. No sedative diagnosis
		34	1. Sedative abuse only
		18	2. Sedative dependence only
		10	3. Sedative abuse and dependence
3658-3658	SEDP12ABDEP		SEDATIVE ABUSE/DEPENDENCE PRIOR TO THE LAST 12 MONTHS
		42717	0. No sedative diagnosis
		287	1. Sedative abuse only
		22	2. Sedative dependence only
		67	3. Sedative abuse and dependence

Tape Location	Source Code	Frequency	Item value and description
3659-3659	TRAN12ABDEP		TRANQUILIZER ABUSE/DEPENDENCE IN LAST 12 MONTHS
		43042	0. No tranquilizer diagnosis
		32	1. Tranquilizer abuse only
		9	2. Tranquilizer dependence only
		10	3. Tranquilizer abuse and dependence
3660-3660	TRANP12ABDEP		TRANQUILIZER ABUSE/DEPENDENCE PRIOR TO THE LAST 12 MONTHS
		42742	0. No tranquilizer diagnosis
		269	1. Tranquilizer abuse only
		18	2. Tranquilizer dependence only
		64	3. Tranquilizer abuse and dependence
3661-3661	COC12ABDEP		COCAINE ABUSE/DEPENDENCE IN LAST 12 MONTHS
		42996	0. No cocaine diagnosis
		48	1. Cocaine abuse only
		5	2. Cocaine dependence only
		44	3. Cocaine abuse and dependence
3662-3662	COCP12ABDEP		COCAINE ABUSE/DEPENDENCE PRIOR TO THE LAST 12 MONTHS
		41951	0. No cocaine diagnosis
		756	1. Cocaine abuse only
		17	2. Cocaine dependence only
		369	3. Cocaine abuse and dependence
3663-3663	SOL12ABDEP		INHALANT/SOLVENT ABUSE/DEPENDENCE IN LAST 12 MONTHS
		43084	0. No inhalant/solvent diagnosis
		7	1. Inhalant/solvent abuse only
		2	2. Inhalant/solvent dependence only
3664-3664	SOLP12ABDEP		INHALANT/SOLVENT ABUSE/DEPENDENCE PRIOR TO THE LAST 12 MONTHS
		42960	0. No inhalant/solvent diagnosis
		114	1. Inhalant/solvent abuse only
		2	2. Inhalant/solvent dependence only
		17	3. Inhalant/solvent abuse and dependence

Tape Location	Source Code	Frequency	Item value and description
3665-3665	HAL12ABDEP		HALLUCINOGEN ABUSE/DEPENDENCE IN LAST 12 MONTHS
		43042	0. No hallucinogen diagnosis
		43	1. Hallucinogen abuse only
		1	2. Hallucinogen dependence only
		7	3. Hallucinogen abuse and dependence
3666-3666	HALP12ABDEP		HALLUCINOGEN ABUSE/DEPENDENCE PRIOR TO THE LAST 12 MONTHS
		42493	0. No hallucinogen diagnosis
		511	1. Hallucinogen abuse only
		12	2. Hallucinogen dependence only
		77	3. Hallucinogen abuse and dependence
3667-3667	MAR12ABDEP		CANNABIS ABUSE/DEPENDENCE IN LAST 12 MONTHS
		42533	0. No cannabis diagnosis
		427	1. Cannabis abuse only
		23	2. Cannabis dependence only
		110	3. Cannabis abuse and dependence
3668-3668	MARP12ABDEP		CANNABIS ABUSE/DEPENDENCE PRIOR TO THE LAST 12 MONTHS
		39883	0. No cannabis diagnosis
		2751	1. Cannabis abuse only
		33	2. Cannabis dependence only
		426	3. Cannabis abuse and dependence
3669-3669	HER12ABDEP		HEROIN ABUSE/DEPENDENCE IN LAST 12 MONTHS
		43086	0. No heroin diagnosis
		3	1. Heroin abuse only
		4	3. Heroin abuse and dependence
3670-3670	HERP12ABDEP		HEROIN ABUSE/DEPENDENCE PRIOR TO THE LAST 12 MONTHS
		42991	0. No heroin diagnosis
		53	1. Heroin abuse only
		1	2. Heroin dependence only
		48	3. Heroin abuse and dependence

Tape Location	Source Code	Frequency	Item value and description
3671-3671	OTHB12ABDEP		OTHER DRUG ABUSE/DEPENDENCE IN LAST 12 MONTHS
		43091	0. No other drug diagnosis
		1	1. Other drug abuse only
		1	3. Other drug abuse and dependence
3672-3672	OTHBP12ABDEP		OTHER DRUG ABUSE/DEPENDENCE PRIOR TO THE LAST 12 MONTHS
		43055	0. No other drug diagnosis
		30	1. Other drug abuse only
		1	2. Other drug dependence only
		7	3. Other drug abuse and dependence
3673-3674	ETHRACE2A		IMPUTED RACE/ETHNICITY
		24507	1. White, Not Hispanic or Latino
		8245	2. Black, Not Hispanic or Latino
		701	3. American Indian/Alaska Native, Not Hispanic or Latino
		1332	4. Asian/Native Hawaiian/Pacific Islander, Not Hispanic or Latino
		8308	5. Hispanic or Latino
3675-3682	ETOTLCA2		AVERAGE DAILY VOLUME OF ETHANOL CONSUMED IN PAST YEAR, FROM ALL TYPES OF ALCOHOLIC BEVERAGES COMBINED (NOTE: Users may wish to exclude outliers)
			0.0003 - 219.9555 Ounces of ethanol
			Blank Unknown